

Hard to Find Fasteners Our Specialty


BARREL NUTS

 3136 _(BAA) 1/16" Stud Size Tubular Speed Nut General Purpose	 13963 _(FA) Nylon 7/64" Stud Size Barrel Length 29/64" Head Dia. 1/4" Head Thick 1/32" For hole Dia. 3/16"	 5854 _(BAA) (373528-S32) (60000605) 1/8" Stud Size Panel Range: .025"-.045" Fits into 3/16" Hole	 3735 _(FA) (6000752) (374684-S32) 3/16" or #10 Thrd Size Panel Range: .040"-.055" Fits into 19/64" Hole
 8387 _(FA) (378362-S102) w/sealer 1/16" Stud Size Panel Range .020"-.030" Fits into 1/8" Hole	 11293 _(FA) (375890) w/sealer 1/8" Stud Size Panel Range: .035"-.045" Fits into 3/16" Hole	 10071 _(BAA) (1376063) 1/8" Stud Size Panel Range: .050"-.060" Fits into 5/32" Hole	 2565 _(BAA) 3/16" Stud Size Panel Range .020-.032 Fits into 7/32 Hole
 13961 _(FA) Nylon 1/16" Stud Size Panel Range: 7/32" Fits into 9/64" Hole	 13964 _(FA) Nylon 1/8" Stud Size Barrel Length 11/32" Head Dia. 15/64" Head Thick 1/32" For hole Dia. 11/64"	 13965 _(FA) (4006316) Nylon 5/32" Stud Size Barrel Length 1/4" Head Dia. 1/4" Head Thick 1/32" Fits into 3/16" Hole	 3769 _(FA) 3/16" or #10 Thrd Size Panel Range .035-.048 Fits into 7/32 Hole
 13962 _(FA) Nylon 5/64" Stud Size Barrel Length 7/32" Head Dia. 7/32" Head Thick 3/64" For hole Dia. 5/32"	 9428 _(BAA) (6000050) (375890-S102) 1/8 Stud Size Panel Range: .030-.050 5/32 Hole Size	 8545 _(FA) 5/32" Stud Size Panel Range .062-.068 Fits into 7/32 Hole	 13966 _(FA) (8934-201-767) Blk Nylon 3/16" Stud Size Barrel Length 17/64" Head Dia. 5/16" Head Thick 1/32" Fits into 17/64 Hole
 3776 _(BAA) 3/32" Stud Size Panel Range: .032-.040" Fits into 1/8 Hole	 2595 _(BAA) 1/8 Stud Size Panel Range: .040-.045 3/16" Hole Size	 8546 _(FA) 5/32" Stud Size Panel Range .049-.055 Fits into 7/32 Hole	 5196 _(BAA) (354341-S) 1/4" Stud Size Panel Range .034-.040 Fits into 9/32 Hole
 3603 _(BAA) 3/32" Stud Size Tubular Type Speed Nut General Purpose	 3777 _(FA) 1/8" Stud Size Panel Range: .036-.044 Fits into 5/32 Hole	 11431 _(FA) (6000558) Phosphate w/sealer 3/16" Stud Size Panel Range .029-.039 Fits into 1/4 Hole	 11432 _(FA) (354341-S102) w/sealer 1/4" Stud Size Panel Range .034-.040 Fits into 9/32 Hole
 11433 _(FA) (4001353) w/sealer 3/32" Stud Size Panel Range: .093 Fits into 1/8" Hole	 2611 _(BAA) 1/8" Stud Size Panel Range: .030-.036 Fits into 5/32 Hole	 10073 _(BAA) (6000558) 3/16" Stud Size Panel Range: .039"-.044" Fits into 7/32" Hole	

O.E.M. HARDWARE

Hard to Find Fasteners Our Specialty

FLAT NUTS

 1896 _(FA) 2-56 Machine Screw Size	 10673 _(BAA) 5/16-18 Machine Screw Size	 2098 _(FA) 1/16" Stud Size	 2426 _(FA) 3/16" Stud Size
 2089 _(FA) 6-32 Machine Screw Size		 2100 _(FA) 3/32" Stud Size	
 1898 _(FA) 2-56 Machine Screw Size		 1906 _(FA) .100 or 3/32" Stud Size	 2105 _(BAA) 1/4" Stud Size
 5563 _(FA) #8 Tapping Screw Size		 1914 _(FA) .100 or 3/32" Stud Size	
 3793 _(FA) #8 Tapping Screw Size		 3559 _(FA) 1/8" Stud Size	 3138 _(BAA) 5/16" Stud Size
 1899 _(FA) 8-32 Machine Screw Size		 2099 _(FA) 1/8" Stud Size	 3139 _(BAA) 3/8" Stud Size
 2091 _(FA) 8-32 Machine Screw Size		 2102 _(FA) 5/32" Stud Size	
 2092 _(BAA) #10-24 Machine Screw Size		 1905 _(FA) 5/32" Stud Size	 3140 _(BAA) 7/16" Stud Size
 1903 _(BAA) #1/4-20 Machine Screw Size		 8586 _(FA) 3/16" Stud Size	

Hard to Find Fasteners Our Specialty


U & J TYPE NUTS

 5571 (BAA) #8 Screw Size Panel Range: .025-.040" Centre of hole to edge: 1/4"	 1913 (BAA) #10 Tapping Screw Size Panel Range .020-.051 Centre of Hole to Edge: 15/32	 2057 (BAA) #14 Screw Size Panel Range .032-.040 Centre of Hole to Edge: 1/2"
 10666 (BAA) (9427761) #6 Screw Size Panel Range .025-.035 Centre of Hole to Edge: 11/32	 3770 (BAA) #10 Tapping Screw Size Panel Range .030-.037 Centre of Hole to Edge: 3/8	 2293 (BAA) (9431647) 1/4-20 Machine Screw Size Panel Range .064-.125 Centre of Hole to Edge: 9/16"
 11292 (FA) 445429 9422552 #8 Screw Size Panel Range: .045-.062" Center Hole to Edge 3/8"	 2422 (BAA) #10 Tapping Screw Size Panel Range .025-.064 Centre of Hole to Edge: 3/8	 1907 (FA) 5/16-10 Tapping Screw Size Panel Range .032-.064 Centre of Hole to Edge: 1/2"
 8337 (FA) No. 8-18 Screw Size Panel Range: .025-.040" Centre of Hole to Edge 3/8"		 9880 (BAA) (9424837) (381818-S2) #8 Screw Size Panel Range .025/.150 Centre Hole to Edge 3/8 GM, Ford
 11429 (FA) #10 Screw Size Panel Range: .015-.060" Centre of Hole to Edge 15/32"	 8341 (BAA) No. 10-12 Screw Size Panel Range .025-.060 Centre of Hole to Edge: 11/32	 9879 (BAA) (11504531) (381863-S2) #8 Screw Size Panel Range .025/.150 Centre Hole to Edge 5/8 GM, Ford
 3797 (BAA) #10 Tapping Screw Size Panel Range: .045-.062" Centre of Hole to Edge 13/32"	 8340 (BAA) #10 Screw Size Panel Range .025-.062 Centre of Hole to Edge: 9/32	 9881 (BAA) (9424837) #14 Screw Size Panel Range .025/.150 Centre Hole to Edge 5/16" GM
	 5197 (BAA) 10-24 Machine Screw Size Panel Range .045-.062 Centre of Hole to Edge: 9/16	

O.E.M. HARDWARE

Hard to Find Fasteners Our Specialty

"U" AND "J" NUTS



15752_(FA)
Phosphate

#10 Screw Size
Panel Range: .025/.150
Center Hole to edge 9/16"

GENERAL PURPOSE SPRING NUTS



Part No	Thread Size	Panel Range	Center Hole to edge	
10064	No. 6	.025/.125	3/8"	FA
10065	No. 8	.025/.125	3/8"	CF
10066	No. 10	.025/.125	13/32"	FA
10067	No. 14	.025/.125	3/8"	CF

"PAL" or THREADCUTTING NUTS



3400_(BAA)

1/8" Stud Size
1/4" Hex Head Dia.



3401_(BAA)

1/8" Stud Size
5/16" Hex Head Dia.



3402_(BAA)

3/16" Stud Size
1/2 Hex Head Diameter



2895_(BAA)

1/8" Stud Size
5/16" Hex Head
17/32" Washer Diameter



2896_(BAA)

3/16" Stud Size
3/8" Hex
5/8 Washer Dia.



2897_(BAA)

1/4" Stud Size
7/16" Hex Head
19/32" Washer Diameter



3403_(BAA)

1/8" Stud Size
5/16" Hex Head
7/16" Washer Diameter



3404_(BAA)

3/16" Stud Size
3/8" Hex Head
1/2" Washer Diameter



8855_(BAA)
Zinc

5/32" Stud Size
9/16 Washer Diameter



3405_(BAA)

1/4" Stud Size
7/16" Hex Head
11/16" Washer Dia



10669_(BAA)

(9420262)

w/sealer-Zinc
1/4" Stud Size
5/16" Hex Head
11/16" Washer Diameter



12261_(BAA)

(376842-F100)
w/sealer-Zinc

1/4" Stud Size
7/16" Hex Head
19/32" Washer Diameter



10733_(FA)

Zinc

5/16" Stud Size
Washer Type
Self-Threading Nut



Hex Pal Nuts Plated

Part No	Thread Size	Hex Width	
3975	3/8-24	9/16"	BAA
3976	7/16-20	5/8"	
8858	1/2-20	3/4"	

O.E.M. HARDWARE

P-5

Hard to Find Fasteners Our Specialty

USS CAGE \ "U" NUTS



PART NO	O.E.M. #		SIZE	PANEL RANGE	CENTRE OF HOLE TO EDGE	FINISH
10048	45262	FA	8-32	.025"-.150"	13/32"	
15677	GM 152273	CF	10-24	.025"-.125"	15/32"	PHOS.
8359	GM 1480627 1494252	FA	1/4" Reg.	.025"-.125"	17/32"	PHOS.
10050 10050B 10050CFA	1494242	FA CF CFA	1/4" Reg.	.025"-.150"	19/32"	PHOS.
10051 10051B 10051CFA	1494257	FA CF CFA	1/4" Long	.025"-.150"	25/32"	PHOS.
10053 10053B 10053CFA	1494253	FA CF CFA	5/16" Reg.	.025"-.150"	9/16"	PHOS.
10052 10052B 10052CFA	1494258 10008002 45268-S2 379831-S	FA CF CFA	5/16" Long	.025"-.150"	7/8"	PHOS.
10054 10054B 10054CFA	1494254	FA CF CFA	3/8" Reg.	.025"-.200"	3/4"	PHOS.
10055 10055B 10055CFA	45269-S2	FA CF CFA	3/8" Long	.025"-.200"	1-1/8"	PHOS.

BODY SHOP SUPPLIES

HOG RINGS

To attach seat covers to cushions and seat bottoms — also cushion spring clip



7595_(BAA)

Medium



7644_(BAA)

Large




5589_(FA)

5/16-18 Screw Size
Panel Range .087-.093
Center Hole to Edge 15/32"

O.E.M. HARDWARE

Hard to Find Fasteners Our Specialty


METRIC CAGE \ "U" NUTS



PART NO	O.E.M. #		SIZE	PANEL RANGE	CENTRE OF HOLE TO EDGE	FINISH
11624	GM 11500654	FA	4MM X 0.7	0.80-4.0 (mm) 0.30-.160 (in)	9.5mm 3/8"	BLUE PAINT
11625	GM 11500655	FA	4MM X 0.7	0.80-4.0 (mm) 0.30-.160 (in)	13.5mm 17/32"	BLUE PAINT
11626	GM 11500657	FA	5MM X 0.8	0.80-4.0 (mm) 0.30-.160 (in)	15.8mm 5/8"	BLUE PAINT
11864	GM 11503714-716-957 GM 1977-1985 FISHER 1977-1985	CF	6MM X 1.0	0.80-4.0 (mm) 0.30-.160 (in)	13.5mm 17/32"	PHOS.
12666	GM 11504978	CF	6MM X 1.0	0.34-0.63 (mm) 0.10-.025 (in)	14.5mm 9/16"	ZINC ORGANIC
12669 12669B 12669CFA	GM 11503957 FORD N623332-S2 FORD N623332-S53 FORD N623332-S100 1980-'85 "J" CAR	FA CF CFA	6mm Reg.	.80mm-4.0mm	13.5mm	PHOS.
12575 12575B 12575CFA	GM 11503715	FA CF CFA	6mm Long	.34mm-4.0mm	19.5mm	PHOS.
11627	GM 11502785 GM 11503455	CF	6.3mm	0.80-4.50 (mm) 0.30-.170 (in)	13.5mm 17/32"	BLUE PAINT
11628 11628B 11628CFA	GM 11500658	FA CF CFA	6.3mm Reg.	.80mm-4.0mm	13.5mm	BLUE PAINT
12667	GM 11504288 GM 11503455 1980 '85 MODELS	CF	8mm X 1.25	0.20-0.50 (mm) 0.10-.020 (in)	14.5mm 9/16"	PHOS.
11629 11629B 11629CFA	GM 11500660 GM 11502617 FORD N623333-S2 FORD N623333-S100	FA CF CFA	8mm Reg.	.80mm-4.0mm	14.5mm	BLUE PAINT
11630 11630B 11630CFA	GM 11500661 GM 11503317 FORD N623343-S100	FA CF CFA	8mm Long	1.0mm-6.0mm	20.0mm	BLUE PAINT
11631 11631B 11631CFA	GM 11500662	FA CF CFA	10mm Reg.	1.80mm-4.0mm	19.0mm	BLUE PAINT

Hard to Find Fasteners Our Specialty


UNIVERSAL TYPE MOULDING CLIPS



2752_(FA)

GM 3744999
Chrysler 1758099
Chrysler 6000720
Chrysler 6010046


10-24 x 1/2"



2789_(CF)


10-24 x 5/8"

(GM 3748339)
(GM 4728895)



2801_(CF)


10-24 x 1/2"



2818_(CF)

(GM 4689929)
(GM 4778814)

10-24 x 5/8"



2819_(CF)

(1165051)


12-24 x 5/8"



2821_(FA)

(GM 4637277)
(GM 4730773)

12-24 x 3/4"



3164_(CF)

(GM 3758298)
10-24 x 1/2"


2820_(CF)

4676189

12-24 x 3/4

Plate Length 2-17/32

Plate Width 11/16"



Moulding Bolt
Chevrolet and General Purpose

BODY SHOP SUPPLIES

O.E.M. HARDWARE

Hard to Find Fasteners Our Specialty


UNIVERSAL TYPE MOULDING CLIPS

2514_(CF)

FORD 358560
Chrysler 1560058
Chrysler 6010029
GM 568792
GM 574355
GM 1165051




10-24 x 1/2"



Chrysler 6000705
Chrysler 6013029
GM 3722635


2619_(CF)
10-24 x 3/4

Chrysler 1624705
Chrysler 6010093




2744_(CF)

10-24 x 3/4




3285_(FA)

Plate Size 1/2" x 1-3/8"




3336_(FA)

Plate Size 13/16" x 2-1/8"



5133_(CF)
(3792051)
10-24 x 5/8

Front Fender Moulding Bolt
CHEVROLET



2618_(FA)

(GM: 4674640,
4779397)(Chry 6006265)

Moulding Fastener



9953_(CF)
(1484570)


General Purpose Clip

O.E.M. HARDWARE

P-9


Hard to Find Fasteners Our Specialty

UNIVERSAL TYPE MOULDING CLIPS



2332_(FA)

1/4-20 x 3/4 - Cadmium





2356_(FA)

10-24 x 3/4 - Cadmium

8581_(FA)
Nylon

Universal Moulding
Fastener
All Cars
All Models




8843_(FA)
Nylon

Moulding Fastener
VOLKSWAGON
ALL MODELS
Fits 1/2" to 5/8"
Mouldings

10794_(FA)

Screw Size 10-24
Length 3/4"

Plate Length 4-1/2"
w/sealer




Universal Moulding Clip for 4" Moulding
General Purpose

BODY SHOP SUPPLIES

O.E.M. HARDWARE


Hard to Find Fasteners Our Specialty

UNIVERSAL TYPE MOULDING CLIPS




8399_(CF)
(4883164)
Nylon

Rear Fender Lower Moulding
Fastener:
CHEVROLET
ALSO General Purpose




8385_(CF)
(4877000)
Nylon

Door & Fender Moulding Fastener:
CHEVROLET
ALSO General Purpose




8386_(CF)
(4877001)
Nylon

Rear Fender Lower Moulding
Fastener:
CHEVROLET
ALSO General Purpose




8400_(CF)
Nylon

Universal Moulding Fastener:
For 1-1/4" to 1-3/4" Moulding
All Cars, All models



8447_(FA)
(4886720-4417599)
Nylon

Front & Rear Door
Moulding Fastener:
CHEVROLET
ALSO General Purpose




8448_(FA)
(4879481)
Nylon

Front & Rear Door
Moulding Fastener:
CHEVROLET
ALSO General Purpose




5889_(FA)

Moulding Size
5/16" thru 1/2"
Hole Size 3/8"



5890_(FA)

Moulding Size
5/8" thru 1"
Hole Size 7/16"



5891_(FA)

Universal Moulding Fastener
For 1-1/8-3" Moulding

Hole Size 1/2"

O.E.M. HARDWARE

P-11

Hard to Find Fasteners Our Specialty

SCREW TYPE RETAINERS- BLACK NYLON



14986



14987




14988




14989




14990




14991



14992




14993



14994



14997



14998


Part No.	Hole Dia.	Panel Range	Flange Dia.	Stem Length		
14986	.187"	.060-.125	.310"	.265"		FA
14987	.230"	.120-.125"	.430"	.690"	GM 10089262	FA
14988	.230"	.100-.140"	.438"	.690"	FORD N8052295	CF
14989	.250" sq	.650-.710"	.438"	1.062"	CHRY 6501852	FA
14990	.250"	.100-.175"	.438"	.470"	GM 22538102	FA
14991	.250"	.100-.240"	.700"	.690"		CF
14992	.250"	.100-.240"	.610"	.900"	FORD N8039465	FA
14993	.250"	.100-.197"	.700"	.900"	GM22538004	CF
14994	.250"	.100-.240	1.000"	.900"	FORD N8048375	FA
14997	.310"	.100-.240"	.585"	.800"	GM 10053182	CF
14998	.410"	.350-.470"	.850"	1.000"		CF

BODY SHOP SUPPLIES

FREE SPINNING WASHER NUT




Part No	Thread Size	Washer O.D.	Hex Size	Height	Plating	O.E.M. No.	
15338	8-32	3/8	11/32	5/32	Zinc & Yellow	383693	BAA
15339	10-24	7/16	3/8	1/4	Phosphate	6025001	FA
15340	10-24	29/64	5/16	3/16	Zinc & Yellow	389744	BAA
15341	10-24	29/64	3/8	3/16	Zinc	3759924,6023201	FA
15342	10-24	9/16	3/8	5/16	Phosphate	6025002	FA
15343	10-24	9/16	3/8	1/4	Zinc & Yellow	6023202	FA
15344	1/4-20	.580	7/16	3/16	Zinc	389745	FA
15345	1/4-20	5/8	7/16	9/32	Zinc & Yellow	3866846, 385400	
						45334,6023204,	FA
15346	1/4-20	5/8	7/16	1/4	Cadmium	6031029, 6025004	FA
15347	1/4-20	3/4	7/16	5/16	Phosphate	45332, 6025005	FA
15348	1/4-20	1"	7/16	3/8	Phosphate & Wax	6030914	FA
15349	1/4-20	1"	7/16	5/16	Zinc & Yellow	45336	CF
15350	5/16-18	3/4	1/2	3/8	Phosphate	6025007	FA
15351	3/8-16	7/8	9/16	7/16	Phosphate	376785	FA
15352	7/16-14	1"	11/16	1/2	Phosphate	6025021	cf



HEX HEAD SEMS SPLIT WAVE WASHER BODY BOLTS

Class 9.8 - Zinc & Yellow Dichromate Plated

Part No	Size	Hex Size	Washer O.D.	
534300	M6-1.0 X 20mm	10mm	11mm	FA/CF
534302	M6-1.0 X 25mm			
534304	M6-1.0 X 30mm			
534306	M8-1.25 X 20mm	13mm	14mm	
534308	M8-1.25 X 25mm			
534310	M8-1.25 X 30mm			
534312	M8-1.25 X 40mm			




HEX HEAD SEMS BODY BOLTS

Class 8.8 - Zinc & Yellow Dichromate Plated

Part No	Size	Hex Size	Washer O.D.	
534400	M6-1.0 X 12mm	10mm	12.5mm	FA/CF
534402	M6-1.0 X 16mm			
534404	M6-1.0 X 20mm			
534406	M6-1.0 X 25mm			
534408	M6-1.0 X 30mm			
534410	M6-1.0 X 35mm			
534412	M8-1.25 X 20mm	12mm	17mm	
534414	M8-1.25 X 25mm			
534416	M8-1.25 X 30mm			
534418	M8-1.25 X 35mm			
534420	M8-1.25 X 40mm			
534422	M8-1.25 X 45mm			
534424	M10-1.25 X 20mm	14mm	19mm	
534426	M10-1.25 X 25mm			
534428	M10-1.25 X 30mm			
534430	M10-1.25 X 35mm			
534432	M10-1.25 X 40mm			

Hard to Find Fasteners Our Specialty



Type A



Type B

METRIC FREE SPINNING WASHER NUT


Part No	Type	Thread Size	Washer O.D.	Hex Size	Height	Plating	O.E.M. No.	
15325	B	M4-0.7	12mm	9mm	4.5mm	Phosphate	N621900 N800466	FA
15321	B	M4-0.7	12mm	9mm	7mm	Zinc	1150517	FA
15326	B	M5-0.8	15mm	10mm	7mm	Phosphate	N621903	FA
15327	B	M5-0.8	19mm	10mm	7mm	Phosphate	1150461	FA
12595	A	M6-1.0	16mm	11mm	9mm	Phosphate	11503752 N9010000	FA
12595B								CF
12595CFA								CFA
15328	B	M6-1.0	16mm	11mm	8.5mm	Phosphate	N621905	FA
15328B								CF
15328CFA								CFA
15329	B	M6-1.0	18mm	10mm	9mm	Phosphate	6100048	FA
12596	A	M6-1.0	19mm	11mm	9.5mm	Phosphate	11503754 11503756	FA
12596B								CF
12596CFA								CFA
15330	B	M6-1.0	19mm	10mm	8mm	Zinc	11508275	FA
15322	B	M6-1.0	19mm	11mm	11mm	Zinc & Yellow	N621926	FA
15323	B	M6-1.0	19mm	10mm	11mm	Zinc	11505475	FA
15331	B	M6-1.0	20mm	10mm	9mm	Phosphate	6100049	FA
15332	B	M6-1.0	24mm	11mm	9mm	Zinc & Yellow	N621907	FA
15324	B	M6-1.0	24mm	11mm	11mm	Zinc & Blue	N621927	FA
11642	A	M6.3-1.0	16mm	11mm	9mm	Phosphate	11500747 11501106	FA
15333	B	M8-1.25	18mm	13mm	10mm	Phosphate	6100050	CF
15334	B	M8-1.25	19mm	13mm	10mm	Phosphate	11501800	FA
15334B								CF
15334CFA								CFA
15335	B	M8-1.25	24mm	13mm	10.5mm	Phosphate	11503695 N621940	CF
15336	B	M8-1.25	28mm	13mm	10.5mm	Phosphate	11502635	CF
15337	B	M10-1.5	24mm	15mm	13mm	Phosphate	N621942	CF

BODY SHOP SUPPLIES

O.E.M. HARDWARE

Hard to Find Fasteners Our Specialty

UNIVERSAL NUTS





JACK NUTS®

Material-1010 Steel-Zinc Plated
**Spread varies with material thickness

Part No	Thread Size (E)	Body Dia (A)	Head Dia (B)	Cap Thick (C)	Overall Length (D)	Grip Range (G)	Required Hole Dia	Max Spread (F)	
13012	6-32	.318	.468	.073	.653	.015-.187	.315-.330	.660	cf
13013	6-32	.318	.468	.073	.841	.187-.375	.315-.330	.720	cf
13014	10-24	.382	.531	.073	.716	.015-.187	.385-.400	.760	cf
13015	10-24	.382	.531	.073	.888	.187-.375	.385-.400	.820	cf
13016	1/4-20	.438	.625	.073	.731	.015-.187	.434-.450	.890	cf
13017	1/4-20	.438	.625	.073	.919	.187-.375	.434-.450	.890	cf

SPECIAL PURPOSE JACK NUTS

Part No	OEM Number	Thread	Material	OEM Application	
12995	GM 367292 CHRY 6031438	1/4-20	Zinc w/sealer	GM Mirrror Mounting Nut	cf
12997	GM 10014363	M6 x 1	Zinc w/Laquer	GM Licence Plate Nut	cf
12998	GM 1623436	M5	Zinc w/Raintite	GM "J" Bodies Rack Mount	ba
12999	GM 14007940	M6 x 1	Zinc w/Raintite	GM "X" & "Y" Bodies Rack Mounting Nut	ba
16226	AMC 8934201977	M4-.7	Zinc	Jeep Dome Light "Overlam" Bumper attach.	cf




FLAT PUSH-ON RETAINERS ZINC PLATED

Part No.	Size	
533167	1/16"	BAA
533180	3/32"	
533181	1/8"	
533182	5/32"	
533183	3/16"	
533184	.237	
533185	.240	
533186	1/4"	
533187	5/16"	





Hard to Find Fasteners Our Specialty

BODYSHOP SUPPLIES



SPECIAL PURPOSE WELL NUTS®

Part No	OEM Number	Thread	Screw Thread	OEM Application	
13000	20130258	M6	M6 x 1 wSS Screw No. 10 Hd.	Sta Wgn. Roof Rack Mount	cf
13004	GM 528846	1/4-20		Gm & AMC Luggage	
	AMC 4003120			Rack Mount	cf
13005	14048060	8-32		GM S-10 Truck	cf
13002	20130258	M6-1.0		Station Wagon Roof Rack	ba
13007		10-32			cf
13009		10-32			ba
13010		1/4-20			ba
16239	GM 22520368	M4.5-.75		Luggage Rack	cf
16254		M6-1.0			cf



SPRING ACTION HOSE CLAMPS

Spring Steel, Heat Treated Phosphatized and Paint
For Use on all Rubber or Plastic Hose Connections

Part No	Hose O.D.	Max Dia. Clamp in Free Position	Material Width	
12682	3/8"	.321	5/16"	BAA
12683	7/16"	.405	5/16"	BAA
12684	1/2"	.460	5/16"	BAA
12685	9/16"	.520	5/16"	BAA
12686	5/8"	.583	5/16"	BAA
12687	21/32"	.620	5/16"	BAA
12688	11/16"	.655	5/16"	BAA


O.E.M. HARDWARE

"Hard to Find Fasteners our Specialty"™




G.M. S10 Trucks
1994-On
Kit Will Repair One Hinge
Door Hinge Pin And Bushing Kit
O.E.M. # N/A
Sold Each

PART # 20487




G.M. S10 Trucks
1994-On
Kit Will Repair One Door
Door Hinge Pin And Bushing Kit
O.E.M. # N/A
Sold Each

PART # 20488



Ford F-Series
1980-98
Kit Will Repair One Hinge
Door Hinge Pin & Bushing Kit
O.E.M. # N/A
Sold Each

PART # 20489




Ford F-Series
1980-98
Kit Will Repair One Door
Door Hinge Pin & Bushing Kit
O.E.M. # N/A
Sold Each

PART # 20490


O.E.M. HARDWARE

"Hard to Find Fasteners our Specialty"™



**Replacement Parts
To Repair
GMC Sierra & Chev. Silverado
& Other S.U.V.'s Hinges
Door Hinge Pin & Bushing Kit
O.E.M. # N/A
Sold Each**

PART # 20485



**Replacement Parts
To Repair One Door
GMC Sierra & Chev. Silverado
& Other S.U.V.'s Hinges
Door Hinge and Bushing Kit
O.E.M. # N/A
Sold Each**


PART# 20486

O.E.M. HARDWARE

"Hard to Find Fasteners our Specialty"™



G.M. Trucks C-K
1988 - On
Kit Will Repair One Hinge
Door Hinge Pin & Bushing Kit
O.E.M. # N/A
Sold Each
PART # 20491




G.M. Trucks C-K
1988 - On
Kit Will Repair One Door
Door Hinge Pin & Bushing Kit
O.E.M. # N/A
Sold Each

PART# 20492



Topaz & Tempo 1990-94
Mustang 1979-93, Capri 1980-86
Kit Will Repair One Hinge
Door Hinge Pin And Bushing Kit
O.E.M. # N/A
Sold Each

PART# 20493

# 8160 Door Pin & Bushing Assortment			
 # 9164 11/32" Pin Diameter 3 1/4" Length Stainless Steel Door Hinge Pins		 # 2114 .345" I.D. .495" O.D. .365 Height Hinge Pin Bushings Use with Pin # 9164	 # 2115 .385" I.D. .530" O.D. .365 Height Hinge Pin Bushings Use with Pin # 9164
 # 1267 .345" I.D. .415" O.D. .283" Height Hinge Pin Bushings Use with Pins # 1288 & 1289	 # 1288 # 1289 (Top Picture) 11/32" Diameter Length: 4 1/16" Door Hinge Pins (Bottom Picture) 11/32" Diameter Length: 4" Door Hinge Pins		 # 1268 .345" I.D. .485" O.D. .362" Height Hinge Pin Bushings Use with Pin # 1288
 # 9595 11/32" Pin Diameter 3 3/8" Length Door Hinge Pins		 # 1270 .348" I.D. .478" O.D. .348" Height Hinge Pin Bushings Use with Pin # 9595	 # 1269 .269" I.D. .315" O.D. .356" Height Hinge Pin Bushings Use with Pin # 1292
		 # 1292 17/64" Pin Diameter 2 3/4" Length Door Hinge Pins	
 # 9233 1/84" Thick Stainless Steel Hinge Pin Retainers For 11/32" Dia. Pins			

8160 (PLASTIC TRAY)

Shipped in an adjustable large plastic tray with the above label.

Sold in a 11" x 6 3/4" Polypropylene Box. This assortment has 11 different sizes and contains 44 pieces. It covers the top selling pins and bushings for G.M., Ford, and Chrysler.

O.E.M. HARDWARE








Hard to Find Fasteners Our Specialty

SCREW GROMMETS/NUTS

 14255_{fa} (Honda: 75522-611-0000) (Mazda: 9991-00-412) Use with #8 Screw	 11838_{FA} 11838B_{CF} 11838FAA (GM: 1254815) Use with #6 Screw	 11855_{cf} (GM: 9669486) (AMC: 8934-201-262) Side Marking lights Use with #8 Screw	 9829_{fa} (GM: 380382) (AMC: 8934-201-263) Headlamp Bezel Nut Use with #6 or #8 Screw	 14002_{fa} (GM: 16503329) Use with #6 Screw	 13930_{fa} 13930B_{fa} 13930FAA_{fa} (Nissan: 96706-B0700) Use with #6 Screw
 2625_{baa} Chrysler Products Headlight Door and Licence Plate Nut Use with #8 Screw	 14031_{fa} (GM: 15596279) Grille Retainer & Cowl Vent Nut Use with #8 or #10 Screw	 14014_{fa} (GM: 20475950) (VW: 175-853-674) Use with Part #14013	 13450_{fa} (GM: 347347) Headlight Nut Use with #8 Screw	 9377_{baa} (Chry: 6000943) (AMC: 8934-201-263) Radiator Grille Nut Use with #8 Screw	 12735_{fa} (GM: 1370853) Headlamp bezel Nut Use with #8 Screw
 11691_{baa} (GM: 3919773) Headlight Bezel Nut Use with #8 Screw	 14756_{fa} (FORD: 379830-s) Use with #8 Screw Black	 9862_{fa} 9862B_{fa} 9862FAA (FORD: 379830-S) Headlight & Grille Nut Use with #8 or #10 Screw	 10330_{baa} 10330B_{FA} 10330FAA (GM: 3893980) Dashboard & grille Nut Use with #8 or #10 Screw	 14003_{cf} (GM: 22514578) Parking light Nut Use with #8 Screw	 13960_{fa} 13960B_{CF} 13960FAA (GM: 14013246) Headlight Nut Use with #8 Screw
 13933_{fa} 13933B_{cf} 13933CFA (GM) Grille Nut Use with #8 or #10 Screw	 14274_{fa} 14274B_{cf} 14274FAA (Toyota: 90189-06010) Use with #10 Screw	 11719_{fa} (GM: 4755299) Licence plate Nut Use with #14 Screw	 13932_{fa} 13932B_{cf} 13932FAA (Toyota: 90189-05013) Use with #10 Screw	 14313_{fa} 14313B_{cf} 14313CFA (Honda: 90662-671-0030) (Mazda: 9991-00-503) (Nissan: 68425-H5000) Use with #10 Screw	 3682_{fa} 3682B_{cf} 3682FAA (GM: 4755299) Licence Plate Nut Use with #14 Screw
 8435_{fa} (GM: 4755299) Licence Plate Nut Use with #14 Screw	 11424_{cf} (GM: 3985058) Truck Grille Nut Use with #6 or #8 Screw	 11368_{cf} (Ford: 380707-S) Licence Plate Nut Use with #14 Screw	 12569_{cf} (Ford: N801706S) Use with #12 or #14 Screw	 14800_{cf} (Chry: 6500725) Headlight Bezel Nut Use with #10 Screw	
 8419_{fa} (Chry: 2524525) Headlight Bezel Nut Use with #8 or #10 Screw	 14030_{FA} 14030B_{CF} 14030FAA (GM: 3997391) Tail Light Nut Use with #8 Screw	 9069_{cf} (GM: 1355003) Headlight & Radiator Grille Nut Use with #8 Screw	 5228_{fa} (GM: 3783006) Licence Plate Nut Use with Part #5278	 13647_{cf} (Chry: 6031234) Radiator Grille Nut Red Use with #8 Screw	

Hard to Find Fasteners Our Specialty

SCREW GROMMETS/NUTS


 14041_{cf} (Chry: 6032827) Quarter Window Garnish Moulding Nut Use with #8 Screw	 8418_{fa} (GM: 380370) Licence Plate Nut Use with Part # 3089	 14218_{fa} (GM: 6031183) Use with #6 or #8 Screw	 11720_{fa} Chrysler Products Grille Nut Use with #8 or #10 Screw	 14768_{cf} (Ford: D9BZ-5401316B) Cowl Panel Grommet	 14267_{fa} 14267B_{cf} 14267CFA (Toyota: 90189-06013) Use with #14 Screw
 14268_{cf} (Honda: 90672-671-8110M1) Toyota: 90189-04013) Use with #6 Screw	 14695_{cf} (Honda: 90661-SC7-0030) (Mazda: H001-50-841) (Nissan: 01651-00481) (Toyota: 90189-06042) Use with #8 Screw	 11841_{fa} (Ford: N800503S) Grille Attachment Nut Use with #6 Screw	 14037_{cf} (GM: 15596280) Cowl Vent Attachment Use with #6 or #8 Screw	 12566_{cf} (GM: 25508532) (Chry 6032061) Grille Attachment Grommet Use with #8 Screw	
 11865_{fa} (GM: 1255823) (Ford 389360S) Front & Rear Lights Use with #6 or #8 Screw	 10727_{cf} (GM: 3986978) Headlight Bezel Grommet Use with #6 or #8 Screw	 14220_{fa} (GM 25525798) Grille Attachment Grommet Use with #6 or #8 Screw	 10365_{baa} (GM: 1377030) Valance Panel to Rear Bumper Bar Grommet Use with #8 or #10 Screw	 14275_{baa} 14275B_{fa} 14275FAA01, 01281-00023, MB-098145 5MM Screw Hole: 8.5mm x 8.5mm Toyota, Nissan, Mitsubishi	
 12713_{cf} (GM: 1264963, 10032838) (Chry 6031869) (amc:8934-201-602 Use with #6 Screw	 701-392_{fa} 701-392B_{cf} 701-392CFA (90189-05012 8941340270 Screw-#6 hole: 6mm x 19mm Toyota, Isuzu	 701-393_{fa} 701-393B_{cf} 701-393CFA (90656-671-6310M1) Screw-#14 hole: 8.5mm x 10.5mm Honda	 701-368_{fa} 701-368B_{cf} 701-368FAA (000-988-15-81) Red moulding insert Mercedes		
 701-369_{fa} 701-369B_{cf} 701-369FAA 5131-802-258) Barrel Nut Toyota, European	 701-384_{fa} 701-384B_{cf} 701-384FAA 189-06018) Plastic Screw Grommet #10 Screw 14mm x 14mm Hole Toyota				

O.E.M. HARDWARE

Hard to Find Fasteners Our Specialty

BUMPER BOLTS

ROUND CHROME HEAD




SIZE	PART NO.	CODE
3/8-16 x 1	101005	CF
3/8-16 x 1-1/2	101010	CF
7/16-14 x 1	101015	CF
7/16-14 x 1-1/2	101020	CF
1/2 x 13 x 1	101025	CF
1/2 x 13 x 1/2	101030	CF
1/2 x 13 x 2	101035	CF

VOLKSWAGEN METRIC BUMPER BOLTS



11002_{CF}
(113-707-191C)
Chrome Plated
VW Bumper Bolt:
8MM X 15MM Long
VOLKSWAGEN - All Late
Models



11003_{CF}
(113-707-191)
Chrome Plated
VW Bumper Bolt:
8MM X 20MM Long
VOLKSWAGEN - All Late
Models




11004_{CF}
(113-707-191B)
Chrome Plated
VW Bumper Bolt:
8MM X 30MM Long
VOLKSWAGEN - All Late
Models


GM SPECIAL CARRIAGE & BUMPER BOLTS



15303_{CF}
(11504779, 11509537)
Phosphate
GM Bumper Bolt:
THREAD AND LENGTH:
M6-1.00 X 16MM
SHOULDER LENGTH: 2.5MM
HEAD DIAMETER: 13MM



15309_{CF}
(11504779, 11509537)
Protecto-Plate
GM Bumper Bolt:
THREAD AND LENGTH:
M8-1.25 X 25MM
SHOULDER LENGTH: 3MM
HEAD DIAMETER: 17.5MM



15315_{FA}
(11504825)
Protecto-Plate
GM Bumper Bolt:
THREAD AND LENGTH:
M12-1.75 X 30MM
SHOULDER LENGTH: 4MM
HEAD DIAMETER: 25MM

Hard to Find Fasteners Our Specialty


PUSH FASTENERS

Pushnut® Fasteners

Cover Color- Black Cover Material-Plastic

Caps self align on shafts

Low push-on force, high retention



Design 1

Design 2

Design 3

Part No		Shaft Dia	Cap OD W	Height Overall H	Min Shaft Extension A	Steel Thickness	Tooth Design	Min. Push-on Force	Min. Holding Strength
701-960	FA	1/8"	.656	.344	.150	.012	3	25	140
701-961		5/32"						30	200
701-962		3/16"						35	220
701-963		7/32"		.440	.175	.015	2	35	360
701-964		5/16"						60	700
701-965		3/8"						85	700
701-966	CF	1/2"	1.285	.645	.200	.018	1	90	1200
701-967	CF	5/8"	1.285					90	1200
701-968	BF	3/4"	1.300					95	1200

Washer Cap Type Pushnut® Fasteners

Finish- Zinc



Part No		Dimensions				Stud Diameter	Performance (Pounds)	
		Steel Thick.	Height H	Cap Dia W	Washer Dia D		Push-on Force	Min Holding Strength
701-970	BAA	.015	.202	.220	1/2	3/16	30	220
701-971		.018	.205	.289	1/2	1/4	65	280
701-972		.020	.236	.358	5/8	5/16	90	460
701-973		.020	.234	.419	11/16	3/8	70	380
701-974		.025	.270	.431	3/4	3/8	90	700
701-975		.030	.328	.504	7/8	7/16	150	960
701-976		.030	.328	.567	15/16	1/2	150	800
701-977	FA	.031	.413	.693	1-3/16	5/8	230	1500

O.E.M. HARDWARE

Hard to Find Fasteners Our Specialty

PUSH FASTENERS

Flat Push-On Retainers
For Non-threaded Fasteners Plated



Part No	Stud Size	O.D.	
533167	1/16"	3/16"	BAA
533180	3/32	3/16"	
533181	1/8"	3/8"	
533182	5/32"	7/16"	
533183	3/16"	7/16"	
533184	.237	3/4"	
533185	.240	17/32"	
533187	5/16"	5/8"	
533188	3/8	3/4"	
533168	1/2"	1"	

Metric Flat Push-On Retainers
For Non-threaded Fasteners Plated



Part No	Stud Size	O.D.	O.E.M. No.	
12118	3.2mm	9.5mm		BAA
12119	4.0mm	11mm		
15713	5.0mm	11mm	115608654	


Metric Pushnut Bolt Retainers
For Non-threaded Fasteners Plated



Part No	Thread Size	O.D.	Finish	
12122	M5-.08	11mm	Zinc	BAA
12123	M6-1.0	12.7mm	Zinc	
14980	M6-1.0	17mm	Zinc	
12124	M6.3-1.0	12.7mm	Phosphate	
12125	M8-1.25	15.9mm	Zinc	
12259 12259B 12259FAA	M8-1.25	24mm	Dacromate	BAA FA FAA
12126	M10-1.50	19.8mm	Phosphate	FA
12260	M10-1.50	24mm	Dacromate	BAA
12127	M12-1.75	21.4mm	Phosphate	FA
16980	M14-2.0	25mm	Phosphate	

O.E.M. HARDWARE

HARD TO FIND FASTENERS OUR SPECIALTY



Grade 9

Bright Yellow Zinc Finish

Body & Frame Clamp

Replacement Bolt Kits

Made In USA

Contains

2 Bolts, 2 Nuts, 4 Flatwashers

Part

Number

Size

1539

5/8 - 11 x 3"

1540

5/8 - 11 x 3 1/2"

1541

5/8 - 11 x 4"

1542

5/8 - 11 x 4 1/2"

Stockton Industries Inc

#103-12779-80 Ave, Surrey, British Columbia, Canada, V3A 6C1

Phone 1-604-591-1100

Fax 1-604-591-8133

E-mail: sales@oem2fasten.com

O.E.M. HARDWARE

Hard to Find Hardware in America