



# O.E.M. HARDWARE

*Hard to Find Fasteners Our Specialty™*

## HEAD STYLES



## DRIVING RECESS



*O.E.M. STOCKS A  
QUALITY LINE OF  
AUTOMOTIVE  
AND  
INDUSTRIALS  
SCREWS AND RELATED  
PRODUCTS  
ALL SCREW FINISHES  
ARE PROTECTO-  
PLATED FOR  
MAXIMUM  
PROTECTION*

SCREWS

# O.E.M. HARDWARE

*Hard to Find Fasteners Our Specialty™*

## SPECIFICATIONS

### POINT STYLES

|             |  |
|-------------|--|
| TYPE AB     |  |
| TYPE 17     |  |
| TYPE BP     |  |
| TYPE A      |  |
| TYPE B      |  |
| TYPE BT(25) |  |
| TYPE C      |  |
| TYPE T(23)  |  |
| TYPE D(1)   |  |
| TYPE F      |  |
| TYPE G      |  |
| TYPE BF     |  |
| TYPE U      |  |
| TYPE TT     |  |
| TYPE CA     |  |
| DOG POINT   |  |

### DECIMAL EQUIVALENTS OF STANDARD GAGES OF SHHET STEEL AND SHEET ALUMINUM

| Number<br>of<br>Guage | ALUMINUM<br>(B & S)                        | SHEET<br>STEEL<br>(Mfg. Std) |
|-----------------------|--------------------------------------------|------------------------------|
|                       | (Thickness in decimal<br>parts of an inch) |                              |
| 000000                | .5800                                      | ****                         |
| 00000                 | .5165                                      | ****                         |
| 0000                  | .4600                                      | .4062                        |
| 000                   | .4096                                      | .375                         |
| 00                    | .3648                                      | .3437                        |
| 0                     | .3249                                      | .3125                        |
| 1                     | .2893                                      | .2712                        |
| 2                     | .2576                                      | .2656                        |
| 3                     | .2294                                      | .2391                        |
| 4                     | .2043                                      | .2242                        |
| 5                     | .1819                                      | .2092                        |
| 6                     | .1620                                      | .1943                        |
| 7                     | .1443                                      | .1793                        |
| 8                     | .1285                                      | .1644                        |
| 9                     | .1144                                      | .1495                        |
| 10                    | .1019                                      | .1345                        |
| 11                    | .0907                                      | .1196                        |
| 12                    | .0808                                      | .1046                        |
| 13                    | .0720                                      | .0897                        |
| 14                    | .0641                                      | .0747                        |
| 15                    | .0571                                      | .0673                        |
| 16                    | .0508                                      | .0598                        |
| 17                    | .0453                                      | .0538                        |
| 18                    | .0403                                      | .0478                        |
| 19                    | .0359                                      | .0418                        |
| 20                    | .0320                                      | .0359                        |
| 21                    | .0285                                      | .0329                        |
| 22                    | .0253                                      | .0299                        |
| 23                    | .0226                                      | .0269                        |
| 24                    | .0201                                      | .0239                        |
| 25                    | .0179                                      | .0209                        |
| 26                    | .0159                                      | .0179                        |
| 27                    | .0142                                      | .0164                        |
| 28                    | .0126                                      | .0149                        |
| 29                    | .0113                                      | .0135                        |
| 30                    | .0100                                      | .0120                        |
| 31                    | .0089                                      | .0105                        |
| 32                    | .0080                                      | .0097                        |
| 33                    | .0071                                      | .0090                        |
| 34                    | .0063                                      | .0082                        |
| 35                    | .0056                                      | .0075                        |
| 36                    | .0050                                      | .0067                        |
| 37                    | .0045                                      | .0064                        |
| 38                    | .0040                                      | .0060                        |

# O.E.M. HARDWARE

*Hard to Find Fasteners Our Specialty™*

## PHILLIPS OVAL HEAD TAPPING SCREWS

| Size             | Plated | Chrome | Bk. Oxide |
|------------------|--------|--------|-----------|
| 4 X 1/4"         |        |        | 12892     |
| 4 X 3/8"         | 3062   | 3067   | 12893     |
| 4 X 1/2"         | 3063   | 3068   | 12894     |
| 4 X 5/8"         |        | 5604   | 12895     |
| 4 X 3/4"         | 3064   | 3069   | 12896     |
| 4 X 7/8"         |        | 5605   |           |
| 4 X 1"           | 3065   | 3070   | 12897     |
| 6 X 3/8" (4hd)   |        | 2802   |           |
| 6 X 1/2"         | 2571   | 42698  | 12795     |
| 6 X 5/8"         | 2699   | 41793  |           |
| 6 X 3/4"         | 2700   | 41794  | 12796     |
| 6 X 7/8"         | 2572   | 2701   |           |
| 6 X 1"           | 2702   | 41796  | 12797     |
| 6 X 1-1/4"       | 2704   | 41797  | 12798     |
| 8 X 3/8" (6hd)   | 2705   | 2024   |           |
| 8 X 3/8"         | 3484   | 3485   |           |
| 8 X 1/2" (6hd)   | 2706   | 2027   | 10162     |
| 8 X 1/2"         | 2358   | 42707  | 10163     |
| 8 X 5/8" (6hd)   | 2708   | 1422   |           |
| 8 X 5/8"         | 2574   | 42709  |           |
| 8 X 3/4" (6hd)   | 1798   | 41799  | 10166     |
| 8 X 3/4"         | 2359   | 42710  | 10167     |
| 8 X 7/8" (6hd)   | 1800   | 2711   |           |
| 8 X 7/8"         | 2575   | 42712  |           |
| 8 X 1" (6hd)     | 1801   | 42483  |           |
| 8 X 1"           | 2360   | 42713  |           |
| 8 X 1-1/8" (6hd) | 2714   | 1802   |           |
| 8 X 1-1/8"       |        | 2715   |           |
| 8 X 1-1/4" (6hd) | 1803   | 42423  | 10168     |
| 8 X 1-1/4"       | 2361   | 42716  | 10169     |
| 8 X 1-1/2" (6hd) | 2717   | 1932   | 10170     |
| 8 X 1-1/2"       | 2362   | 2718   | 10171     |
| 8 X 1-3/4" (6hd) | 2719   | 1933   |           |
| 8 X 1-3/4"       | 2631   |        |           |
| 8 X 2" (6hd)     | 2632   |        |           |
| 8 X 2"           | 2633   |        |           |
| 8 X 2-1/4" (6hd) | 3203   |        |           |
| 8 X 2-1/4"       | 2634   |        |           |
| 8 X 2-1/2" (6hd) | 3204   |        |           |
| 8 X 2-1/2"       | 3205   |        |           |
| 9 X 1-1/8" (6hd) |        | 1805   |           |
| 9 X 1-1/2" (6hd) |        | 1490   |           |
| 10 X 3/8" (6hd)  | 3486   |        |           |
| 10 X 3/8"        |        | 3491   |           |
| 10 X 1/2" (6hd)  | 2720   | 2656   |           |
| 10 X 1/2" (8hd)  | 2721   | 42657  | 11085     |
| 10 X 1/2"        | 2579   | 42722  | 11084     |
| 10 X 5/8" (6hd)  | 2723   | 2658   |           |
| 10 X 5/8" (8hd)  |        | 42724  |           |
| 10 X 5/8"        | 2580   | 2725   |           |
| 10 X 3/4" (6hd)  | 2726   | 2659   |           |

BAA

| Size               | Plated | Chrome | Bk. Oxide |
|--------------------|--------|--------|-----------|
| 10 X 3/4" (8hd)    | 2727   | 41717  | 11087     |
| 10 X 3/4"          | 2581   | 42728  | 11086     |
| 10 X 7/8" (6hd)    |        | 5606   |           |
| 10 X 7/8" (8hd)    |        | 5607   |           |
| 10 X 7/8"          |        | 45608  |           |
| 10 X 1" (6hd)      | 2729   | 1804   |           |
| 10 X 1" (8hd)      | 2578   | 43730  | 11089     |
| 10 X 1"            | 2582   | 42731  | 11088     |
| 10 X 1-1/8"        |        |        |           |
| 10 X 1-1/4" (6hd)  | 2660   |        |           |
| 10 X 1-1/4" (8hd)  | 2661   | 42734  | 11091     |
| 10 X 1-1/4"        | 2583   | 43735  | 11090     |
| 10 X 1-3/8"        | 2584   |        |           |
| 10 X 1-1/2" (6hd)  |        | 2046   |           |
| 10 X 1-1/2" (8hd)  | 2662   |        | 11093     |
| 10 X 1-1/2"        | 2585   |        | 11092     |
| 10 X 1-3/4" (6hd)  |        | 2047   |           |
| 10 x 1-3/4" (8hd)  | 2663   |        |           |
| 10 X 1-3/4"        | 2586   |        |           |
| 10 X 2" (8hd)      | 2665   |        |           |
| 10 X 2"            | 2666   |        |           |
| 10 X 2-1/4" (6hd)  | 2667   |        |           |
| 10 X 2-1/4" (8hd)  | 2668   |        |           |
| 10 X 2-1/2" (8hd)  | 3206   |        |           |
| 10 X 2-1/2"        | 3207   |        |           |
| 12 X 1/2" (8hd)    | 1950   |        |           |
| 12 X 1/2" (10hd)   | 1951   |        |           |
| 12 X 1/2"          | 1952   |        |           |
| 12 X 3/4" (8hd)    | 8048   |        |           |
| 12 X 3/4" (10hd)   | 8049   |        |           |
| 12 X 3/4"          | 8050   |        |           |
| 12 X 1" (10hd)     | 8055   |        |           |
| 12 X 1"            | 8056   |        |           |
| 12 X 1-1/4" (8hd)  | 8057   |        |           |
| 12 X 1-1/4"        | 8059   |        |           |
| 12 X 1-1/2" (8hd)  | 8060   |        |           |
| 12 X 1-1/2" (10hd) | 8061   |        |           |
| 12 X 1-1/2"        | 8062   |        |           |
| 12 X 1-3/4"        | 8065   |        |           |
| 12 X 2"            | 8068   |        |           |
| 14 X 1/2" (10hd)   | 8069   |        |           |
| 14 X 1/2"          | 8071   |        |           |
| 14 X 5/8" (10hd)   | 8072   |        |           |
| 14 X 5/8" (12hd)   | 8073   |        |           |
| 14 X 7/8" (12hd)   | 8079   |        |           |
| 14 X 1" (12hd)     | 8082   |        |           |
| 14 X 1"            | 8083   |        |           |
| 14 X 1-1/2" (10hd) | 8087   |        |           |
| 14 X 1-1/2"        | 8089   |        |           |
| 14 X 1-3/4" (10hd) | 8090   |        |           |

BAA

SCREWS

# O.E.M. HARDWARE

*Hard to Find Fasteners Our Specialty™*

## PHILLIPS PAN HEAD TAPPING SCREWS



| Size       | Plated |  | Bk. Oxide |  |
|------------|--------|--|-----------|--|
| 4 X 1/4    | 3071   |  | 12902     |  |
| 4 X 3/8    | 3072   |  | 12903     |  |
| 4 X 1/2    | 3073   |  | 12904     |  |
| 4 X 5/8    | 5619   |  |           |  |
| 4 X 3/4    | 3074   |  | 12905     |  |
| 4 X 1      | 3075   |  |           |  |
| 6 X 3/8    | 1936   |  | 16889     |  |
| 6 X 1/2    | 1937   |  | 11917     |  |
| 6 X 5/8    | 5621   |  |           |  |
| 6 X 3/4    | 2364   |  | 11918     |  |
| 6 X 1      | 3076   |  | 11919     |  |
| 6 X 1-1/4  | 3077   |  | 11920     |  |
| 6 X 1-1/2  | 3078   |  |           |  |
| 8 X 1/2    | 1940   |  | 10180     |  |
| 8 X 5/8    | 5625   |  |           |  |
| 8 X 3/4    | 2365   |  | 10181     |  |
| 8 X 7/8    | 5626   |  |           |  |
| 8 X 1      | 3079   |  | 10182     |  |
| 8 X 1-1/4  | 3080   |  | 10183     |  |
| 8 X 1-1/2  | 3081   |  | 12799     |  |
| 8 X 1-3/4  | 2088   |  |           |  |
| 10 X 1/2   | 1943   |  | 11921     |  |
| 10 X 5/8   | 2808   |  |           |  |
| 10 X 3/4   | 2366   |  | 11922     |  |
| 10 X 1     | 3082   |  | 11923     |  |
| 10 X 1-1/4 | 3083   |  | 11924     |  |
| 10 X 1-1/2 | 3084   |  | 12800     |  |
| 12 X 1/2   | 3085   |  |           |  |
| 12 X 5/8   | 5630   |  |           |  |
| 12 X 3/4   | 2367   |  |           |  |
| 12 X 1     | 3086   |  |           |  |
| 12 X 1-1/4 | 3087   |  |           |  |
| 12 X 1-1/2 | 3088   |  |           |  |
| 14 X 1/2   | 3089   |  |           |  |
| 14 X 5/8   | 5632   |  |           |  |
| 14 X 3/4   | 3090   |  |           |  |
| 14 X 7/8   | 5633   |  |           |  |
| 14 X 1     | 3091   |  |           |  |
| 14 X 1-1/4 | 3092   |  |           |  |
| 14 X 1-1/2 | 3093   |  |           |  |
| 14 X 1-3/4 | 3211   |  |           |  |
| 14 X 2     | 5634   |  |           |  |
| 14 X 2-1/4 | 2371   |  |           |  |



### PHILLIPS DRIVE BITS

1" OVERALL LENGTH

| POINT SIZE | PART No.  |
|------------|-----------|
| No. 1      | 54592 (B) |
| No. 2      | 54593 (B) |
| No. 3      | 54596 (B) |

### TABLE OF SCREW SIZES

| POINT SIZE | TAPPG SCW DIA.  |
|------------|-----------------|
| No. 1      | No. 2,3 & 4     |
| No. 2      | No. 5,6,7,8,&10 |
| No. 3      | No. 12 & 14     |

*Mr. Ratchet*

*"The Ultimate Screwdriver design"*




795-001

*Available in the TOOL Section*

SAVE TIME AND MONEY WITH

**SUPER-FIX**  
**ASSORTMENTS**

7790,8040



**P**rotecto-  
late  
**FOR MAXIMUM  
PROTECTION**

# O.E.M. HARDWARE

*Hard to Find Fasteners Our Specialty™*

## TAPPING SCREWS



### PHILLIPS FLAT HEAD TAPPING SCREWS

| SIZE                  | Plated | Bk Oxide |     |
|-----------------------|--------|----------|-----|
| 4 X 1/4               | 5646   | 787-070  | BAA |
| 4 X 3/8               | 5647   | 787-072  |     |
| 4 X 1/2               | 5648   | 787-074  |     |
| 4 X 5/8               | 5649   | 787-076  |     |
| 4 X 3/4               | 5650   |          |     |
| 6 X 5/16 4 hd         | 2736   |          |     |
| 6 X 1/2 4 hd          | 5651   |          |     |
| 6 X 1/2               | 1946   | 787-078  |     |
| 6 X 5/8               | 5653   |          |     |
| 6 X 3/4 (Chrome) 4 hd | 2803   |          |     |
| 6 x 3/4               |        | 787-080  |     |
| 6 x 1                 |        | 787-082  |     |
| 8 X 3/8 6 hd          | 5654   |          |     |
| 8 X 7/16 6 hd         | 1479   |          |     |
| 8 X 1/2 5 hd          | 1711   |          |     |
| 8 X 1/2 6 hd          | 2804   | 787-084  |     |
| 8 x 1/2               |        | 787-086  |     |
| 8 X 5/8 6 hd          | 5655   |          |     |
| 8 X 5/8               | 5657   |          |     |
| 8 X 3/4 6 hd          | 1712   | 787-088  |     |
| 8 X 3/4               | 2807   | 787-090  |     |
| 8 X 1" 6 hd           | 5660   | 787-092  |     |
| 8 X 1"                | 5661   | 787-093  |     |
| 8 X 1-1/4 6hd         |        | 787-094  |     |
| 8 X 1-1/4             |        | 787-096  |     |
| 8 X 1-1/2 6hd         |        | 787-098  |     |
| 8 X 1-1/2             |        | 787-100  |     |
| 10 X 1/2 6 hd         | 5662   |          |     |
| 10 X 1/2 8 hd         | 5663   |          |     |
| 10 X 1/2              | 5664   | 787-102  |     |
| 10 X 3/4 8hd          |        | 787-104  |     |
| 10 X 3/4              | 2810   | 787-106  |     |
| 10 X 1" 8hd           | 5672   | 787-108  |     |
| 10 X 1"               |        | 787-110  |     |
| 10 X 1-1/4 8hd        |        | 787-112  |     |
| 10 X 1-1/4            |        | 787-114  |     |
| 10 X 1-1/2            |        | 787-116  |     |
| 10 X 1-3/4 8 hd       |        | 787-118  |     |
| 10 x 1-3/4            |        | 787-120  |     |



### PHILLIPS OVAL WASHER HEAD TAPPING SCREWS (Black Oxide) SEMS®

| SIZE             | Bk Oxide | Chrome |     |
|------------------|----------|--------|-----|
| 8 X 1/2 (6hd)    | 12956    |        | baa |
| 8 x 5/8" (6hd)   | 10652    | 2774   |     |
| 8 x 11/16" (6hd) | 10653    |        |     |
| 8 x 7/8 6hd      |          | 2775   |     |
| 8 X 1" (6hd)     | 12957    |        |     |
| 8 x 1-1/4" (6hd) | 10654    |        |     |



### PHILLIPS FLAT WASHER HEAD TAPPING SCREWS

| SIZE       | Bk Oxide | Plated  |     |
|------------|----------|---------|-----|
| 6 X 1/2    | 787-143  |         | BAA |
| 6 X 3/4    | 787-145  |         |     |
| 6 X 1"     | 787-147  |         |     |
| 8 X 1/2    | 12213    | 787-131 |     |
| 8 X 5/8    | 12214    | 787-133 |     |
| 8 X 3/4    | 12215    | 787-135 |     |
| 8 X 1      | 12216    | 787-137 |     |
| 8 X 1-1/4  | 12217    | 787-139 |     |
| 8 X 1-1/2  | 12218    | 787-141 | FA  |
| 10 X 3/4   |          | 12953   |     |
| 10 X 1     |          | 12954   |     |
| 10 X 1-1/4 |          | 12955   |     |



### PHILLIPS CHROME OVAL WASHER HEAD TAPPING SCREWS-SEMS® (ALL COUNTERSUNK)

| SIZE       | Plated | Bk Phos. |     |
|------------|--------|----------|-----|
| 6 X 5/8    | 3537   | 11784    | BAA |
| 6 X 3/4    | 3538   | 11785    |     |
| 6 X 1"     | 3539   | 11786    |     |
| 6 X 1-1/4  | 3540   |          |     |
| 8 X 5/8    | 2771   | 11787    |     |
| 8 X 3/4    | 2751   | 11788    |     |
| 8 X 1"     | 2772   | 11789    |     |
| 8 X 1-1/4  | 2773   | 11790    |     |
| 10 X 5/8   |        | 787-190  |     |
| 10 X 3/4   | 3466   | 11791    |     |
| 10 X 1"    | 3467   | 11792    |     |
| 10 X 1-1/4 | 3468   | 787-191  |     |

SCREWS

# O.E.M. HARDWARE

*Hard to Find Fasteners Our Specialty™*

## TAPPING SCREWS



### ACORN INDENTED HEX WASHER HEAD TAPPING SCREWS WITH PHILLIPS RECESS

| SIZE       | Part No | Hex Size | Washer O.D. | Finish        |     |
|------------|---------|----------|-------------|---------------|-----|
| 6 x 1/2    | 787-150 | 1/4"     | 5/16"       | Zinc          | BAA |
| 6 x 1/2    | 787-152 | 1/4"     | 5/16"       | Blk Phosphate |     |
| 6 x 3/4    | 787-154 | 1/4"     | 5/16"       | Zinc          |     |
| 6 x 3/4    | 787-156 | 1/4"     | 5/16"       | Blk Phosphate |     |
| 6 x 1      | 787-158 | 1/4"     | 5/16"       | Zinc          |     |
| 6 x 1      | 787-160 | 1/4"     | 5/16"       | Blk Phosphate |     |
| 8 x 1/2    | 787-162 | 1/4"     | 11/32"      | Zinc          |     |
| 8 x 1/2    | 787-164 | 1/4"     | 11/32"      | Blk Phosphate |     |
| 8 x 3/4    | 787-166 | 1/4"     | 11/32"      | Zinc          |     |
| 8 x 1      | 787-170 | 1/4"     | 11/32"      | Zinc          |     |
| 8 x 1      | 787-172 | 1/4"     | 11/32"      | Blk Phosphate |     |
| 8 x 1-1/4  | 787-174 | 1/4"     | 11/32"      | Zinc          |     |
| 8 x 1-1/4  | 787-176 | 1/4"     | 11/32"      | Blk Phosphate |     |
| 10 x 1     | 787-182 | 5/16"    | 7/16"       | Blk Phosphate |     |
| 10 x 1     | 787-184 | 5/16"    | 7/16"       | Zinc          |     |
| 10 x 1-1/4 | 787-186 | 5/16"    | 7/16"       | Blk Phosphate |     |
| 10 x 1-1/4 | 787-188 | 5/16"    | 7/16"       | Zinc          |     |



### METRIC TORX® HEAD TAPPING SCREWS STAINLESS STEEL

| Size          | Part NO | Head Style | Finish    |    |
|---------------|---------|------------|-----------|----|
| 4.2 X 16MM    | 14052   | Pan        | Black Ox. | FA |
| 4.2 X 20MM    | 11937   | Oval       | Chrome    |    |
| 4.2 X 20MM    | 11938   | Oval       | Black Ox. |    |
| 4.2 X 20MM    | 11943   | Pan        | Chrome    |    |
| 4.2 X 20MM    | 11944   | Pan        | Black Ox. |    |
| 4.2 X 20MM    | 14048   | Pan Sems®  | Black Ox. |    |
| 7.9MM Wash OD |         |            |           |    |
| 4.2 X 20MM    | 14051   | Pan Sems®  | Black Ox. |    |
| 12MM Wash OD  |         |            |           |    |
| 4.2 X 25MM    | 14049   | Pan        | Chrome    |    |
| 4.2 X 25MM    | 14053   | Oval       | Black Ox. | CF |
| 4.2 X 25MM    | 11939   | Oval       | Chrome    |    |
| 4.2 X 25MM    | 11940   | Oval       | Black Ox. |    |
| 4.2 X 25MM    | 14050   | Pan        | Black Ox. |    |
| 4.2 X 25MM    | 11945   | Pan        | Chrome    |    |
| 4.2 X 35MM    | 14046   | Pan        | Black Ox. |    |
| 4.2 X 35MM    | 14047   | Oval       | Black Ox. |    |
| 4.2 X 40MM    | 11941   | Oval       | Chrome    |    |
| 4.2 X 50MM    | 11946   | Pan        | Black Ox. |    |
| 4.2 X 55MM    | 11942   | Oval       | Chrome    |    |



### TEXS® FINISHING SCREWS PHILLIPS OVAL HEAD SEMS® FINISHING SCREWS WITH No. 2 DRILL POINT

| SIZE      | Washer Type | Chrome | Phos. | Stat Bronze |     |
|-----------|-------------|--------|-------|-------------|-----|
| 8 X 5/8   | Flush       | 11490  | 11495 | 11500       | BAA |
| 8 X 5/8   | Ctrsnk      | 11491  | 11496 | 11501       |     |
| 8 x 3/4   | Ctrsnk      | 11492  | 11497 | 11502       |     |
| 8 x 1"    | Ctrsnk      | 11493  | 11498 | 11503       |     |
| 8 x 1-1/4 | Ctrsnk      | 11494  | 11499 | 11504       |     |



### TORX® OVAL HEAD TAPPING SCREWS

| Size       | Part No |     |
|------------|---------|-----|
| 8 X 1/2    | 12014   | baa |
| 8 X 3/4    | 12015   |     |
| 8 X 1"     | 12016   |     |
| 8 X 1-1/4  | 12017   |     |
| 10 X 3/4   | 12018   |     |
| 10 X 1"    | 12019   |     |
| 10 X 1-1/4 | 12020   |     |



### PHILLIPS PAN HEAD SEMS® TAPPING SCREWS (Black Phosphate)

| Size    | Washer OD | Part No |     |
|---------|-----------|---------|-----|
| 8 X 1/2 | 1/2       | 12812   | baa |
| 8 X 3/4 | 1/2       | 12820   |     |
| 8 X 1   | 1/2       | 12821   |     |

# O.E.M. HARDWARE

*Hard to Find Fasteners Our Specialty™*

## SPECIAL SCREWS

|                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                          |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  <p><b>9877</b><sup>BAA</sup><br/>Thread Size 4-24<br/>Head Size 7/32"<br/>Stainless Steel-Type AB<br/>Used to replace welded studs for moulding clips</p>                                            |  <p><b>12061</b><sup>BAA</sup><br/>(11501896)<br/>Black Oxide<br/>M4.2 x 13mm<br/>Metric Posi Round Washer Head<br/>GM</p>                                                  |  <p><b>10642</b><sup>BAA</sup><br/>(381671-S)<br/>Zinc<br/>8 x 3/8"<br/>Phillips Oval Washer Head<br/>3/8 Washer head O.D.<br/>Wheel Opening Mouldings<br/>FORD</p>                              |  <p><b>13707</b><sup>BAA</sup><br/>(9422246)<br/>Zinc<br/>8 x 3/8"<br/>Type AB<br/>Phillips Washer Head<br/>Washer O.D. 13/32"</p>                    |
|  <p><b>9229</b><sup>BAA</sup><br/>(4879431)<br/>Zinc<br/>#8-18 x 7/16"<br/>Phillips Washer Head<br/>Pozidriv 9/32 Washer Head O.D.<br/>Wheel Moulding GM</p>                                          |  <p><b>12062</b><sup>BAA</sup><br/>(11501903)<br/>Black Oxide<br/>M4.2 x 1.41 x 10mm<br/>(#8 x 13/32)<br/>Phillips Washer Head<br/>11mm (7/16") Washer Head O.D.<br/>GM</p> |  <p><b>12527</b><sup>FA</sup><br/>Same as 10642 w/sealer<br/>Zinc<br/>Phillips Oval Washer Head<br/>3/8 Washer head O.D.<br/>Ford</p>                                                            |  <p><b>80100</b><sup>BAA</sup><br/>8 x 1/2"<br/>Phillips Pan head<br/>Sems®<br/>External lockwasher<br/>5/16" head Dia</p>                            |
|  <p><b>9863</b><sup>BAA</sup><br/>Zinc<br/>#8-18 x 3/8"<br/>Phillips Rnd Washer Head<br/>9/32 Head Dia<br/>Can be used with<br/>Windshield reveal moulding<br/>9067, 9750 &amp; 9751<br/>CHRYSLER</p> |  <p><b>12743</b><sup>BAA</sup><br/>(11503394)<br/>Zinc<br/>M4.2-1.41 x 13mm<br/>(#8 x 41/64)<br/>Hex Washer Head 11mm<br/>(7/16") Washer O.D.<br/>7mm Hex<br/>GM</p>       |  <p><b>16997</b><sup>BAA</sup><br/>Same as 10642<br/>Black Oxide<br/>(168 Hours Salt Spray)<br/>8 x 3/8"<br/>Phillips Oval Washer Head<br/>3/8 Washer head O.D.<br/>Wheel Opening Mouldings</p> |  <p><b>13711</b><sup>BAA</sup><br/>(56911-S2)<br/>(56929-S2)<br/>Phosphate<br/>8 x 5/8"<br/>Phillips Washer Head<br/>Washer O.D. 31/64"<br/>FORD</p> |
|  <p><b>12059</b><sup>BAA</sup><br/>(11501883)<br/>Zinc<br/>M4.2 x 1.41 X 13mm<br/>(#8 x 33/64)<br/>Phillips Washer Head<br/>GM Cars</p>                                                             |  <p><b>13024</b><sup>BAA</sup><br/>(56902-S2)<br/>Phosphate<br/>8 x 1/2"<br/>Phillips Washer Head<br/>Washer O.D. 3/8"<br/>FORD</p>                                       |  <p><b>13708</b><sup>BAA</sup><br/>(9422202)<br/>Zinc<br/>8 x 1/2"<br/>Phillips Washer Head<br/>Washer O.D. 13/32"<br/>CHRYSLER</p>                                                            |  <p><b>2805</b><sup>BAA</sup><br/>Zinc<br/>8 x 7/16"<br/>Phillips Washer Head<br/>3/8 Washer O.D.</p>                                               |
|  <p><b>12060</b><sup>BAA</sup><br/>(11501884)<br/>Black Oxide<br/>M4.2 x 1.41 x 20mm<br/>(#8 x 25/64)<br/>Metric Washer Head<br/>11mm (7/16") Washer O.D.<br/>GM Cars</p>                           |  <p><b>13026</b><sup>BAA</sup><br/>(56912-S2)<br/>Phosphate<br/>8 x 3/4"<br/>Phillips Washer Head<br/>Washer O.D. 31/64"<br/>FORD</p>                                     |  <p><b>12739</b><sup>BAA</sup><br/>(11501794)<br/>Chrome<br/>M4.2 x 1.41 x 12mm<br/>(8 x 15/32")<br/>Phillips Washer Head<br/>Pozi Drive<br/>10mm (25/64) Washer O.D.<br/>CHRYSLER</p>         |  <p><b>16606</b><sup>BAA</sup><br/>Same as 2805<br/>Black phosphate finish<br/>8 x 7/16"<br/>Phillips Washer Head<br/>3/8 Washer O.D.</p>           |

SCREWS

# O.E.M. HARDWARE

*Hard to Find Fasteners Our Specialty™*

## SPECIAL SCREWS



**13712**<sup>BAA</sup>  
(11505104)  
Black Zinc

M4.2 x 1.41 x 13mm  
(#8 x 33/64)  
Phillips Washer Head  
11mm O.D. Washer  
GM



**2806**<sup>BAA</sup>  
Chrome

8 x 5/8"

Phillips Round Washer  
Head  
13/32" Washer Head



**13027**<sup>BAA</sup>  
(9428273)  
Zinc

10 x 1/2"

Phillips Washer Head  
Washer O.D. 15/32"  
CHRYSLER



**12741**<sup>BAA</sup>  
(11503395)  
Phosphate

M4.2 x 1.41 x 16mm  
(#8 x 41/64")  
Hex Head Sems®  
12mm (15/32) Washer  
O.D.  
7mm Hex  
GM



**12750**<sup>BAA</sup>  
(11503625)  
Phosphate

M4.2- 1.41 x 10mm  
(#8 x 13/32")  
Phillips Round Washer  
Head Posi Drive w/sealer  
GM



**16543**<sup>BAA</sup>  
(6033101)  
Black

#8-18 x 7/16"  
Phillips Round Head  
w/sealer  
9/32 Head Diameter  
Spare tire moulding cover  
& Lock Retainer  
Chrysler



**12742**<sup>BAA</sup>  
(11503396)  
(11503483)  
Phosphate

M4.2 x 1.41 x 20mm  
(#8 x 25/32)  
12mm (1/2") O.D. Washer  
Hex Head Sems®  
7mm Hex  
GM



**12738**<sup>BAA</sup>  
(11504056)  
Phosphate

M4.2- 1.41 x 20mm  
(#8 x 25/32")  
Hex washer head sems®  
12mm (1/2") Washer O.D.  
7mm Hex  
GM



**1826**<sup>BAA</sup>  
Chrome

8 x 7/16"  
Phillips Truss Head  
13/32 Head Dia.



**16480**<sup>BAA</sup>  
(151539)  
Black

#8 x 1/2 w/#6 Head  
Phillips Oval Head Teks  
w/sealer on threads  
17/64 Head Dia  
Windshield moulding  
Chrysler



**13018**<sup>BAA</sup>  
(N610937-S2)  
Phosphate

M4.2 - 1.41 x 13mm  
(#8 x 33/64)  
Hex Washer Head  
8mm (5/16") Washer O.D.  
5.5mm Hex  
FORD



**13025**<sup>BAA</sup>  
(56910-S2)  
Phosphate

8 x 1/2"  
Phillips Washer Head  
Washer O.D. 31/64"  
FORD



**12747**<sup>BAA</sup>  
(6031262)  
Zinc

8-18 x 3/4"  
Phillips Pan Head Sems®  
7/8" Washer O.D.  
CHRYSLER



**16478**<sup>BAA</sup>  
(153297)  
Black

#8-18 x 1/2  
Phillips Flat Top Round  
Washer Head Teks  
13/32 Washer head O.D.  
Side Sill Moulding Panel  
Chrysler



**12740**<sup>BAA</sup>  
(11502843)  
Phosphate

M4.2-1.41 x 13mm  
(#8 x 33/64)  
Hex Head Sems®  
12mm (15/32") Washer  
O.D., 7mm Hex  
GM



**15941**<sup>BA</sup>  
Black Oxide

M4.2-1.41 x 12MM  
(#8 x 15/32")  
Phillips Truss Head  
9.5mm (3/8) Head  
Diameter  
Japanese Imports



**12097**<sup>BAA</sup>  
(9420052,  
11502483)  
Chrome

M4.2 -1.41 x 20  
(#8 x 25/32)  
Phillips Pan Head Sems®  
12mm (1/2") Washer O.D.  
GM



**15774**<sup>BAA</sup>  
(56910-S2)  
(381801-S2)  
Black Oxide

8 x 1/2"  
Phillips Washer Head  
with Teks point  
7/16 Washer head O.D.  
GM & Ford



**2357**<sup>BAA</sup>  
Zinc

8 x 7/16"  
Round Washer  
Head-Sems® External  
lockwasher 13/32  
Washer head O.D.

# O.E.M. HARDWARE

*Hard to Find Fasteners Our Specialty™*

## SPECIAL SCREWS



**12320<sup>FA</sup>**

(N610957-S36)  
Zinc & Yellow  
Dichromate

M6.3-1.81 x 13mm  
(#14 x 33/64")  
Hex Washer head  
11.5mm (7/16") Washer  
head O.D.  
8mm Hex  
Ford



**12244<sup>CF</sup>**

(11503433)  
Dichromate

M6.3-1.81 x 16mm  
(#14 x 41/64")  
Hex Washer head Sems®  
17mm (11/16") Washer  
O.D.  
10mm Hex  
GM



**16828<sup>CF</sup>**

Zinc & Yellow  
Dichromate

M6.3-1.81 x 20mm  
(#14 x 25/32")  
Hex head Sems®  
18mm (45/64") Washer  
O.D.  
10mm Hex  
Honda, Nissan, Toyota



**12058<sup>FA</sup>**

(11501841)  
Phosphate


M6.3-1.81 x 25mm  
(#14 x 1")  
Hex head Sems®  
12mm (1/2") Washer O.D.  
10mm Hex  
GM



**16867<sup>FA</sup>**

Zinc & Yellow  
Dichromate


M6.3-1.81 x 14mm  
(#14 x 9/16")  
Phillips Hex Washer head  
14mm (9/16") Washer  
head O.D.  
10mm Hex  
Japanese Imports



**15962<sup>CF</sup>**

Zinc & Yellow  
Dichromate


M6.3-1.81 x 18mm  
(#14 x 33/32")  
Hex head Sems®  
22mm (7/8") Washer O.D.  
10mm Hex  
Honda, Nissan, Toyota



**16540<sup>CF</sup>**

(6033392)  
Decorative Black

1/4-14 x 3/4  
Phillips Large Flat Washer  
head with Serrations  
under the Head  
5/8" Washer O.D.  
Deck Lid Applique Backup  
light & Arm Rest  
CHRYSLER



**12339<sup>FA</sup>**

(11500996)  
Phosphate


M6.3-1.81 x 25mm  
(#14 x 1")  
Hex head Sems®  
17mm (21/32") Washer O.D.  
10mm Hex  
GM



**16542<sup>FA</sup>**

(6033179)  
Zinc

1/4-14 x 19/32  
Phillips Pan Head with  
serrations under the head  
Type "B"  
31/64 Head Dia  
Arm Rest Attachment  
CHRYSLER



**16608<sup>CF</sup>**

(6033854)  
Black Zinc


1/4-14 x 3/4  
Hex Washer head  
Self Piercing Screw  
with serration under Head  
5/8" Washer O.D.  
3/8 Hex  
Frame & Fender  
Attachment



**14932<sup>FA</sup>**

(6033318)  
Cadmium  
Black Organic


1/4 x 7/8  
Hex Washer head with  
Serrations under the Head  
13/32 Washer Head O.D.  
5/16 Hex  
CHRYSLER



**12352<sup>FA</sup>**

(11504515)  
Zinc

M6.3-1.81 x 25mm  
(#14 x 1")  
Hex head Sems®  
17mm (21/32") Washer O.D.  
10mm Hex  
GM



**12057<sup>FA</sup>**

(11500994)  
Phosphate

M6.3-1.81 x 16mm  
(#14 x 41/64")  
Hex Head Sems®  
17mm (11/16") washer  
O.D.  
10mm Hex  
GM



**12351<sup>FA</sup>**

(11505022)  
Black Polyseal finish


M6.3-1.81 x 20mm  
(#14 x 25/32")  
Hex Washer head Sems®  
17mm (11/16") Washer  
O.D.  
10mm Hex  
GM



**12353<sup>FA</sup>**

(11502875)  
Zinc

M6.3-1.81 x 25mm  
(#14 x 1")  
Hex Washer head  
13mm (1/2") Washer O.D.  
10mm Hex  
GM



**15722<sup>FA</sup>**

(11504515)  
Zinc

M6.3-1.81 x 25mm  
(#14 x 1")  
Hex head Sems®  
25.4mm (1")  
Washer O.D.  
10mm Hex

SCREWS

# O.E.M. HARDWARE

*Hard to Find Fasteners Our Specialty™*


## SPECIAL SCREWS

**12347<sub>FA</sub>**  
(11500081)  
Phosphate



M6.3-1.81 x 30mm  
(#14 x 1-3/16")  
Hex Washer head  
11.5mm (29/64") Washer  
head O.D.  
10mm Hex  
Ford

**15787<sub>FA</sub>**  
(11503436)  
Phosphate



M6.3-1.81 x 35mm  
(#14 x 1-3/8")  
Hex head Sems® w/sealer  
24mm (15/16") Washer  
O.D.  
10mm Hex  
GM

**12354<sub>FA</sub>**  
(11500997)  
Phosphate



M6.3-1.81 x 30mm  
(#14 x 1-3/16")  
Hex head Sems®  
17mm (21/32") Washer  
O.D.  
10mm Hex  
GM

**12068<sub>FA</sub>**  
(11504981)  
Phosphate



M6.3-1.81 x 30mm  
(#14 x 1-3/16")  
Hex head Sems®  
24mm (15/16") Washer  
O.D.  
10mm Hex  
GM

**14937<sub>CF</sub>**  
(20679074)  
Phosphate



M6.3-1.81 x 25mm  
(#14 x 1")  
Hex head Sems®  
w/sealer washer  
17mm (21/32") Washer O.D.  
10mm Hex  
GM

## DISTRIBUTOR SCREWS



**10038<sub>FA</sub>**  
8-32 x 5/16"

Slotted Fillister Head  
Distributor Screw  
w/Internal Lock Washer  
ALL CARS—ALL  
MODELS



**10040<sub>FA</sub>**  
8-32 x 3/8"

Hex Slotted Head  
Distributor Screw  
ALL CARS—ALL  
MODELS



**10042<sub>FA</sub>**  
8-32 x 5/32"

Slotted Binding Head  
Distributor Screw  
ALL CARS—ALL  
MODELS



**10039<sub>FA</sub>**  
8-32 x 1/4"

Slotted Binding Head  
Distributor Screw  
ALL CARS—ALL  
MODELS



**10041<sub>FA</sub>**  
6-32 x 5/32"

Slotted Fillister Head  
Distributor Screw  
ALL CARS—ALL  
MODELS



**10043<sub>FA</sub>**  
8-32 x 3/16"

Slotted Fillister Head  
Distributor Screw  
ALL CARS—ALL  
MODELS

# O.E.M. HARDWARE

*Hard to Find Fasteners Our Specialty™*

## LICENCE PLATE SCREW & BOLTS ETC




**3408**<sup>BAA</sup>  
Zinc

#10-24 x 1/2"  
Slotted Truss Hd  
Licence Plate Screw  
1/2" Head Dia  
GM



**16421**<sup>FA</sup>  
(N800369-S2  
Black  
Phosphate

#14 x 5/8"  
Slotted Hex washer Hd  
5/8" Washer Head OD  
5/16" Hex  
GM



**16323**<sup>BAA</sup>  
Blk Phos.

#14 x 3/4"  
Slotted Truss Hd  
Licence Plate Screw  
9/16" Head OD



**15413**<sup>FA</sup>  
Blk Nylon

M6-1.0 x 20mm  
Slotted Pan Head  
Nylon Licence Plate Screw  
& Nylon Nut  
12mm (15/32) Head Dia  
10mm (25/64") Hex Width



**5278**<sup>BAA</sup>  
Zinc

10 x 5/8"  
Slotted Truss Washer Hd  
Licence Plate Screw  
1/2" Washer Head Dia  
GM  
use with O.E.M. #5228



**16422**<sup>FA</sup>  
(N800369  
Zinc

#14 x 5/8"  
Slotted Hex washer Hd  
5/8" Washer Head OD  
5/16" Hex  
GM



**16960**<sup>FA</sup>  
(93905-46320)  
(91500-SM4-999AH)  
Zinc & Yellow  
Dichromate

M6-1.81 x 20mm  
(14-14 x 3/4)  
Phillips Hex Washer hd  
Licence Plate Screw  
12mm (1/2) Wshr hd OD  
10mm HEx  
Hondo 1990/on  
GEO Prism



**13934**<sup>CF</sup>  
Natural Nylon

M6-1.0 x 20mm  
Slotted Pan Head  
Nylon Licence Plate Screw  
& Nylon Nut  
12mm (15/32) Head Dia  
10mm (25/64") Hex Width




**5909**<sup>BAA</sup>  
Zinc

1/4-20 x 9/16"  
Slotted Round Washer Hd  
Licence Plate Screw  
9/16" Washer Head Dia



**14473**<sup>FA</sup>  
Zinc

M6-1.0 x 16mm  
Slotted Round Washer Hd  
Licence Plate Screw  
14mm (9/16") Washer  
Head OD



**15170**<sup>CF</sup>

#14 x 1/2  
Dealer Licence Plate  
Screw  
1-1/8" Overall Length



**13935**<sup>CF</sup>  
Natural Nylon

M8-1.25 x 20mm  
Slotted Pan Head  
Nylon Licence Plate Screw  
& Nylon Nut  
12.5mm (1/2) Head Dia  
8mm (5/16") Hex Width



**5908**<sup>BAA</sup>  
Zinc

1/4-20 x 1/2"  
Slotted Round Hd  
Licence Plate Screw  
9/16" Washer Head Dia




**5910**<sup>BAA</sup>  
Zinc

1/4-20 x 3/4"  
Slotted Round Hd  
Licence Plate Screw  
9/16" Head OD



**15758**<sup>BAA</sup>  
Zinc

14 x 5/8"  
Slotted Truss Hd  
w/dog point  
Licence Plate Screw  
9/16" Head Dia



**9603**<sup>BAA</sup>  
Zinc

#14 x 3/4"  
Slotted Truss Hd  
Licence Plate Screw  
9/16" Head OD



**3184**<sup>BAA</sup>  
Zinc

1/4-20 x 1/2"  
Slotted Truss Hd  
w/square Nut  
9/16" Head OD  
7/16 ATF



**13922**<sup>CF</sup>  
Natural Nylon

1/4-20 x 5/8"  
Slotted Truss Wshr  
Nylon Lic. Plate Scrw  
& Nylon Nut  
19/32 Washer hd OD  
9/16" Washer Nut OD  
7/16" Hex width



**8249**<sup>BAA</sup>  
Zinc

14 x 5/8"  
Slotted Round Washer Hd  
Licence Plate Screw  
9/16" Washer Head Dia  
use with O.E.M. #8242

SCREWS

# O.E.M. HARDWARE

*Hard to Find Fasteners Our Specialty™*

## SPECIAL SCREWS



**3182**<sup>BAA</sup>  
Zinc

1/4-20 x 9/16"  
Slotted Round Washer Hd  
Licence Plate Screw  
w/hex nut  
9/16" Washer hd OD  
7/16 Hex width




**3183**<sup>BAA</sup>  
Zinc

1/4-20 x 9/16"  
Slotted Round Washer Hd  
Licence Plate Screw  
w/square nut  
9/16" Washer hd OD  
7/16 ATF




**5885**<sup>FA</sup>  
Zinc

1/4-20 x 9/16"  
Slotted Round Washer Hd  
Licence Plate Screw  
w/flat Washer & Wing Nut  
9/16" Washer hd OD  
5/8 Washer OD




**8250**<sup>CF</sup>  
Zinc

1/4 x 5/8"  
Slotted Round Washer Hd  
Licence Plate Screw  
and Nylon Nut  
9/16" Washer hd OD  
Chrysler



**16800**<sup>CF</sup>  
Nylon Screw  
Spacer & Washer  
Brass Nut

M6-1.0 x 20mm  
Slotted Pan Head  
Licence Plate Screw  
& hardware  
12mm (15/32) Head Dia.  
10mm (25/64) Hex Width  
12.5mm (1/2") Washer  
OD  
19mm (3/4) Spacer OD  
Toyota



**11368**<sup>FA</sup>  
(380707-S)  
Nylon

#14 Screw Size  
Licence Plate Nut  
Ford




**2625**<sup>BAA</sup>  
Nylon

#8 Screw Size  
Licence Plate Nut &  
Headlight Door Mounting  
Screw Nut  
Chrysler



**5228**<sup>FA</sup>  
(3783006)  
Nylon

#10 Screw Size  
Licence Plate Nut  
GM



**3682**<sup>FA</sup>  
(1196781)  
Nylon

1/4-20 Screw Size  
Licence Plate Nut  
GM



**8435**<sup>FA</sup>  
(4755299)  
Nylon

1/4 (#14) Screw Size  
Licence Plate Nut  
GM



**8242**<sup>BAA</sup>  
(6023925)  
Nylon

1/4" (#14) Screw Size  
Licence Plate Nut  
CHRYSLER



**8418**<sup>FA</sup>  
(380370)  
Nylon

1/4" (#14) Screw Size  
Licence Plate Nut  
GM



**8954**<sup>FA</sup>  
Nylon

1/4" (#14) Screw Size  
Licence Plate Nut



**17068**<sup>FA</sup>  
(6027958)  
Nylon

1/4" (#14) Screw Size  
Licence Plate Nut  
CHRYSLER

# O.E.M. HARDWARE

## *Hard to Find Fasteners Our Specialty™*

### SOCKET HEAD TAPPING SCREWS



#### SOCKET DRIVE BITS 2" OVERALL LENGTH

| POINT SIZE | PART No.    |
|------------|-------------|
| No. 1      | 795-607 (B) |
| No. 2      | 795-600 (B) |
| No. 3      | 795-608 (B) |

#### TABLE OF SCREW SIZES

| POINT SIZE | TAPPING DIA.  |
|------------|---------------|
| No. 0      | No. 3 & 4     |
| No. 1      | No. 5 & 6     |
| No. 2      | No. 8, 9 & 10 |
| No. 3      | No. 12 & 1/4  |

FOR OTHER LENGTHS PLEASE SEE  
TOOL SECTION

**Mr. Ratchet**  
*"The Ultimate Screwdriver  
design"*



**795-001**

SAVE TIME AND MONEY WITH

**SUPER-FIX**  
**ASSORTMENTS**

700-122, 700-124, 700-126,  
700-128, 700-130

OTHER STYLES AND SIZES  
AVAILABLE UPON REQUEST



Slot  
Drive  
only in  
binding  
head

| DIA. | LGTH  | PAN HEAD | FLAT HEAD | OVAL HEAD | BINDING HEAD |     |
|------|-------|----------|-----------|-----------|--------------|-----|
| 4    | 1/4   |          |           |           | 3020         | BAA |
|      | 3/8   |          |           |           | 3021         | BAA |
|      | 1/2   |          |           |           | 3022         | BAA |
|      | 5/8   |          |           |           | 5635         | BAA |
|      | 3/4   |          |           |           | 3023         | BAA |
|      | 7/8   |          |           |           | 5636         | BAA |
|      | 1"    |          |           |           | 3024         | BAA |
| 6    | 1/4   | 66500    |           |           |              | BAA |
|      | 3/8   | 66505    | 787-193   |           | 1263         | BAA |
|      | 1/2   | 66510    | 787-195   |           | 1452         | BAA |
|      | 5/8   | 66515    | 787-197   | 787-257   | 1453         | BAA |
|      | 3/4   | 66520    | 787-199   | 787-259   | 1454         | BAA |
|      | 7/8   |          |           |           | 5637         | BAA |
|      | 1"    | 66525    | 787-201   | 787-261   | 1455         | BAA |
| 8    | 1-1/4 | 66526    | 787-203   |           | 3025         | BAA |
|      | 1-1/2 | 66527    | 787-205   |           | 3026         | BAA |
|      | 3/8   | 66530    |           |           |              | BAA |
|      | 1/2   | 66535    | 787-207   |           | 1146         | BAA |
|      | 5/8   | 66540    | 787-209   | 787-263   | 1092         | BAA |
|      | 3/4   | 66545    | 787-211   | 787-265   | 1147         | BAA |
|      | 7/8   |          |           | 787-267   | 5640         | BAA |
| 10   | 1"    | 66550    | 787-213   | 787-269   | 1457         | BAA |
|      | 1-1/4 | 66555    | 787-215   | 787-271   | 3027         | BAA |
|      | 1-1/2 | 66556    | 787-217   |           |              | BAA |
|      | 3/8   | 66560    |           |           |              | BAA |
|      | 1/2   | 66565    | 787-219   | 787-273   | 1458         | BAA |
|      | 5/8   | 66570    | 787-221   |           | 1787         | BAA |
|      | 3/4   | 66575    | 787-223   | 787-275   | 1265         | BAA |
| 12   | 7/8   |          |           |           | 5641         | BAA |
|      | 1"    | 66580    | 787-225   | 787-277   | 1459         | BAA |
|      | 1-1/4 | 66585    | 787-227   | 787-279   | 3029         | BAA |
|      | 1-1/2 | 66590    | 787-229   |           | 1460         | BAA |
|      | 2     | 66591    |           |           | 3030         | BAA |
|      | 1/2   | 66595    | 787-231   |           | 1343         | BAA |
|      | 5/8   | 66600    | 787-233   |           | 5642         | BAA |
| 14   | 3/4   | 66605    | 787-235   |           | 1344         | BAA |
|      | 7/8   |          |           |           | 5643         | BAA |
|      | 1"    | 66610    | 787-237   |           | 1346         | BAA |
|      | 1-1/4 | 66615    | 787-239   |           | 3031         | BAA |
|      | 1-1/2 | 66620    | 787-241   | 787-281   | 3032         | BAA |
|      | 1-3/4 |          |           |           | 3033         | BAA |
|      | 2"    | 66623    |           |           | 3034         | BAA |
| 14   | 1/2   | 66625    | 787-243   |           | 1347         | BAA |
|      | 5/8   | 66626    | 787-245   |           | 2039         | BAA |
|      | 3/4   | 66630    | 787-247   |           | 1381         | BAA |
|      | 7/8   |          |           |           | 5644         | BAA |
|      | 1"    | 66635    | 787-249   |           | 1382         | BAA |
|      | 1-1/4 | 66640    | 787-251   |           | 3035         | BAA |
|      | 1-1/2 | 66645    | 787-253   |           | 3036         | BAA |
| 14   | 1-3/4 |          |           |           | 3037         | BAA |
|      | 2"    | 66650    | 787-255   |           | 3038         | BAA |
|      | 2-1/4 |          |           |           | 5645         | BAA |

SCREWS


# O.E.M. HARDWARE

*Hard to Find Fasteners Our Specialty™*

## HEXAGON WASHER HEAD TAPPING SCREWS



WASHER ATTACHED SOLID TO HEAD



| Dia | length | Hex Size | Zinc | Black Oxide |     |
|-----|--------|----------|------|-------------|-----|
| 8   | 3/8    | 1/4"     | 2368 |             | BAA |
|     | 1/2    |          | 2389 |             |     |
|     | 5/8    |          | 2390 |             |     |
|     | 3/4    |          | 2485 |             |     |
|     | 1      |          | 2486 |             |     |
|     | 1-1/4  |          |      |             |     |
|     | 1-1/2  |          |      |             |     |
| 10  | 3/8    | 5/16"    | 384  |             |     |
|     | 1/2    |          | 8011 | 787-690     |     |
|     | 5/8    |          | 2388 |             |     |
|     | 3/4    |          | 2487 |             |     |
|     | 1      |          | 2488 |             |     |
|     | 1-1/4  |          |      |             |     |
|     | 1-1/2  |          | 2489 |             |     |
| 12  | 1/2    | 5/16"    | 1780 |             |     |
|     | 5/8    |          | 5679 |             |     |
|     | 3/4    |          | 2107 |             |     |
|     | 1      |          | 3216 |             |     |
|     | 1-1/4  |          |      |             |     |
|     | 1-1/2  |          | 3217 |             |     |
|     |        |          |      |             |     |

| Dia  | length | Hex Size | Zinc | Black Oxide (no slot) |     |
|------|--------|----------|------|-----------------------|-----|
| 14   | 1/2    | 3/8"     | 2012 | 787-692               | BAA |
|      | 5/8    |          | 2391 | 787-694               |     |
|      | 3/4    |          | 1781 | 787-696               |     |
|      | 1      | 7/16     | 2266 | 787-698               |     |
|      | 1-1/4  | 3/8      | 2267 |                       |     |
|      | 1-1/2  |          | 3219 |                       |     |
|      |        |          |      |                       |     |
| 5/16 | 1/2    | 7/16"    | 2109 |                       | FA  |
|      | 3/4    |          | 2110 | 787-700               |     |
|      | 1      |          | 2268 | 787-703               |     |
|      | 1-1/4  |          | 2269 | 787-704               |     |
|      | 1-1/2  |          | 3220 | 787-706               |     |
|      | 2      |          | 3221 |                       |     |
|      |        |          |      |                       |     |
| 3/8  | 3/4    | 1/2"     | 3222 |                       |     |
|      | 1      |          | 3224 |                       |     |
|      | 1-1/4  |          |      |                       |     |
|      | 1-1/2  |          | 3225 |                       |     |
|      | 2      |          |      |                       |     |

**FOR FAST, EASY INSTALLATION  
MAGNETIC SCREW CHUCK**




| For Screw Size | Hex Size | Part No |   |
|----------------|----------|---------|---|
| #8             | 1/4"     | 22405   | B |
| #10 or #12     | 5/16"    | 51293   |   |
| #14(1/4")      | 3/8"     | 795-202 |   |
| 5/16           | 7/16"    | 795-221 |   |

SEE OUR ECONIMICAL

**SUPER-FIX**  
**ASSORTMENTS**

8005, 700-096


# ULTEX DRILL POINT FASTENERS



- DRILLS, TAPS AND FASTENS IN ONE STEP
- ELIMINATES ALIGNMENT PROBLEMS
- FASTENS METALS UP TO 1/4" COMBINED THICKNESS

| SELF THREADING PAN HEAD SOCKET |        |         |     |
|--------------------------------|--------|---------|-----|
| Dia                            | length | Zinc    |     |
| 6                              | 3/8    | 787-301 | BAA |
|                                | 1/2    | 787-303 |     |
| 8                              | 3/8    |         |     |
|                                | 1/2    | 31035   |     |
|                                | 3/4    | 31040   |     |
|                                | 1      | 787-310 |     |
|                                | 1-1/4  |         |     |
|                                | 1-1/2  |         |     |
| 10                             | 1/2    | 787-316 |     |
|                                | 3/4    | 787-317 |     |
|                                | 1      | 787-324 |     |
|                                | 1-1/4  | 787-318 |     |
|                                | 1-1/2  | 787-325 |     |

| SELF THREADING PAN HEAD PHILLIPS |        |       |             |     |
|----------------------------------|--------|-------|-------------|-----|
| Dia                              | length | Zinc  | Black Oxide |     |
| 6                                | 3/8    | 80611 |             | BAA |
|                                  | 1/2    | 80616 |             |     |
| 8                                | 3/8    | 80621 |             |     |
|                                  | 1/2    | 80626 | 787-865     |     |
|                                  | 3/4    | 80631 | 787-866     |     |
|                                  | 1      | 31140 | 787-867     |     |
|                                  | 1-1/4  | 31145 |             |     |
|                                  | 1-1/2  | 31150 |             |     |
| 10                               | 1/2    | 80636 | 787-868     |     |
|                                  | 3/4    | 80641 | 787-869     |     |
|                                  | 1      | 31155 | 787-870     |     |
|                                  | 1-1/4  | 31160 |             |     |
|                                  | 1-1/2  | 31165 |             |     |



OUR COST SAVING

**SUPER-FIX**  
ASSORTMENTS

7771, 700-144


| SELF THREADING HEX WASHER HEAD |        |         |           |  |
|--------------------------------|--------|---------|-----------|--|
| Dia                            | length | Zinc    | Black Ox. |  |
| 8                              | 1/2    | 80716   | 787-871   |  |
|                                | 3/4    | 80721   | 787-872   |  |
|                                | 1      | 31170   | 787-873   |  |
|                                | 1-1/4  | 31175   |           |  |
|                                | 1-1/2  | 31180   |           |  |
|                                | 2      | 31192   |           |  |
| 10                             | 1/2    | 80726   | 787-874   |  |
|                                | 3/4    | 80731   | 787-875   |  |
|                                | 1      | 31185   | 787-876   |  |
|                                | 1-1/4  | 31190   |           |  |
|                                | 1-1/2  | 31195   |           |  |
|                                | 2      | 31193   |           |  |
| 12                             | 3/4    | 787-327 |           |  |
|                                | 1      | 787-329 |           |  |
|                                | 1-1/2  | 787-331 |           |  |
|                                | 2      | 31191   |           |  |
| 14                             | 3/4    | 787-333 |           |  |
|                                | 1      | 787-335 |           |  |
|                                | 1-1/4  | 787-334 |           |  |
|                                | 1-1/2  | 787-337 |           |  |
|                                | 2      | 787-339 |           |  |

# O.E.M. HARDWARE

*Hard to Find Fasteners Our Specialty™*

## THUMB SCREWS

| DIA     | LGTH  | STANDARD | WITH SHOULDER |     |
|---------|-------|----------|---------------|-----|
| 8-32    | 3/8   | 779-293  | 779-249       | BAA |
|         | 1/2   | 779-295  | 779-251       | BAA |
|         | 3/4   | 779-297  | 779-253       | BAA |
|         | 1"    | 779-299  | 779-255       | BAA |
| 10-24   | 1/2   | 779-301  | 779-257       | BAA |
|         | 3/4   | 779-303  | 779-259       | BAA |
|         | 1"    | 779-305  | 779-261       | BAA |
|         | 1-1/2 | 779-307  | 779-263       | BAA |
| 1/4-20  | 1/2   | 779-309  | 779-265       | BAA |
|         | 3/4   | 779-311  | 533428        | BAA |
|         | 1"    | 779-313  | 533430        | BAA |
|         | 1-1/4 | 779-315  | 779-267       | BAA |
|         | 1-1/2 | 779-317  | 779-269       | BAA |
|         | 2"    | 779-319  | 779-271       | BAA |
| 5/16-18 | 1"    | 779-323  | 779-275       | BAA |
|         | 1-1/4 | 779-325  | 779-277       | BAA |
| 3/8-16  | 1"    | 779-333  | 779-285       | BAA |
|         | 1-1/4 | 779-335  | 779-287       | BAA |



STANDARD



WITH SHOULDER

## MINIATURE MACHINE SCREWS



| DIA. | LGTH | RND HEAD | FLAT HEAD | FILLISTER HEAD | CODE |
|------|------|----------|-----------|----------------|------|
| 0-80 | 1/8  |          |           | 779-389        | BAA  |
|      | 1/2  | 779-343  | 779-369   |                | BAA  |
|      | 3/4  |          |           |                | BAA  |
| 1-64 | 3/16 |          |           | 779-391        | BAA  |
|      | 1/4  | 779-345  |           | 779-393        | BAA  |
|      | 1/2  | 779-347  | 779-371   |                | BAA  |
| 1-72 | 1/8  |          | 779-373   |                | BAA  |
|      | 3/16 | 779-349  |           |                | BAA  |
|      | 1/4  |          |           | 779-395        | BAA  |
|      | 1/2  |          |           | 779-397        | BAA  |
| 2-56 | 1/8  | 779-351  |           | 779-401        | BAA  |
|      | 3/16 | 779-353  | 779-375   |                | BAA  |
|      | 1/4  | 779-355  | 779-377   | 779-403        | BAA  |
|      | 5/16 | 779-357  | 779-379   |                | BAA  |
|      | 3/8  | 779-359  | 779-381   | 779-405        | BAA  |
|      | 1/2  | 779-361  | 779-383   | 779-407        | BAA  |
|      | 5/8  | 779-363  |           |                | BAA  |
|      | 3/4  | 779-365  | 779-385   |                | BAA  |
|      | 1"   | 779-367  | 779-387   |                | BAA  |
|      |      |          |           |                | BAA  |



| DIA. | LGTH | RND HEAD | FLAT HEAD | FILLISTER HEAD | CODE |
|------|------|----------|-----------|----------------|------|
| 2-64 | 1/4  |          | 779-419   |                | BAA  |
|      | 5/16 |          | 779-421   |                | BAA  |
| 3-48 | 3/16 |          |           |                | BAA  |
|      | 1/4  | 779-409  | 779-423   | 779-429        | BAA  |
|      | 5/16 |          |           |                | BAA  |
|      | 3/8  |          | 779-425   |                | BAA  |
|      | 1/2  |          |           | 779-431        | BAA  |
|      | 5/8  | 779-411  |           |                | BAA  |
| 3-56 | 1"   | 779-413  |           |                | BAA  |
|      | 1/4  | 779-415  | 779-427   |                | BAA  |
|      | 5/16 |          |           | 779-433        | BAA  |
|      | 3/8  | 779-417  |           |                | BAA  |

OTHER HEAD STYLE AND SIZES  
AVAILABLE UPON REQUEST

# O.E.M. HARDWARE

*Hard to Find Fasteners Our Specialty™*

## **MOST COMMON PROBLEMS WITH WOOD SCREWS...**

- **SLOTS DISTORT**
- **SOCKETS ROUND OUT**
- **SCREW SHANKS CAUSE  
WOOD TO SPLIT**
- **DIFFICULT TO DRIVE  
INTO HARD WOOD**
- **DOESN'T WORK WITH  
ALL MATERIALS**

**O.E.M. HARDWARE HAS SOLVED  
THESE PROBLEMS**


SCREWS

# O.E.M. HARDWARE

*Hard to Find Fasteners Our Specialty™*

## TORQUE MASTER™

### Gold Protecto-Plated Wood Screw



**Reduced Shank Prevents Splitting Of Wood.**

**Hardened Steel**

**Low Profile Thread Reduces Stripping.**

**Special Lubricated Finish.**

**Supports Heavier Weights.**



**Up To 12" Overall Lengths**

**Excellent In All Types Of Material  
Including Particle Board.**

# O.E.M. HARDWARE

*Hard to Find Fasteners Our Specialty™*

## TORQUE™ MASTER WOOD SCREWS



|    | Size  | Flat Head Torx | Flat Head Socket | Round Head Torx      | Round Head Socket |     |
|----|-------|----------------|------------------|----------------------|-------------------|-----|
| #4 | 3/8   | —              | 704-001          | AVAILABLE ON REQUEST |                   | BAA |
|    | 1/2   | 704-002        | 704-003          |                      |                   |     |
|    | 5/8   | 704-004        | 704-005          |                      |                   |     |
|    | 3/4   | 704-006        | 704-007          |                      |                   |     |
|    | 1     | 704-008        | 704-009          |                      |                   |     |
|    | 1 1/4 | 704-010        | 704-011          |                      |                   |     |
| #6 | 1/2   | 704-012        | 704-013          | AVAILABLE ON REQUEST |                   |     |
|    | 5/8   | 704-014        | 704-015          |                      |                   |     |
|    | 3/4   | 704-016        | 704-017          |                      |                   |     |
|    | 1"    | 704-018        | 704-019          |                      |                   |     |
|    | 1-1/4 | 704-020        | 704-021          |                      |                   |     |
|    | 1-1/2 | 704-022        | 704-023          |                      |                   |     |
|    | 1 3/4 | 704-024        | 704-025          |                      |                   |     |
|    | 2     | 704-026        | 704-027          |                      |                   |     |
| #8 | 5/8   | 704-028        | 704-029          | AVAILABLE ON REQUEST |                   |     |
|    | 3/4   | 704-030        | 704-031          |                      |                   |     |
|    | 1"    | 704-032        | 704-033          |                      |                   |     |
|    | 1-1/4 | 704-034        | 704-035          |                      |                   |     |
|    | 1-1/2 | 704-036        | 704-037          |                      |                   |     |
|    | 1-3/4 | 704-038        | 704-039          |                      |                   |     |
|    | 2"    | 704-040        | 704-041          |                      |                   |     |
|    | 2-1/2 | 704-042        | 704-043          |                      |                   |     |
|    | 2 3/4 | 704-044        | 704-045          |                      |                   |     |
| #9 | 3/4   | 704-046        | 704-047          | AVAILABLE ON REQUEST |                   |     |
|    | 1     | 704-048        | 704-049          |                      |                   |     |
|    | 1 1/4 | 704-050        | 704-051          |                      |                   |     |
|    | 1 3/8 | —              | —                |                      |                   |     |
|    | 1 1/2 | —              | —                |                      |                   |     |
|    | 1 3/4 | —              | —                |                      |                   |     |

|         | Size    | Flat Head Torx | Flat Head Socket     | Round Head Torx      | Round Head Socket |     |
|---------|---------|----------------|----------------------|----------------------|-------------------|-----|
| #10     | 3/4"    | 704-052        | 704-053              | AVAILABLE ON REQUEST |                   | BAA |
|         | 1"      | 704-054        | 704-055              |                      |                   |     |
|         | 1-1/4"  | 704-056        | 704-057              |                      |                   |     |
|         | 1-1/2"  | 704-058        | 704-059              |                      |                   |     |
|         | 1-3/4"  | 704-060        | 704-061              |                      |                   |     |
|         | 2"      | 704-062        | 704-063              |                      |                   |     |
|         | 2-1/2"  | 704-064        | 704-065              |                      |                   |     |
|         | 2-3/4"  | 704-066        | 704-067              |                      |                   |     |
|         | 3-1/8"  | 704-068        | 704-069              |                      |                   |     |
|         | 3-1/2"  | 704-070        | 704-071              |                      |                   |     |
|         | 4"      | 704-072        | 704-073              |                      |                   |     |
| 4-3/4"  |         | ---            | AVAILABLE ON REQUEST |                      |                   |     |
| 1-1/4"  |         | 704-075        |                      |                      |                   |     |
| 1-1/2"  | 704-074 | 704-077        |                      |                      |                   |     |
| 1-3/4"  |         | 704-079        |                      |                      |                   |     |
| 2"      | 704-076 | 704-081        |                      |                      |                   |     |
| 2-1/2"  | 704-078 | 704-083        |                      |                      |                   |     |
| 2-3/4"  | 704-080 | 704-085        |                      |                      |                   |     |
| 3-1/8"  | 704-082 | 704-087        |                      |                      |                   |     |
| 3-1/2"  | 704-084 | 704-089        |                      |                      |                   |     |
| 4"      | 704-086 | 704-091        |                      |                      |                   |     |
| 4-3/4"  | 704-088 | 704-093        |                      |                      |                   |     |
| 5-5/8"  | 704-090 | 704-095        |                      |                      |                   |     |
| 6-3/8"  |         | ---            |                      |                      |                   |     |
| 7-1/4"  | 704-092 | ---            |                      |                      |                   |     |
| 8"      |         | ---            |                      |                      |                   |     |
| 8-3/4"  |         | ---            |                      |                      |                   |     |
| 9-5/8"  | 704-094 | ---            |                      |                      |                   |     |
| 10-5/8" |         | ---            |                      |                      |                   |     |
| 12"     | 704-096 | ---            |                      |                      |                   |     |



SCREWS

SCREWS

# O.E.M. HARDWARE

*Hard to Find Fasteners Our Specialty™*

## WOOD SCREWS




|     | Size  | Flat Head Slot | Flat Head Socket | Round Head Slot | Round Head Socket |     |
|-----|-------|----------------|------------------|-----------------|-------------------|-----|
| #4  | 3/8   | 787-341        | 534045           |                 |                   | BAA |
|     | 1/2   | 787-343        | 534046           | 787-461         | 534106            |     |
|     | 5/8   | 787-345        | 534047           |                 |                   |     |
|     | 3/4   | 787-347        | 534048           | 787-463         | 534107            |     |
| #5  | 1/2   | 787-349        | 534049           |                 |                   |     |
|     | 5/8   | 787-351        | 534050           |                 |                   |     |
|     | 3/4   | 787-353        | 534051           |                 |                   |     |
|     | 1     | 787-355        | 534052           |                 |                   |     |
| #6  | 1-1/4 | 787-357        | 534053           |                 |                   |     |
|     | 1/2   | 787-359        | 534054           | 787-465         | 534108            |     |
|     | 5/8   | 787-361        | 534055           |                 |                   |     |
|     | 3/4   | 787-363        | 534056           | 787-467         | 534109            |     |
| #7  | 7/8   | 787-364        | 534057           |                 |                   |     |
|     | 1"    | 787-367        | 534058           | 787-469         | 534110            |     |
|     | 1-1/4 | 787-369        | 534059           | 787-471         | 534111            |     |
|     | 1-1/2 | 787-371        | 534060           | 787-473         | 534112            |     |
| #8  | 1/2   | 787-373        | 534061           | 787-475         | 534113            |     |
|     | 3/4   | 787-375        | 534062           | 787-477         | 534114            |     |
|     | 1"    | 787-377        | 534063           | 787-479         | 534115            |     |
|     | 1-1/4 | 787-379        | 534064           |                 |                   |     |
| #9  | 1-1/2 | 787-381        | 534065           |                 |                   |     |
|     | 1/2   | 787-383        | 534066           | 787-481         | 534116            |     |
|     | 5/8   | 787-385        | 534067           |                 |                   |     |
|     | 3/4   | 787-387        | 534068           | 787-483         | 534117            |     |
| #10 | 7/8   |                | 534069           |                 |                   |     |
|     | 1"    | 787-391        | 534070           | 787-485         | 534118            |     |
|     | 1-1/4 | 787-393        | 534071           | 787-487         | 534119            |     |
|     | 1-1/2 | 787-395        | 534072           | 787-489         | 534120            |     |
| #11 | 1-3/4 | 787-397        | 534073           | 787-491         | 534121            |     |
|     | 2"    | 787-399        | 534074           |                 |                   |     |
|     | 2-1/2 | 787-401        | 534075           |                 |                   |     |
|     |       |                |                  |                 |                   |     |

|     | Size  | Flat Head Slot | Flat Head Socket | Round Head Slot | Round Head Socket |     |
|-----|-------|----------------|------------------|-----------------|-------------------|-----|
| #9  | 1/2   |                | 534076           |                 |                   | BAA |
|     | 3/4   | 787-403        | 534077           |                 |                   |     |
|     | 1-1/4 | 787-405        | 534078           |                 |                   |     |
|     | 1-1/2 | 787-407        | 534079           |                 |                   |     |
| #10 | 1-3/4 | 787-409        | 534080           |                 |                   |     |
|     | 2"    | 787-411        | 534081           |                 |                   |     |
|     | 3/4   | 787-413        | 534082           | 787-493         | 534122            |     |
|     | 7/8   |                | 534083           |                 |                   |     |
| #11 | 1"    | 787-417        | 534084           | 787-495         | 534123            |     |
|     | 1-1/4 | 787-419        | 534085           | 787-497         | 534124            |     |
|     | 1-1/2 | 787-421        | 534086           | 787-499         | 534125            |     |
|     | 1-3/4 | 787-423        | 534087           | 787-501         | 534126            |     |
| #12 | 2"    | 787-425        | 534088           | 787-503         | 534127            |     |
|     | 2-1/2 | 787-427        | 534089           | 787-505         | 534128            |     |
|     | 3"    | 787-429        | 534090           |                 |                   |     |
|     | 3/4   | 787-431        | 534091           | 787-507         | 534129            |     |
| #13 | 1"    | 787-433        | 534092           | 787-509         | 534130            |     |
|     | 1-1/4 | 787-435        | 534093           | 787-511         | 534131            |     |
|     | 1-1/2 | 787-437        | 534094           | 787-513         | 534132            |     |
|     | 1-3/4 | 787-439        | 534095           |                 |                   |     |
| #14 | 2"    | 787-441        | 534096           | 787-515         | 534133            |     |
|     | 2-1/2 | 787-443        | 534097           | 787-517         | 534134            |     |
|     | 3"    | 787-445        | 534098           | 787-519         | 534135            |     |
|     | 1"    | 787-447        | 534099           | 787-521         | 534136            |     |
| #15 | 1-1/4 | 787-449        | 534100           | 787-523         | 534137            |     |
|     | 1-1/2 | 787-451        | 534101           | 787-525         | 534138            |     |
|     | 1-3/4 | 787-453        | 534102           |                 |                   |     |
|     | 2"    | 787-455        | 534103           | 787-527         | 534139            |     |
| #16 | 2-1/2 | 787-457        | 534104           | 787-529         | 534140            |     |
|     | 3"    | 787-459        | 534105           | 787-531         | 534141            |     |

# O.E.M. HARDWARE

*Hard to Find Fasteners Our Specialty™*

## TORQUE MASTER™ UNIVERSAL HEAD MACHINE SCREWS



| DIA.                        | LGTH | PART NO |        |
|-----------------------------|------|---------|--------|
| <b>4-40</b><br>1/16 drive   | 1/4  | 791-231 | BAA/FA |
|                             | 3/8  | 791-232 |        |
|                             | 1/2  | 791-233 |        |
| <b>6-32</b><br>5/64 drive   | 1/4  | 791-234 |        |
|                             | 3/8  | 791-235 |        |
|                             | 1/2  | 791-236 |        |
|                             | 5/8  | 791-237 |        |
| <b>8-32</b><br>3/32 drive   | 1/4  | 791-238 |        |
|                             | 3/8  | 791-239 |        |
|                             | 1/2  | 791-240 |        |
|                             | 5/8  | 791-241 |        |
|                             | 3/4  | 791-242 |        |
|                             | 1    | 791-243 |        |
| <b>10-24</b><br>1/8 drive   | 1/4  | 791-244 | FA/CF  |
|                             | 3/8  | 791-245 |        |
|                             | 1/2  | 791-246 | BAA/FA |
|                             | 5/8  | 791-247 |        |
|                             | 3/4  | 791-248 |        |
|                             | 7/8  | 791-249 |        |
|                             | 1    | 791-250 |        |
| <b>10-32</b><br>5/32 drive  | 1/4  | 791-251 | FA/CF  |
|                             | 3/8  | 791-252 |        |
|                             | 1/2  | 791-253 | BAA/FA |
|                             | 5/8  | 791-254 |        |
|                             | 3/4  | 791-255 |        |
|                             | 7/8  | 791-256 |        |
|                             | 1    | 791-257 |        |
| <b>1/4-20</b><br>1/8 drive  | 3/8  | 791-258 | BAA/FA |
|                             | 1/2  | 791-259 |        |
|                             | 5/8  | 791-260 |        |
|                             | 3/4  | 791-261 |        |
|                             | 7/8  | 791-262 |        |
|                             | 1    | 791-263 |        |
| <b>1/4-28</b><br>7/32 drive | 3/8  | 791-264 |        |
|                             | 1/2  | 791-265 |        |
|                             | 5/8  | 791-266 |        |
|                             | 3/4  | 791-267 |        |
|                             | 7/8  |         |        |
|                             | 1    | 791-268 |        |

# 160,000 P.S.I.

### »»DEEPER SOCKET

*for better grip, fast driving and to resist distortion*

### »»UNIVERSAL HEAD

*Greater bearing surface*

### »»TOUGHER THREADS

*Resists stripping*

### »»HEADS WILL NOT DISTORT

### »»ROCKWELL C36-45

*The universal head machine screw's toughness will prevent threads from snapping, stripping and shearing, and its durability will outperform any other machine screw*


SCREWS

# O.E.M. HARDWARE

*Hard to Find Fasteners Our Specialty™*

## TORQUE MASTER™

**CONCRETE SCREWS** COMES W/ MASONARY BIT



| SIZE                                                          | FLAT HEAD | HEX HEAD | FAA/BAA |
|---------------------------------------------------------------|-----------|----------|---------|
| 3/16 X 1 1/4                                                  | 48500     | 48520    |         |
| 3/16 X 1 3/4                                                  | 48501     | 48521    |         |
| 3/16 X 2 1/4                                                  | 48502     | 48522    |         |
| 3/16 X 2 3/4                                                  | 48503     | 48523    |         |
| 3/16 X 3 1/4                                                  | 48504     | 48524    |         |
| 3/16 X 3 3/4                                                  | 48505     | 48525    |         |
| 3/16 X 4                                                      | 48506     | 48526    |         |
| 1/4 X 1 1/4                                                   | 48507     | 48527    |         |
| 1/4 X 1 3/4                                                   | 48508     | 48528    |         |
| 1/4 X 2 1/4                                                   | 48509     | 48529    |         |
| 1/4 X 2 3/4                                                   | 48510     | 48530    |         |
| 1/4 X 3 1/4                                                   | 48511     | 48531    |         |
| 1/4 X 3 3/4                                                   | 48512     | 48532    |         |
| 1/4 X 4                                                       | 48513     | 48533    |         |
| 1/4 X 5                                                       | 48514     | 48534    |         |
| 1/4 X 6                                                       | 48515     | 48535    |         |
| WHEN ORDERING 500 QUANTITIES PLEASE ADD "FAA" (I.E. 48500FAA) |           |          |         |
| NO BROKEN PACKAGES                                            |           |          |         |

■ **CASE HARDENED STEEL**

■ **DICHROMATE CORROSION RESISTANT FINISH**

■ **ULTRA GRIP TAPPING THREAD**

■ **EACH PACKAGE COMES WITH SPECIFIC  
SIZED MASONARY BIT**

# O.E.M. HARDWARE

*Hard to Find Fasteners Our Specialty™*



## MACHINE SCREWS SLOT HEAD

| HEX NUTS                                                                            |        |
|-------------------------------------------------------------------------------------|--------|
|    | 1/4-20 |
| 670 CFA/BCF                                                                         |        |
|    | 12-24  |
| 666 CFA/BCF                                                                         |        |
|   | 10-24  |
| 665 CFA/BCF                                                                         |        |
|  | 10-32  |
| 664 CFA/BCF                                                                         |        |
|  | 8-32   |
| 663 CFA/BCF                                                                         |        |
|  | 6-32   |
| 660 CFA/BCF                                                                         |        |
|  | 4-40   |
| 668 CFA/BCF                                                                         |        |

SAVE TIME AND MONEY WITH OUR

**SUPER-FIX**  
ASSORTMENTS

7760, 700-104, 700-106



| DIA.   | LGTH  | FLAT HEAD | ROUND HEAD | OVAL HEAD |     |
|--------|-------|-----------|------------|-----------|-----|
| 4-40   | 1/4   |           | 1542       |           | BAA |
|        | 3/8   |           | 1115       |           | BAA |
|        | 1/2   |           | 1116       |           | BAA |
|        | 3/4   |           | 1118       |           | BAA |
|        | 1"    |           | 1120       |           | BAA |
| 6-32   | 1/4   | 533480    | 1543       |           | BAA |
|        | 3/8   | 533481    | 673        | 787-539   | BAA |
|        | 1/2   | 533482    | 674        | 787-541   | BAA |
|        | 5/8   |           | 675        |           | BAA |
|        | 3/4   | 533483    | 676        | 787-543   | BAA |
|        | 7/8   |           | 677        |           | BAA |
|        | 1"    | 533484    | 678        | 787-545   | BAA |
|        | 1-1/2 | 533485    | 43905      | 787-547   | BAA |
|        | 2"    |           | 43910      |           | BAA |
| 8-32   | 1/4   | 533486    | 1544       |           | BAA |
|        | 3/8   | 533487    | 1545       | 787-549   | BAA |
|        | 1/2   | 533488    | 679        | 787-551   | BAA |
|        | 5/8   |           | 680        |           | BAA |
|        | 3/4   | 533489    | 681        | 787-553   | BAA |
|        | 1"    | 533490    | 682        | 787-555   | BAA |
|        | 1-1/4 | 533491    | 750        |           | BAA |
|        | 1-1/2 | 533492    | 43915      | 787-557   | BAA |
|        | 2"    |           | 43920      |           | BAA |
|        | 2-1/2 |           | 43925      |           | BAA |
|        | 3"    |           | 43023      |           | BAA |
| 10-32  | 1/4   |           | 1546       |           | BAA |
|        | 1/2   |           | 683        | 787-559   | BAA |
|        | 3/4   | 533496    | 684        | 787-561   | BAA |
|        | 1"    | 533497    | 685        | 787-563   | BAA |
|        | 1-1/4 | 533498    | 686        |           | BAA |
| 10-24  | 1/4   | 533500    | 1547       |           | BAA |
|        | 1/2   | 533501    | 687        |           | BAA |
|        | 3/4   | 533502    | 6888       |           | BAA |
|        | 1"    | 533503    | 689        |           | BAA |
|        | 1-1/4 | 533504    | 751        |           | BAA |
|        | 1-1/2 | 533505    | 752        |           | BAA |
|        | 2"    | 533506    | 42535      |           | BAA |
|        | 2-1/2 | 533507    | 43935      |           | BAA |
|        | 3"    |           | 43940      |           | BAA |
| 12-24  | 1/2   | 533508    | 690        | 787-565   | BAA |
|        | 3/4   | 533509    | 691        |           | BAA |
|        | 1"    | 533510    | 692        | 787-567   | BAA |
|        | 1-1/4 | 533511    | 693        |           | BAA |
| 1/4-20 | 1/2   | 533512    | 42540      | 787-569   | BAA |
|        | 3/4   | 533513    | 42545      | 787-571   | BAA |
|        | 1"    | 533514    | 42550      | 787-573   | BAA |
|        | 1-1/4 | 533515    | 42555      |           | BAA |
|        | 1-1/2 | 533516    | 42560      | 787-575   | BAA |
|        | 2"    | 533517    | 42570      |           | BAA |
|        | 2-1/2 | 533518    | 42575      |           | BAA |
|        | 3"    |           | 42580      |           | BAA |

SCREWS

# O.E.M. HARDWARE

*Hard to Find Fasteners Our Specialty™*

## MACHINE SCREWS PHILLIPS HEAD



### PHILLIPS DRIVE BITS

1" OVERALL LENGTH

| POINT SIZE | PART No.  |
|------------|-----------|
| No. 1      | 54592 (B) |
| No. 2      | 54593 (B) |
| No. 3      | 54596 (B) |

### TABLE OF SCREW SIZES


| POINT SIZE | MACH. SCW DIA.   |
|------------|------------------|
| No. 1      | No. 2,3 & 4      |
| No. 2      | No. 5,6,7,8,9&10 |
| No. 3      | No. 12,1/4&5/16  |

EXTRA LENGTH DRIVERS  
AVAILABLE

SAVE TIME AND MONEY WITH OUR

**SUPER-FIX**  
ASSORTMENTS

700-108, 700-110, 700-112



**P**rotecto-  
late

**FOR MAXIMUM  
PROTECTION**



| DIA.   | LGTH  | FLAT HEAD | PAN HEAD | OVAL HEAD |     |
|--------|-------|-----------|----------|-----------|-----|
| 4-40   | 1/4   | 787-577   | 49600    |           | BAA |
|        | 3/8   | 787-579   | 49601    |           | BAA |
|        | 1/2   | 787-581   | 49602    |           | BAA |
|        | 3/4   | 787-583   | 49603    |           | BAA |
|        | 1"    | 787-585   | 49604    |           | BAA |
| 6-32   | 1/4   | 787-587   | 49605    |           | BAA |
|        | 3/8   | 787-589   | 49606    |           | BAA |
|        | 1/2   | 787-591   | 49607    | 876       | BAA |
|        | 5/8   |           | 49608    |           | BAA |
|        | 3/4   | 787-593   | 49609    | 878       | BAA |
|        | 7/8   |           | 49610    |           | BAA |
|        | 1"    | 787-595   | 49611    |           | BAA |
|        | 1-1/2 |           | 49612    |           | BAA |
| 8-32   | 2"    |           | 49613    |           | BAA |
|        | 1/4   | 787-597   | 49614    |           | BAA |
|        | 3/8   | 787-599   | 49615    |           | BAA |
|        | 1/2   | 787-601   | 49616    | 881       | BAA |
|        | 5/8   |           | 49617    | 882       | BAA |
|        | 3/4   | 787-603   | 49618    | 883       | BAA |
|        | 1"    | 787-605   | 49619    | 884       | BAA |
|        | 1-1/4 |           | 49620    |           | BAA |
|        | 1-1/2 |           | 49621    |           | BAA |
|        | 2"    |           | 49622    |           | BAA |
| 10-32  | 2-1/2 |           | 49623    |           | BAA |
|        | 1/4   |           | 49624    |           | BAA |
|        | 1/2   |           | 49625    | 886       | BAA |
|        | 3/4   | 787-607   | 49626    | 887       | BAA |
|        | 1"    | 787-611   | 49627    | 888       | BAA |
| 10-24  | 1-1/4 |           | 49628    |           | BAA |
|        | 1/4   |           | 49629    |           | BAA |
|        | 1/2   | 787-613   | 49630    | 890       | BAA |
|        | 3/4   | 787-615   | 49631    | 891       | BAA |
|        | 1"    | 787-616   | 49632    | 892       | BAA |
|        | 1-1/4 |           | 49633    |           | BAA |
|        | 1-1/2 |           | 49634    |           | BAA |
|        | 2"    |           | 49635    |           | BAA |
| 12-24  | 1/2   |           | 49636    |           | BAA |
|        | 3/4   |           | 49637    |           | BAA |
|        | 5/8   |           |          | 895       | BAA |
|        | 7/8   |           |          | 896       | BAA |
|        | 1"    |           | 49638    |           | BAA |
| 1/4-20 | 1-1/4 |           | 49639    |           | BAA |
|        | 1/2   | 787-617   | 49640    | 897       | BAA |
|        | 3/4   | 787-619   | 49641    | 898       | BAA |
|        | 1"    | 787-620   | 49642    | 899       | BAA |
|        | 1-1/4 | 787-621   | 49643    |           | BAA |
|        | 1-1/2 | 787-623   | 49644    |           | BAA |
|        | 2"    | 787-625   | 49645    |           | BAA |
|        | 2-1/2 |           | 49646    |           | BAA |
|        | 3"    |           | 49647    |           | BAA |

OTHER STYLES AND SIZES  
AVAILABLE UPON REQUEST

# O.E.M. HARDWARE

*Hard to Find Fasteners Our Specialty™*

## MACHINE SCREWS SQUARE SOCKET HEAD



**SOCKET DRIVE BITS**  
2" OVERALL LENGTH

| POINT SIZE | PART No.   |
|------------|------------|
| No. 1      | 516600 (B) |
| No. 2      | 516605 (B) |
| No. 3      | 516610 (B) |

**TABLE OF SCREW SIZES**

| POINT SIZE | MACH. SCW DIA. |
|------------|----------------|
| No. 0      | No. 3 & 4      |
| No. 1      | No. 5 & 6      |
| No. 2      | No. 8, 9 & 10  |
| No. 3      | No. 12 & 1/4   |

FOR OTHER LENGTHS PLEASE SEE  
TOOL SECTION


SAVE TIME AND MONEY WITH OUR

**SUPER-FIX**  
**ASSORTMENTS**

700-114, 700-116



| DIA.    | LGTH  | FLAT HEAD | ROUND HEAD |     |
|---------|-------|-----------|------------|-----|
| 6-32    | 1/4   |           | 516400     | BAA |
|         | 3/8   | 787-639   | 516405     | BAA |
|         | 1/2   | 787-641   | 516410     | BAA |
|         | 3/4   | 787-643   | 516415     | BAA |
|         | 1"    | 787-645   | 516420     | BAA |
| 8-32    | 1/2   | 787-647   | 516425     | BAA |
|         | 5/8   | 787-649   | 516430     | BAA |
|         | 3/4   | 787-651   | 516435     | BAA |
|         | 1"    | 787-653   | 516440     | BAA |
|         | 1-1/2 | 787-655   | 516445     | BAA |
|         | 2"    | 787-657   | 516450     | BAA |
|         |       |           |            |     |
| 10-32   | 1/2   | 787-659   | 516455     | BAA |
|         | 3/4   | 787-661   | 516460     | BAA |
|         | 1"    | 787-663   | 516465     | BAA |
|         | 1-1/4 | 787-665   | 516467     | BAA |
|         | 1-1/2 | 787-667   | 516468     | BAA |
| 10-24   | 1/2   | 787-669   | 516470     | BAA |
|         | 5/8   | 787-671   | 516475     | BAA |
|         | 3/4   | 787-673   | 516480     | BAA |
|         | 1"    | 787-675   | 516485     | BAA |
|         | 1-1/4 | 787-677   | 516490     | BAA |
|         | 1-1/2 | 787-679   | 516495     | BAA |
|         | 2"    | 787-681   | 516500     | BAA |
| 12-24   | 1/2   |           | 516505     | BAA |
|         | 3/4   |           | 516510     | BAA |
|         | 1"    |           | 516515     | BAA |
|         |       |           |            |     |
| 1/4-20  | 1/2   | 787-683   | 516520     | BAA |
|         | 3/4   | 787-685   | 516525     | FA  |
|         | 1"    | 787-687   | 516530     | FA  |
|         | 1-1/4 | 787-689   | 516535     | FA  |
|         | 1-1/2 | 787-691   | 516540     | FA  |
|         | 2"    | 787-693   | 516545     | FA  |
|         | 2-1/2 | 787-695   | 516550     | FA  |
| 5/16-18 | 1/2   |           | 516555     | FA  |
|         | 3/4   | 787-699   | 516560     | FA  |
|         | 1"    | 787-701   | 516565     | FA  |




**Protecto-**  
**late**  
**FOR MAXIMUM**  
**PROTECTION**

SCREWS

# O.E.M. HARDWARE

*Hard to Find Fasteners Our Specialty™*

## TORQUE MASTER™ UNSLOTTED INDENTED HEX STEEL MACHINE SCREWS




| LGTH                     | <b>4-40</b> | <b>6-32</b> | <b>8-32</b> | <b>10-24</b> | <b>10-32</b> | <b>1/4-20</b> |
|--------------------------|-------------|-------------|-------------|--------------|--------------|---------------|
| <b>3/16</b>              | 80643       | N/A         | N/A         | N/A          | N/A          | N/A           |
| <b>1/4</b>               | 80644       | 80655       | 80666       | 80677        | 80688        | N/A           |
| <b>5/16</b>              | 80445       | 80656       | 80667       | 80678        | 80689        | N/A           |
| <b>3/8</b>               | 80646       | 80657       | 80668       | 80679        | 80690        | N/A           |
| <b>1/2</b>               | 80647       | 80657       | 80669       | 80680        | 80691        | 80702         |
| <b>5/8</b>               | 80648       | 80659       | 80670       | 80681        | 80692        | 80703         |
| <b>3/4</b>               | 80649       | 80660       | 80671       | 80682        | 80693        | 80704         |
| <b>1</b>                 | N/A         | 80661       | 80672       | 80683        | 80694        | 80705         |
| <b>1-1/4</b>             | N/A         | N/A         | 80673       | 80684        | 80695        | 80706         |
| <b>1-1/2</b>             | N/A         | N/A         | 80674       | 80685        | 80696        | 80707         |
| <b>2</b>                 | N/A         | N/A         | N/A         | 80686        | 80697        | 80708         |
| WIDTH<br>ACROSS<br>FLATS | 3/16"       | 1/4"        | 1/4"        | 5/16"        | 5/16"        | 3/8"          |

SAVE TIME AND MONEY WITH OUR

**SUPER-FIX**  
ASSORTMENTS

700-070



**P**rotecto-  
late

**FOR MAXIMUM  
PROTECTION**

# O.E.M. HARDWARE

*Hard to Find Fasteners Our Specialty™*

## NYLON SCREWS

### NYLON



| DIA.          | LGTH  | PAN<br>HEAD | FLAT<br>HEAD | ROUND<br>HEAD |     |
|---------------|-------|-------------|--------------|---------------|-----|
| <b>6-32</b>   | 1/4   | 791-144     | 791-163      | 791-190       | BAA |
|               | 5/16  |             |              |               |     |
|               | 3/8   |             | 791-164      | 791-191       |     |
|               | 1/2   | 791-145     | 791-165      | 791-192       |     |
|               | 5/8   |             |              | 791-193       |     |
|               | 3/4   | 791-146     | 791-166      | 791-194       |     |
|               | 1"    |             | 791-167      | 791-195       |     |
|               | 1-1/4 | 791-147     | 791-168      | 791-196       |     |
|               | 1-1/2 |             |              | 791-197       |     |
|               | 1-3/4 |             |              | 791-198       |     |
| <b>8-32</b>   | 1/4   | 791-148     | 791-169      | 791-199       |     |
|               | 5/16  |             | 791-170      | 791-200       |     |
|               | 3/8   |             | 791-171      | 791-201       |     |
|               | 1/2   | 791-149     | 791-172      | 791-202       |     |
|               | 3/4   |             | 791-173      | 791-203       |     |
|               | 1"    | 791-150     | 791-174      | 791-204       |     |
|               | 1-1/4 |             |              | 791-205       |     |
|               | 1-1/2 |             |              | 791-206       |     |
| <b>10-32</b>  | 1-3/4 | 791-151     |              | 791-207       |     |
|               | 1/4   | 791-152     | 791-175      | 791-208       |     |
|               | 5/16  |             | 791-176      | 791-209       |     |
|               | 3/8   | 791-153     | 791-177      | 791-210       |     |
|               | 1/2   | 791-154     | 791-178      | 791-211       |     |
|               | 3/4   | 791-155     | 791-179      | 791-212       |     |
|               | 1"    |             | 791-180      | 791-213       |     |
|               | 1-1/4 | 791-156     | 791-181      | 791-214       |     |
|               | 1-1/2 |             | 791-182      | 791-215       |     |
| <b>10-24</b>  | 1-3/4 |             |              | 791-216       |     |
|               | 1/4   | 791-157     |              | 791-217       |     |
|               | 5/16  |             |              | 791-218       |     |
|               | 3/8   |             |              | 791-219       |     |
|               | 1/2   | 791-158     | 791-183      | 791-220       |     |
|               | 3/4   |             | 791-184      | 791-221       |     |
|               | 1"    | 791-159     | 791-185      | 791-222       |     |
|               | 1-1/4 |             |              | 791-223       |     |
| <b>1/4-20</b> | 1/4   |             |              |               |     |
|               | 5/16  |             |              | 791-224       |     |
|               | 3/8   | 791-160     |              | 791-225       |     |
|               | 1/2   |             | 791-186      | 791-226       |     |
|               | 3/4   | 791-161     | 791-187      | 791-227       |     |
|               | 1"    |             | 791-188      | 791-228       |     |
|               | 1-1/4 |             | 791-189      | 791-229       |     |
|               | 1-1/2 | 791-162     |              | 791-230       |     |

Made in  
U.S.A.

SAVE TIME AND  
MONEY WITH OUR

**SUPER-FIX**  
ASSORTMENTS

SCREWS

# O.E.M. HARDWARE

*Hard to Find Fasteners Our Specialty™*

## TORQUE MASTER™ TYPE F THREAD CUTTING SCREWS

### *Hardened Steel* **TYPE F**

|    |      |          |           |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----------|-----------|
| DIA.                                                                                                                                                                                                                                                 | LGTH | PAN HEAD | FLAT HEAD |
| <b>6-32</b>                                                                                                                                                                                                                                          | 1/2  | 791-001  | 791-016   |
|                                                                                                                                                                                                                                                      | 3/4  | 791-002  | 791-017   |
|                                                                                                                                                                                                                                                      | 1"   | 791-003  | 791-018   |
| <b>8-32</b>                                                                                                                                                                                                                                          | 1/2  | 791-004  | 791-019   |
|                                                                                                                                                                                                                                                      | 3/4  | 791-005  | 791-020   |
|                                                                                                                                                                                                                                                      | 1"   | 791-006  | 791-021   |
| <b>10-32</b>                                                                                                                                                                                                                                         | 1/2  | 791-007  | 791-022   |
|                                                                                                                                                                                                                                                      | 3/4  | 791-008  | 791-023   |
|                                                                                                                                                                                                                                                      | 1"   | 791-009  | 791-024   |
| <b>10-24</b>                                                                                                                                                                                                                                         | 1/2  | 791-010  | 791-025   |
|                                                                                                                                                                                                                                                      | 3/4  | 791-011  | 791-026   |
|                                                                                                                                                                                                                                                      | 1"   | 791-012  | 791-027   |
| <b>1/4-20</b>                                                                                                                                                                                                                                        | 1/2  | 791-013  | 791-028   |
|                                                                                                                                                                                                                                                      | 3/4  | 791-014  | 791-029   |
|                                                                                                                                                                                                                                                      | 1"   | 791-015  | 791-030   |

BAA

SAVE TIME AND MONEY WITH OUR

**SUPER-FIX**  
ASSORTMENTS

700-069, 700-087

|   |      |          |     |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----------|-----|
| DIA.                                                                                                                                                                   | LGTH | PAN HEAD |     |
| <b>6-32</b>                                                                                                                                                            | 1/2  | 791-031  | BAA |
|                                                                                                                                                                        | 3/4  | 791-032  |     |
|                                                                                                                                                                        | 1"   | 791-033  |     |
| <b>8-32</b>                                                                                                                                                            | 1/2  | 791-034  |     |
|                                                                                                                                                                        | 3/4  | 791-035  |     |
|                                                                                                                                                                        | 1"   | 791-036  |     |
| <b>10-32</b>                                                                                                                                                           | 1/2  | 791-037  |     |
|                                                                                                                                                                        | 3/4  | 791-038  |     |
|                                                                                                                                                                        | 1"   | 791-039  |     |
| <b>10-24</b>                                                                                                                                                           | 1/2  | 791-040  |     |
|                                                                                                                                                                        | 3/4  | 791-041  |     |
|                                                                                                                                                                        | 1"   | 791-042  |     |
| <b>1/4-20</b>                                                                                                                                                          | 1/2  | 791-043  |     |
|                                                                                                                                                                        | 3/4  | 791-044  |     |
|                                                                                                                                                                        | 1"   | 791-045  |     |

|   |      |          |     |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----------|-----|
| DIA.                                                                                                                                                                       | LGTH | PAN HEAD |     |
| <b>6-32</b>                                                                                                                                                                | 1/2  | 791-046  | BAA |
|                                                                                                                                                                            | 3/4  | 791-047  |     |
|                                                                                                                                                                            | 1"   | 791-048  |     |
| <b>8-32</b>                                                                                                                                                                | 1/2  | 791-049  |     |
|                                                                                                                                                                            | 3/4  | 791-050  |     |
|                                                                                                                                                                            | 1"   | 791-051  |     |
| <b>10-32</b>                                                                                                                                                               | 1/2  | 791-052  |     |
|                                                                                                                                                                            | 3/4  | 791-053  |     |
|                                                                                                                                                                            | 1"   | 791-054  |     |
| <b>10-24</b>                                                                                                                                                               | 1/2  | 791-055  |     |
|                                                                                                                                                                            | 3/4  | 791-056  |     |
|                                                                                                                                                                            | 1"   | 791-057  |     |
| <b>1/4-20</b>                                                                                                                                                              | 1/2  | 791-058  |     |
|                                                                                                                                                                            | 3/4  | 791-059  |     |
|                                                                                                                                                                            | 1"   | 791-060  |     |

# O.E.M. HARDWARE

*Hard to Find Fasteners Our Specialty™*

## **TORQUE MASTER™** **TYPE F THREAD CUTTING SCREWS**

*410 Hardened Steel*

# STAINLESS STEEL

|  |      |          |           |     |
|------------------------------------------------------------------------------------|------|----------|-----------|-----|
| DIA.                                                                               | LGTH | PAN HEAD | FLAT HEAD |     |
| <b>6-32</b>                                                                        | 3/8  | 791-061  | 791-073   | BAA |
|                                                                                    | 1/2  | 791-062  | 791-074   |     |
|                                                                                    | 5/8  | 791-063  | 791-075   |     |
|                                                                                    | 3/4  | 791-064  | 791-076   |     |
| <b>8-32</b>                                                                        | 3/8  | 791-065  | 791-077   |     |
|                                                                                    | 1/2  | 791-066  | 791-078   |     |
|                                                                                    | 5/8  | 791-067  | 791-079   |     |
|                                                                                    | 3/4  | 791-068  | 791-080   |     |
| <b>10-32</b>                                                                       | 3/8  | 791-069  |           |     |
|                                                                                    | 1/2  | 791-070  | 791-081   |     |
|                                                                                    | 5/8  | 791-071  | 791-082   |     |
|                                                                                    | 3/4  | 791-072  | 791-083   |     |

Many other sizes available upon request

Meets or Exceeds Manufacturer's Specifications

SAVE TIME AND MONEY WITH OUR

**SUPER-FIX**  
**ASSORTMENTS**

**700-073, 700-069**

SCREWS

# O.E.M. HARDWARE


*Hard to Find Fasteners Our Specialty™*

## TYPE 23 THREAD CUTTING SCREWS

*Hardened Steel*

### TYPE 23

|   |      |          |     |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----------|-----|
| DIA.                                                                                                                                                               | LGTH | HEX HEAD |     |
| <b>6-32</b>                                                                                                                                                        | 3/8  | 791-120  | BAA |
|                                                                                                                                                                    | 1/2  | 791-121  |     |
|                                                                                                                                                                    | 5/8  | 791-122  |     |
|                                                                                                                                                                    | 3/4  | 791-123  |     |
| <b>8-32</b>                                                                                                                                                        | 3/8  | 791-124  |     |
|                                                                                                                                                                    | 1/2  | 791-125  |     |
|                                                                                                                                                                    | 5/8  | 791-126  |     |
|                                                                                                                                                                    | 3/4  | 791-127  |     |
| <b>10-32</b>                                                                                                                                                       | 1"   | 791-128  |     |
|                                                                                                                                                                    | 3/8  | 791-129  |     |
|                                                                                                                                                                    | 1/2  | 791-130  |     |
|                                                                                                                                                                    | 5/8  | 791-131  |     |
|                                                                                                                                                                    | 3/4  | 791-132  |     |
|                                                                                                                                                                    | 1"   | 791-133  |     |
|                                                                                                                                                                    | 3/8  | 791-134  |     |
|                                                                                                                                                                    | 1/2  | 791-135  |     |
| <b>1/4-20</b>                                                                                                                                                      | 5/8  | 791-136  |     |
|                                                                                                                                                                    | 3/4  | 791-137  |     |
|                                                                                                                                                                    | 1"   | 791-138  |     |
|                                                                                                                                                                    | 3/8  | 791-139  |     |
|                                                                                                                                                                    | 1/2  | 791-140  |     |
|                                                                                                                                                                    | 5/8  | 791-141  |     |
|                                                                                                                                                                    | 3/4  | 791-142  |     |
|                                                                                                                                                                    | 1"   | 791-143  |     |

|   |      |          |     |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----------|-----|
| DIA.                                                                                                                                                                  | LGTH | PAN HEAD |     |
| <b>6-32</b>                                                                                                                                                           | 3/8  | 791-103  | BAA |
|                                                                                                                                                                       | 1/2  | 791-104  |     |
|                                                                                                                                                                       | 5/8  | 791-105  |     |
|                                                                                                                                                                       | 3/4  | 791-106  |     |
| <b>8-32</b>                                                                                                                                                           | 3/8  | 791-107  |     |
|                                                                                                                                                                       | 1/2  | 791-108  |     |
|                                                                                                                                                                       | 5/8  | 791-109  |     |
|                                                                                                                                                                       | 3/4  | 791-110  |     |
| <b>10-32</b>                                                                                                                                                          | 3/8  | 791-111  |     |
|                                                                                                                                                                       | 1/2  | 791-112  |     |
|                                                                                                                                                                       | 5/8  | 791-113  |     |
|                                                                                                                                                                       | 3/4  | 791-114  |     |
| <b>1/4-20</b>                                                                                                                                                         | 3/8  | 791-115  |     |
|                                                                                                                                                                       | 1/2  | 791-116  |     |
|                                                                                                                                                                       | 5/8  | 791-117  |     |
|                                                                                                                                                                       | 3/4  | 791-118  |     |
|                                                                                                                                                                       | 1"   | 791-119  |     |

|   |      |          |     |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----------|-----|
| DIA.                                                                                                                                                                      | LGTH | PAN HEAD |     |
| <b>6-32</b>                                                                                                                                                               | 3/8  | 791-084  | BAA |
|                                                                                                                                                                           | 1/2  | 791-085  |     |
|                                                                                                                                                                           | 5/8  | 791-086  |     |
|                                                                                                                                                                           | 3/4  | 791-087  |     |
| <b>8-32</b>                                                                                                                                                               | 3/8  | 791-088  |     |
|                                                                                                                                                                           | 1/2  | 791-089  |     |
|                                                                                                                                                                           | 5/8  | 791-090  |     |
|                                                                                                                                                                           | 3/4  | 791-091  |     |
| <b>10-32</b>                                                                                                                                                              | 1"   | 791-092  |     |
|                                                                                                                                                                           | 3/8  | 791-093  |     |
|                                                                                                                                                                           | 1/2  | 791-094  |     |
|                                                                                                                                                                           | 5/8  | 791-095  |     |
| <b>1/4-20</b>                                                                                                                                                             | 3/4  | 791-096  |     |
|                                                                                                                                                                           | 1"   | 791-097  |     |
|                                                                                                                                                                           | 3/8  | 791-098  |     |
|                                                                                                                                                                           | 1/2  | 791-099  |     |
|                                                                                                                                                                           | 5/8  | 791-100  |     |
|                                                                                                                                                                           | 3/4  | 791-101  |     |
|                                                                                                                                                                           | 1"   | 791-102  |     |

SAVE TIME AND MONEY WITH OUR


**SUPER-FIX**  
ASSORTMENTS

700-067

# O.E.M. HARDWARE

*Hard to Find Fasteners Our Specialty™*

## STAINLESS STEEL MACHINE SCREWS



| DIA.   | LGTH | PAN HEAD | OVAL HEAD | FLAT HEAD |     |
|--------|------|----------|-----------|-----------|-----|
| 6-32   | 1/2  | 779-001  | 779-041   | 779-079   | BAA |
|        | 3/4  | 779-003  | 779-043   | 779-081   | BAA |
|        | 1"   | 779-005  | 779-045   | 779-083   | BAA |
| 8-32   | 1/2  | 779-007  | 779-047   | 779-085   | BAA |
|        | 3/4  | 779-009  | 779-049   | 779-087   | BAA |
|        | 1"   | 779-011  | 779-051   | 779-089   | BAA |
| 10-32  | 1/2  | 779-013  | 779-053   | 779-091   | BAA |
|        | 3/4  | 779-015  | 779-054   | 779-093   | BAA |
|        | 1"   | 779-017  | 779-057   | 779-095   | BAA |
| 10-24  | 1/2  | 779-019  | 779-059   | 779-097   | BAA |
|        | 3/4  | 779-021  | 779-061   | 779-099   | BAA |
|        | 1"   | 779-023  | 779-063   | 779-101   | BAA |
| 1/4-20 | 1/2  | 779-025  | 779-065   | 779-103   | BAA |
|        | 3/4  | 779-027  | 779-067   | 779-105   | BAA |
|        | 1"   | 779-029  | 779-069   | 779-107   | BAA |



| DIA.   | LGTH | PAN HEAD | OVAL HEAD | FLAT HEAD |     |
|--------|------|----------|-----------|-----------|-----|
| 6-32   | 1/2  | 779-115  | 779-149   | 779-181   | BAA |
|        | 3/4  | 779-117  | 779-151   | 779-183   | BAA |
|        | 1"   | 779-119  | 779-153   | 779-185   | BAA |
| 8-32   | 1/2  | 779-121  | 779-156   | 779-188   | BAA |
|        | 3/4  | 779-123  | 779-157   | 779-189   | BAA |
|        | 1"   | 779-125  | 779-159   | 779-191   | BAA |
| 10-32  | 1/2  | 779-127  | 779-161   | 779-194   | BAA |
|        | 3/4  | 779-129  | 779-163   | 779-196   | BAA |
|        | 1"   | 779-131  | 779-165   | 779-198   | BAA |
| 10-24  | 1/2  | 779-133  | 779-167   | 779-199   | BAA |
|        | 3/4  | 779-135  | 779-169   | 779-202   | BAA |
|        | 1"   | 779-137  | 779-171   | 779-203   | BAA |
| 1/4-20 | 1/2  | 779-139  | 779-173   | 779-205   | BAA |
|        | 3/4  | 779-141  | 779-175   | 779-208   | BAA |
|        | 1"   | 779-143  | 779-176   | 779-210   | BAA |

| HEX NUTS                                                                                      |                                                                                             |
|-----------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
| <br>1/4-20 | <br>8-32 |
| 790-043 CFA/BCF                                                                               | 790-042 CFA/BCF                                                                             |
| <br>12-24  | <br>6-32 |
| 790-047 CFA/BCF                                                                               | 790-041 CFA/BCF                                                                             |
| <br>10-24  | <br>4-40 |
| 790-048 CFA/BCF                                                                               | 790-040 CFA/BCF                                                                             |
| <br>10-32  | <b>Stainless Steel</b>                                                                      |
| 790-046 CFA/BCF                                                                               |                                                                                             |



| DIA.   | LGTH  | PAN HEAD |  | FLAT HEAD |     |
|--------|-------|----------|--|-----------|-----|
| 8-32   | 1/2   | 779-213  |  |           | BAA |
|        | 3/4   | 779-215  |  |           | BAA |
|        | 1"    | 779-218  |  |           | BAA |
| 10-24  | 1/2   | 779-219  |  | 779-237   | BAA |
|        | 3/4   | 779-221  |  | 779-239   | BAA |
|        | 1"    | 779-223  |  | 779-241   | BAA |
| 1/4-20 | 1-1/4 | 779-226  |  |           | BAA |
|        | 3/4   | 779-225  |  | 779-243   | BAA |
|        | 1"    | 779-227  |  | 779-245   | BAA |
|        | 1-1/4 | 779-229  |  |           | BAA |
|        | 1-1/2 | 779-231  |  |           | BAA |
|        | 1-3/4 | 779-233  |  |           | BAA |

**STAINLESS  
STEEL**

SCREWS

# O.E.M. HARDWARE

*Hard to Find Fasteners Our Specialty™*

## STAINLESS STEEL TAPPING SCREWS

### STAINLESS STEEL



| Dia | Length | Pan Head | Flat Head | Oval Head |     |
|-----|--------|----------|-----------|-----------|-----|
| 6   | 3/8    |          |           |           | BAA |
|     | 1/2    | 790-221  | 790-265   | 790-309   |     |
|     | 3/4    | 790-223  | 790-267   | 790-311   |     |
|     | 1"     | 790-225  | 790-269   | 790-313   |     |
|     | 1-1/4  | 790-227  | 790-271   | 790-315   |     |
| 8   | 1/2    | 790-229  | 790-273   | 790-317   |     |
|     | 3/4    | 790-231  | 790-275   | 790-319   |     |
|     | 1"     | 790-233  | 790-277   | 790-321   |     |
|     | 1-1/4  | 790-235  | 790-279   | 790-323   |     |
|     | 1-1/2  | 790-237  | 790-281   | 790-325   |     |
| 10  | 2      |          |           | 790-326   |     |
|     | 1/2    | 790-239  | 790-283   | 790-327   |     |
|     | 3/4    | 790-243  | 790-287   | 790-331   |     |
|     | 1"     | 790-245  | 790-289   | 790-333   |     |
|     | 1-1/4  | 790-247  | 790-291   | 790-335   |     |
| 12  | 1-1/2  | 790-249  | 790-293   | 790-337   |     |
|     | 2      |          |           |           |     |
|     | 1/2    |          |           |           |     |
|     | 3/4    |          |           |           |     |
|     | 1"     | 790-251  |           | 790-160   |     |
| 14  | 1-1/4  |          |           | 790-161   |     |
|     | 1-1/2  | 790-255  |           | 790-161   |     |
|     | 2      |          |           | 790-162   |     |
|     | 1/2    |          |           |           |     |
|     | 3/4    |          |           |           |     |
| 14  | 1"     | 790-257  | 790-301   | 790-345   |     |
|     | 1-1/4  | 790-259  | 790-303   | 790-347   |     |
|     | 1-1/2  | 790-261  | 790-305   | 790-349   |     |
|     | 2      |          |           |           |     |

| Dia | Length | Pan Head | Flat Head | Oval Head |     |
|-----|--------|----------|-----------|-----------|-----|
| 6   | 3/8    |          |           |           | BAA |
|     | 1/2    | 790-009  | 790-131   | 790-175   |     |
|     | 3/4    | 790-101  | 790-135   | 790-179   |     |
|     | 1"     | 790-103  | 790-181   | 790-137   |     |
|     | 1-1/4  | 790-105  | 790-139   | 790-183   |     |
| 8   | 1/2    | 790-011  | 790-141   | 790-185   |     |
|     | 3/4    | 790-012  | 790-143   | 790-187   |     |
|     | 1"     | 790-107  | 790-145   | 790-189   |     |
|     | 1-1/4  | 790-109  | 790-147   | 790-191   |     |
|     | 1-1/2  | 790-111  | 790-149   | 790-193   |     |
| 10  | 2      |          | 790-367   |           |     |
|     | 1/2    | 790-016  | 790-151   | 790-195   |     |
|     | 3/4    | 790-015  | 790-153   | 790-197   |     |
|     | 1"     | 790-113  | 790-155   | 790-199   |     |
|     | 1-1/4  | 790-115  |           | 790-157   |     |
| 12  | 1-1/2  | 790-117  | 790-159   | 790-203   |     |
|     | 2      | 790-069  | 790-065   |           |     |
|     | 1/2    | 790-054  | 790-052   |           |     |
|     | 3/4    | 790-804  | 790-053   |           |     |
|     | 1"     | 790-121  | 790-163   |           |     |
| 14  | 1-1/4  | 790-073  |           |           |     |
|     | 1-1/2  |          | 790-062   |           |     |
|     | 1-3/4  | 790-070  | 790-063   |           |     |
|     | 2      | 790-068  | 790-064   | 790-307   |     |
|     | 1/2    |          | 790-590   |           |     |
| 14  | 3/4    | 790-076  |           |           |     |
|     | 1"     | 790-125  | 790-167   | 790-211   |     |
|     | 1-1/4  | 790-127  | 790-169   | 790-213   |     |
|     | 1-1/2  | 790-129  | 790-171   | 790-215   |     |
|     | 2      | 790-078  | 790-172   |           |     |

SAVE TIME AND MONEY WITH OUR

**SUPER-FIX**  
ASSORTMENTS

700-118, 700-120

# O.E.M. HARDWARE

*Hard to Find Fasteners Our Specialty™*

## TYPE "F" FLOOR BOARD SCREW



**PHILLIPS**


| DIA.   | LENGTH | PART NUMBER  |
|--------|--------|--------------|
| 1/4-20 | 2-1/4  | 533420 (BAA) |
|        | 2-1/2  | 533422 (BAA) |



**SOCKET**

| DIA.   | LENGTH | PART NUMBER   |
|--------|--------|---------------|
| 1/4-20 | 2      | 779-300 (BAA) |
|        | 2-1/4  | 533424 (BAA)  |
|        | 2-1/2  | 533426 (BAA)  |

## TORX® DRIVE SYSTEM



The Torx Drive System is a 6 point fastening system which maximizes the driving surface for longer drive life, while maximizing torque, reducing slippage and minimizing worker fatigue. Sometimes called the "STAR" Fastener because of its likeness to the shape of a star, this new fastening system is now used on most late model cars as well as in many late model appliances and television sets.

Several often replaced vehicle part such as headlights, taillights, turning signals and exterior trim areas, will utilize the TORX® System. With an estimated 5.7 million cars manufactured by GM alone in a single year, the demand for torx replacement parts will be overwhelming



**TORX**

| DIA.    | LENGTH | PART NUMBER  |
|---------|--------|--------------|
| 1/4-20  | 1-1/2  | 600098 (BAA) |
|         | 2"     | 600100 (BAA) |
|         | 2-1/4  | 600101 (BAA) |
|         | 2-1/2  | 600102 (BAA) |
|         | 3      | 600104 (BAA) |
| 5/16-18 | 2"     | 600115 (BAA) |
|         | 2-1/4  | 600108 (BAA) |
|         | 2-1/2  | 600110 (BAA) |
|         | 3"     | 600112 (BAA) |




### TORX DRIVER BITS

For 1/4" Screws      12104 (B)  
For 5/16" Screws      12105 (B)

Please see TOOLS For MORE TORX Drivers

### Soaping Your Screws?

Many maintenance men lubricate their floorboard screws with soap to help speed installation. DON'T DO IT. Soap absorbs water, which can lead to severe rusting as the soap absorbs water from the surrounding wood. Instead use beeswax or Camuba wax. Scoop a small quantity into a suitable container and dip the screws in that for quick lubrication.




SCREWS

# O.E.M. HARDWARE

*Hard to Find Fasteners Our Specialty™*

## TYPE "U" DRIVE SCREWS



HAMMER DRIVEN FOR MAKING PERMANENT FASTENINGS TO FERROUS AND NON-FERROUS CASTINGS, HEAVY GAUGE STEELS, PLASTICS, ETC.

| DIA. |        | DRILL SIZE | LENGTH         |                |                |                |                |                |
|------|--------|------------|----------------|----------------|----------------|----------------|----------------|----------------|
| GA.  | INCHES |            | 1/8            | 3/16           | 1/4            | 5/16           | 3/8            | 1/2            |
| 00   | .058   | 55         | 780-301 (BAAA) | 780-303 (BAAA) | 780-305 (BAAA) |                |                |                |
| 0    | .073   | 51         | 780-307 (BAAA) | 780-309 (BAAA) | 780-311 (BAAA) |                |                |                |
| 2    | .098   | 44         | 780-313 (BAAA) | 780-315 (BAAA) | 780-317 (BAAA) | 780-319 (BAA)  |                |                |
| 4    | .114   | 37         | 780-321 (BAAA) | 780-323 (BAAA) | 780-325 (BAAA) | 780-327 (BAAA) |                |                |
| 6    | .138   | 31         |                |                | 780-329 (BAAA) | 780-331 (BAAA) | 780-333 (BAAA) | 780-335 (BAAA) |
| 7    | .152   | 29         |                |                | 780-337 (BAAA) | 780-339 (BAAA) | 780-341 (BAAA) | 780-343 (BAAA) |
| 8    | .164   | 27         |                |                |                |                | 780-345 (BAAA) | 780-347 (BAAA) |
| 10   | .179   | 20         |                |                |                |                | 780-349 (BAAA) | 780-351 (BAAA) |

## BINDER POSTS (CHICAGO)



| LENGTH | BODY DIA. | HEAD DIA. | ALUMINUM | BRASS   |
|--------|-----------|-----------|----------|---------|
| 1/4"   | 13/64"    | 7/16"     | 779-511  | 779-500 |
| 3/8"   | 13/64"    | 7/16"     | 779-512  | 779-501 |
| 1/2"   | 13/64"    | 7/16"     | 779-513  | 779-502 |
| 5/8"   | 13/64"    | 7/16"     | 779-514  | 779-503 |
| 3/4"   | 13/64"    | 7/16"     | 779-515  | 779-504 |
| 1"     | 13/64"    | 7/16"     | 779-516  | 779-505 |
| 1-1/4" | 13/64"    | 7/16"     | 779-517  |         |
| 1-1/2" | 13/64"    | 7/16"     | 779-518  |         |
| 1-3/4" | 13/64"    | 7/16"     |          | 779-506 |
| 2"     | 13/64"    | 7/16"     | 779-519  |         |

- As used in Binders, Albums, etc.
- Slot Head Screws
- Great for Manuals, Books, etc.

| SCREWS ONLY<br>SOLID BRASS |         |          |        |
|----------------------------|---------|----------|--------|
|                            | Brass   | Aluminum |        |
| 1/4"                       | 779-509 |          | BAA/FA |
| 3/16"                      | 779-507 |          | BAA/FA |

O.E.M.'s


# TAMPER PROOF

PROTECT  
IT

FOREVER


## Jails and Correctional Institutes

Tamper proof fasteners are typically used in such applications as on windows, door hinges, jams and frames. Other places include air conditioning ducts and vents, washrooms, bathrooms shower areas, mirrors, signs, electrical outlets and fixtures.



## Public Use Facilities

Parks and recreation areas suffer a great deal when it comes to having items removed or destroyed. Tamper proof fasteners are used on park benches, garbage cans, restraint devices, fountains, swimming pools, resort's, etc., and can prevent useless damage and increase safety.




## Public Schools and Hospitals

One of the worst problem facing a maintenance crew is how to reduce the high cost of repair and replace equipment, property, and supplies that are subject to vandals who constantly remove or destroy property when not under surveillance.



## Public transit services

Tamper proof products can stop vandals from destroying interiors of buses, trolleys, car ferries, and terminals by installing fasteners on anything that should not be removed, except by maintenance people. And then only with the proper tamper proof tools.




## Highway Signs and Rest Areas

People will take anything that isn't bolted down. Highways lose signs, lights, poles, and guard rails each year by people simply dismantling and walking off with millions of dollars worth of property. O.E.M.'s tamper proof products can put a stop to this.



## Remote facilities and operations

On the back roads, out of sight from the authorities, means trouble when it comes to tampering and damaged equipment for power transmissions companies, water, oil, communications, and land surveying crews having remote stations.



## Amusement parks and Equipment

Non-removable fasteners can be used in such areas as railings, handles on rides, doors, coin-operated equipment, money changers, video machines, games, as they provide a great measure of safety for those people using the equipment.



## Restaurants, Resorts, and Hotels

Catering to millions of visitors and customers each year, and some who remove everything from the picture on the wall, to plants, TVs, photographs, furniture, lighting fixtures, art and even valuable antiques. Tamper proof fasteners can reduce this problem and save owners thousands of dollars each year.



SCREWS

# O.E.M. HARDWARE

# O.E.M. HARDWARE


*"Hard to Find Fasteners our Specialty"™*

## About TRIPLE GROOVE™ Tamper Resistant Nuts


TRIPLE GROOVE™ Nuts can be used in a wide range of applications, whether its bolts, screws or concrete and masonry anchors you'll get the kind of security fit your looking for. O.E.M. Hardware's TRIPLE GROOVE™ Nuts have been used in Hospitals, Universities, Correctional, Institutions and public places. TRIPLE GROOVE NUTS™ can be taped oversize to accept hot dipped galvanized bolts or screws.

## TRIPLE GROOVE™ Nut Tech Data


| <i>size</i> | <i>part #</i> | <i>socket<br/>size</i> | <i>bottom (bd)<br/>dia. (max.)</i> | <i>top (td)<br/>dia. (Ref.)</i> |
|-------------|---------------|------------------------|------------------------------------|---------------------------------|
| 10-24       | 700-740       | 20                     | .661                               | .446                            |
| 1/4-20      | 700-741       | 20                     | .661                               | .446                            |
| 5/16-18     | 700-742       | 30                     | .830                               | .542                            |
| 3/8-16      | 700-743       | 30                     | .830                               | .542                            |
| 1/2-13      | 700-744       | 40                     | .945                               | .662                            |
| 6mm x 1.0   | 700-750       | 20                     | .661                               | .446                            |
| 8mm x 1.25  | 700-751       | 30                     | .830                               | .542                            |
| 10mm x 1.50 | 700-752       | 40                     | .945                               | .662                            |




## TRIPLE GROOVE™ Driver Bits



td



bd



| <i>size</i> | <i>part #</i> | <i>nut size</i>  |
|-------------|---------------|------------------|
| #20         | 795-584       | #10-1/4" / 6MM   |
| #30         | 795-585       | 5/16"-3/8" / 8MM |
| #40         | 795-588       | 1/2" / 10MM      |

# TRIPLE

Division of Stockton Industries 1-800-663-6554

O.E.M.'s

**TAMPER  
PROOF****O.E.M.'s TAMPER PROOF**

| O.E.M.'s TAMPER PROOF MACHINE SCREWS-ZINC PLATED |       |     |        |        |        |       |        |   |
|--------------------------------------------------|-------|-----|--------|--------|--------|-------|--------|---|
| LGTH                                             | 1/4   | 3/8 | 1/2    | 3/4    | 1"     | 1-1/4 | 1-1/2  | 2 |
| DIA.                                             | B A A |     |        |        |        |       |        |   |
| 4-40                                             |       |     | 534025 | 534026 | 534026 |       |        |   |
| 6-32                                             |       |     | 534010 | 534011 | 534012 |       |        |   |
| 8-32                                             |       |     | 534013 | 534014 | 534015 |       | 534016 |   |
| 10-24                                            |       |     | 534017 | 534018 | 534019 |       | 534020 |   |
| 10-32                                            |       |     | 534021 | 534022 | 534023 |       | 534024 |   |



| O.E.M.'s TAMPER PROOF SHEET METAL SCREWS-ZINC PLATED |       |     |        |        |        |       |        |   |
|------------------------------------------------------|-------|-----|--------|--------|--------|-------|--------|---|
| LGTH                                                 | 1/4   | 3/8 | 1/2    | 3/4    | 1"     | 1-1/4 | 1-1/2  | 2 |
| DIA.                                                 | B A A |     |        |        |        |       |        |   |
| 6                                                    |       |     | 534034 | 535035 | 534036 |       |        |   |
| 8                                                    |       |     | 534037 | 534038 | 534039 |       | 534040 |   |
| 10                                                   |       |     | 534041 | 534042 | 534043 |       | 534044 |   |
| 12                                                   |       |     |        |        |        |       |        |   |
| 14                                                   |       |     |        |        |        |       |        |   |


EXCELLENT SYSTEM WHEN USED IN  
CONJUNCTION WITH U-SERTS

SEE SECTION B1 FOR  
INFORMATION ON U-SERTS

SAVE TIME AND MONEY WITH

**SUPER-FIX**  
**ASSORTMENTS**

**8556,8557,8558**



| TAMPER PROOF DRIVERS-OEM's |              |             |
|----------------------------|--------------|-------------|
| For screw size             | POWER DRIVER | HAND DRIVER |
| #4                         | 534006 (B)   | 534007 (B)  |
| #6                         | 534031 (B)   | 534028 (B)  |
| #8                         | 534032 (B)   | 534029 (B)  |
| #10                        | 534033 (B)   | 534030 (B)  |

O.E.M.'s

**TAMPER  
PROOF**

| SPANNER FLAT HEAD MACHINE SCREWS, STAINLESS STEEL |       |     |         |         |         |         |         |         |
|---------------------------------------------------|-------|-----|---------|---------|---------|---------|---------|---------|
| LGTH                                              | 1/4   | 3/8 | 1/2     | 3/4     | 1"      | 1-1/4   | 1-1/2   | 2       |
| DIA.                                              | B A A |     |         |         |         |         |         |         |
| 6-32                                              |       |     | 779-532 | 779-534 | 779-536 | 779-538 | 779-540 |         |
| 8-32                                              |       |     | 779-542 | 779-544 | 779-546 | 779-548 | 779-550 | 779-552 |
| 10-24                                             |       |     | 779-554 | 779-556 | 779-558 | 779-560 | 779-562 | 779-532 |
| 10-32                                             |       |     | 779-535 | 779-537 | 779-539 | 779-541 | 779-543 | 779-545 |
| 12-24                                             |       |     | 779-547 | 779-549 | 779-551 |         |         |         |
| 1/4-20                                            |       |     | 779-553 | 779-555 | 779-557 | 779-559 | 779-561 | 779-563 |



| SPANNER PAN HEAD MACHINE SCREWS, STAINLESS STEEL |       |         |         |         |         |         |         |         |
|--------------------------------------------------|-------|---------|---------|---------|---------|---------|---------|---------|
| LGTH                                             | 1/4   | 3/8     | 1/2     | 3/4     | 1"      | 1-1/4   | 1-1/2   | 2       |
| DIA.                                             | B A A |         |         |         |         |         |         |         |
| 6-32                                             |       | 779-567 | 779-569 | 779-571 | 779-573 | 779-575 | 779-577 |         |
| 8-32                                             |       |         | 779-579 | 779-581 | 779-583 | 779-585 | 779-587 | 779-589 |
| 10-24                                            |       |         | 779-591 | 779-593 | 779-595 | 779-597 | 779-599 | 779-601 |
| 10-32                                            |       |         | 779-603 | 779-605 | 779-607 | 779-609 | 779-611 | 779-613 |
| 12-24                                            |       |         | 779-615 | 779-617 | 779-619 |         |         |         |
| 1/4-20                                           |       |         |         |         |         |         |         |         |



| SPANNER FLAT HEAD SHEET METAL SCREWS, STAINLESS STEEL |       |     |         |         |         |         |         |         |
|-------------------------------------------------------|-------|-----|---------|---------|---------|---------|---------|---------|
| LGTH                                                  | 1/4   | 3/8 | 1/2     | 3/4     | 1"      | 1-1/4   | 1-1/2   | 2       |
| DIA.                                                  | B A A |     |         |         |         |         |         |         |
| 6                                                     |       |     | 787-705 | 787-707 | 787-709 |         |         |         |
| 8                                                     |       |     | 787-711 | 787-713 | 787-715 | 787-717 | 787-719 |         |
| 10                                                    |       |     | 787-721 | 787-723 | 787-725 | 787-727 | 787-729 |         |
| 12                                                    |       |     |         |         | 787-731 | 787-733 | 787-735 | 787-737 |
| 14                                                    |       |     |         | 787-739 | 787-741 | 787-743 | 787-745 | 787-747 |



| SPANNER PAN HEAD SHEET METAL SCREWS, STAINLESS STEEL |       |     |         |         |         |         |         |         |
|------------------------------------------------------|-------|-----|---------|---------|---------|---------|---------|---------|
| LGTH                                                 | 1/4   | 3/8 | 1/2     | 3/4     | 1"      | 1-1/4   | 1-1/2   | 2       |
| DIA.                                                 | B A A |     |         |         |         |         |         |         |
| 6                                                    |       |     | 787-749 | 787-751 | 787-753 |         |         |         |
| 8                                                    |       |     | 787-755 | 787-757 | 787-759 | 787-761 | 787-763 |         |
| 10                                                   |       |     | 787-765 | 787-767 | 787-769 | 787-771 | 787-773 |         |
| 12                                                   |       |     |         |         | 787-775 | 787-777 | 787-779 | 787-781 |
| 14                                                   |       |     |         | 787-783 | 787-785 | 787-787 | 787-789 | 787-791 |




| TAMPER PROOF DRIVERS-SPANNER |              |             |
|------------------------------|--------------|-------------|
| For screw size               | POWER DRIVER | HAND DRIVER |
| #4                           | 795-192 (B)  | 795-173 (B) |
| #6                           | 795-193 (B)  | 795-174 (B) |
| #8                           | 795-194 (B)  | 795-175 (B) |
| #10                          | 795-195 (B)  | 795-176 (B) |
| #12                          | 795-196 (B)  | 795-177 (B) |
| #14                          | 795-197 (B)  | 795-178 (B) |

SAVE TIME AND  
MONEY WITH**SUPER-FIX**  
ASSORTMENTS

700-132


SCREWS

O.E.M.'s

**TAMPER  
PROOF**

| ONE-WAY ROUND HEAD MACHINE SCREWS-ZINC PLATED |       |     |         |         |         |       |         |         |
|-----------------------------------------------|-------|-----|---------|---------|---------|-------|---------|---------|
| LGTH                                          | 1/4   | 3/8 | 1/2     | 3/4     | 1"      | 1-1/4 | 1-1/2   | 2       |
| DIA.                                          | B A A |     |         |         |         |       |         |         |
| 6-32                                          |       |     | 779-623 | 779-625 | 779-627 |       | 779-628 |         |
| 8-32                                          |       |     | 779-629 | 779-631 | 779-633 |       | 779-635 | 779-636 |
| 10-24                                         |       |     | 779-637 | 779-639 | 779-641 |       | 779-643 | 779-644 |
| 10-32                                         |       |     | 779-638 | 779-640 | 779-642 |       | 779-634 | 779-630 |
| 12-24                                         |       |     | 779-626 | 779-632 | 779-646 |       | 779-648 |         |
| 1/4-20                                        |       |     | 779-645 | 779-647 | 779-649 |       | 779-624 | 779-650 |

| ONE-WAY OVAL HEAD MACHINE SCREWS-ZINC PLATED |       |     |         |         |         |       |         |         |
|----------------------------------------------|-------|-----|---------|---------|---------|-------|---------|---------|
| LGTH                                         | 1/4   | 3/8 | 1/2     | 3/4     | 1"      | 1-1/4 | 1-1/2   | 2       |
| DIA.                                         | B A A |     |         |         |         |       |         |         |
| 6-32                                         |       |     | 779-651 | 779-653 | 779-655 |       | 779-654 |         |
| 8-32                                         |       |     | 779-657 | 779-659 | 779-661 |       | 779-663 |         |
| 10-24                                        |       |     | 779-665 | 779-667 | 779-669 |       | 779-671 |         |
| 10-32                                        |       |     |         |         |         |       |         |         |
| 12-24                                        |       |     |         |         |         |       |         |         |
| 1/4-20                                       |       |     | 779-673 | 779-675 | 779-677 |       | 779-664 | 779-674 |




| ONE-WAY ROUND HEAD SHEET METAL SCREWS-ZINC PLATED |       |     |         |         |         |       |         |         |
|---------------------------------------------------|-------|-----|---------|---------|---------|-------|---------|---------|
| LGTH                                              | 1/4   | 3/8 | 1/2     | 3/4     | 1"      | 1-1/4 | 1-1/2   | 2       |
| DIA.                                              | B A A |     |         |         |         |       |         |         |
| 6                                                 |       |     | 787-829 | 787-831 | 787-833 |       | 787-834 |         |
| 8                                                 |       |     | 787-835 | 787-837 | 787-839 |       | 787-841 | 787-842 |
| 10                                                |       |     | 787-843 | 787-845 | 787-847 |       | 787-849 | 787-850 |
| 12                                                |       |     | 787-844 | 787-846 | 787-848 |       | 787-838 |         |
| 14                                                |       |     | 787-851 | 787-853 | 787-855 |       | 787-856 | 787-858 |

| ONE-WAY OVAL HEAD SHEET METAL SCREWS-ZINC PLATED |       |     |         |         |         |       |         |         |
|--------------------------------------------------|-------|-----|---------|---------|---------|-------|---------|---------|
| LGTH                                             | 1/4   | 3/8 | 1/2     | 3/4     | 1"      | 1-1/4 | 1-1/2   | 2       |
| DIA.                                             | B A A |     |         |         |         |       |         |         |
| 6                                                |       |     | 787-801 | 787-803 | 787-805 |       | 787-804 |         |
| 8                                                |       |     | 787-807 | 787-809 | 787-811 |       | 787-813 |         |
| 10                                               |       |     | 787-815 | 787-817 | 787-819 |       | 787-821 | 787-854 |
| 12                                               |       |     |         |         |         |       |         |         |
| 14                                               |       |     | 787-823 | 787-825 | 787-827 |       | 787-857 | 787-860 |

SAVE TIME AND  
MONEY WITH


**SUPER-FIX**  
ASSORTMENTS

700-134



| TAMPER PROOF DRIVERS-ONE WAY REMOVAL TOOL |              |             |
|-------------------------------------------|--------------|-------------|
| For screw size                            | POWER DRIVER | HAND DRIVER |
| #4-#8                                     |              | 795-170 (B) |
| #10-12                                    |              | 795-171 (B) |
| 14(1/4)                                   |              | 795-169 (B) |

O.E.M.'s


**TAMPER  
PROOF**

| SOCKET PIN DRIVE FLAT HEAD MACHINE SCREWS-ALLOY STEEL |         |         |         |         |         |         |         |         |
|-------------------------------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|
| LGTH                                                  | 1/4     | 3/8     | 1/2     | 3/4     | 1"      | 1-1/4   | 1-1/2   | 2       |
| DIA.                                                  | B A A   |         |         |         |         |         |         |         |
| 6-32                                                  | 787-906 | 787-907 | 787-908 | 787-909 | 787-910 |         | 787-911 |         |
| 8-32                                                  | 787-912 | 787-913 | 787-914 | 787-915 | 787-916 | 787-917 | 787-918 |         |
| 10-24                                                 | 787-919 | 787-920 | 787-922 | 787-923 | 787-924 | 787-925 | 787-926 |         |
| 10-32                                                 | 787-927 | 787-928 | 787-929 | 787-930 | 787-931 | 787-932 | 787-933 |         |
| 12-24                                                 |         |         |         |         |         |         |         |         |
| 1/4-20                                                | 787-934 | 787-935 | 787-936 | 787-937 | 787-938 | 787-939 | 787-940 | 787-941 |
| 5/16-18                                               |         |         | 787-942 | 787-943 | 787-944 |         | 787-945 |         |

| SOCKET PIN DRIVE BUTTON HEAD MACHINE SCREWS-ALLOY STEEL |         |         |         |         |         |         |         |         |
|---------------------------------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|
| LGTH                                                    | 1/4     | 3/8     | 1/2     | 3/4     | 1"      | 1-1/4   | 1-1/2   | 2       |
| DIA.                                                    | B A A   |         |         |         |         |         |         |         |
| 6-32                                                    | 787-952 | 787-953 | 787-954 | 787-955 | 787-956 |         | 787-957 |         |
| 8-32                                                    | 787-958 | 787-959 | 787-960 | 787-961 | 787-962 | 787-964 | 787-965 |         |
| 10-24                                                   | 787-966 | 787-967 | 787-968 | 787-968 | 787-969 | 787-970 | 787-971 |         |
| 10-32                                                   | 787-972 | 787-973 | 787-974 | 787-975 | 787-976 | 787-977 | 787-978 |         |
| 12-24                                                   |         |         |         |         |         |         |         |         |
| 1/4-20                                                  | 787-978 | 787-979 | 787-980 | 787-981 | 787-982 | 787-983 | 787-984 | 787-985 |

| SOCKET PIN DRIVE FLAT HEAD SHEET METAL SCREWS-ALLOY STEEL |       |         |         |         |         |         |         |         |
|-----------------------------------------------------------|-------|---------|---------|---------|---------|---------|---------|---------|
| LGTH                                                      | 1/4   | 3/8     | 1/2     | 3/4     | 1"      | 1-1/4   | 1-1/2   | 2       |
| DIA.                                                      | B A A |         |         |         |         |         |         |         |
| 6                                                         |       | 787-006 | 787-007 | 787-008 | 787-009 |         | 787-010 |         |
| 8                                                         |       |         | 787-011 | 787-012 | 787-013 | 787-014 | 787-015 | 787-016 |
| 10                                                        |       |         | 787-017 | 787-018 | 787-019 | 787-020 | 787-026 | 787-027 |
| 12                                                        |       |         |         |         |         |         |         |         |
| 14                                                        |       |         |         | 787-028 | 787-029 | 787-030 | 787-031 | 787-032 |

| SOCKET PIN DRIVE BUTTON HEAD SHEET METAL SCREWS-ALLOY STEEL |       |         |         |         |         |         |         |         |
|-------------------------------------------------------------|-------|---------|---------|---------|---------|---------|---------|---------|
| LGTH                                                        | 1/4   | 3/8     | 1/2     | 3/4     | 1"      | 1-1/4   | 1-1/2   | 2       |
| DIA.                                                        | B A A |         |         |         |         |         |         |         |
| 6                                                           |       | 787-033 | 787-034 | 787-035 | 787-036 |         | 787-037 |         |
| 8                                                           |       | 787-038 | 787-039 | 787-042 | 787-043 | 787-044 | 787-046 | 787-047 |
| 10                                                          |       |         | 787-048 | 787-049 | 787-050 | 787-055 | 787-056 | 787-057 |
| 12                                                          |       |         |         |         |         |         |         |         |



| TAMPER PROOF DRIVERS-SOCKET PIN |                            |          |              |             |
|---------------------------------|----------------------------|----------|--------------|-------------|
| For SMS screw size              | FOR MS screw size          | HEX SIZE | POWER DRIVER | HAND DRIVER |
|                                 | 4-40                       | 3/32     | 795-184 (B)  | 795-604 (B) |
| #6                              | 6-32                       | 1/8      | 795-185 (B)  | 795-605 (B) |
| #8, #10, #12, #14               | 8-32, 10-24, 10-32, 1/4-20 | 5/32     | 795-187 (B)  | 795-606 (B) |
|                                 | 5/16-18                    | 3/16     | 795-188 (B)  |             |
|                                 | 3/8-16                     | 7/32     | 795-189 (B)  |             |



SAVE TIME AND  
MONEY WITH

**SUPER-FIX**  
ASSORTMENTS

700-136

SCREWS

O.E.M.'s

**TAMPER  
PROOF****SOCKET PIN DRIVE FLAT HEAD MACHINE SCREWS-STAINLESS STEEL**

| LGTH    | 1/4     | 3/8     | 1/2     | 3/4     | 1"      | 1-1/4   | 1-1/2   | 2       |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| DIA.    | B A A   |         |         |         |         |         |         |         |
| 6-32    |         | 779-450 | 779-707 | 779-709 | 779-711 |         | 779-451 |         |
| 8-32    |         |         | 779-713 | 779-715 | 779-717 | 779-452 | 779-719 |         |
| 10-24   | 779-456 | 779-457 | 779-721 | 779-723 | 779-725 | 779-454 | 779-455 |         |
| 10-32   | 779-458 | 779-459 | 779-460 | 779-461 | 779-462 | 779-463 | 779-464 |         |
| 12-24   |         |         |         |         |         |         |         |         |
| 1/4-20  | 779-466 | 779-467 | 779-727 | 779-729 | 779-731 | 779-468 | 779-469 | 779-470 |
| 5/16-18 |         |         | 779-471 | 779-472 | 779-473 | 779-474 | 779-475 |         |

**SOCKET PIN DRIVE BUTTON HEAD MACHINE SCREWS-STAINLESS STEEL**

| LGTH    | 1/4     | 3/8     | 1/2     | 3/4     | 1"      | 1-1/4   | 1-1/2   | 2       |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| DIA.    | B A A   |         |         |         |         |         |         |         |
| 6-32    | 779-476 | 779-477 | 779-681 | 779-683 | 779-685 |         | 779-478 |         |
| 8-32    | 779-479 | 779-480 | 779-687 | 779-689 | 779-691 | 779-481 | 779-693 |         |
| 10-24   | 779-482 | 779-483 | 779-695 | 779-697 | 779-699 | 779-484 | 779-485 |         |
| 10-32   | 779-486 | 779-487 | 779-488 | 779-489 | 779-490 | 779-491 | 779-492 |         |
| 12-24   |         |         |         |         |         |         |         |         |
| 1/4-20  | 779-493 | 779-494 | 779-701 | 779-703 | 779-705 | 779-495 | 779-496 | 779-497 |
| 5/16-18 |         |         | 779-498 | 779-499 | 779-777 |         | 779-778 |         |

**SOCKET PIN DRIVE FLAT HEAD SHEET METAL SCREWS-STAINLESS STEEL**

| LGTH | 1/4   | 3/8     | 1/2     | 3/4     | 1"      | 1-1/4   | 1-1/2   | 2       |
|------|-------|---------|---------|---------|---------|---------|---------|---------|
| DIA. | B A A |         |         |         |         |         |         |         |
| 6    |       | 787-062 | 787-063 | 787-064 | 787-065 |         | 787-066 |         |
| 8    |       |         | 787-067 | 787-068 | 787-069 | 787-071 | 787-073 | 787-075 |
| 10   |       |         | 787-077 | 787-079 | 787-081 | 787-083 | 787-085 | 787-087 |
| 12   |       |         |         |         |         |         |         |         |
| 14   |       |         |         | 787-089 | 787-904 | 787-288 | 787-289 | 787-290 |

**SOCKET PIN DRIVE BUTTON HEAD SHEET METAL-STAINLESS STEEL**

| LGTH | 1/4   | 3/8     | 1/2     | 3/4     | 1"      | 1-1/4   | 1-1/2   | 2       |
|------|-------|---------|---------|---------|---------|---------|---------|---------|
| DIA. | B A A |         |         |         |         |         |         |         |
| 6    |       | 787-291 | 787-292 | 787-293 | 787-294 |         | 787-295 |         |
| 8    |       |         | 787-296 | 787-297 | 787-298 | 787-299 | 787-300 | 787-628 |
| 10   |       |         | 787-29  | 787-630 | 787-631 | 790-900 | 787-632 | 787-633 |
| 12   |       |         |         |         |         |         |         |         |
| 14   |       |         |         | 787-792 | 787-793 | 787-794 | 787-795 | 787-796 |

**Please Note:**  
These drivers are for  
**TORX PIN ONLY.** Socket  
pin drivers can be found  
on page L-39.

**TAMPER PROOF DRIVERS-TORX PIN**

| DRIVER SIZE | POWER DRIVER | HAND DRIVER | B |
|-------------|--------------|-------------|---|
| T-7         | 795-252      | 795-240     |   |
| T-8         | 795-253      | 795-241     |   |
| T-9         | 795-254      | 795-242     |   |
| T-10        | 795-203      | 795-243     |   |
| T-15        | 795-204      | 795-244     |   |
| T-20        | 795-205      | 795-245     |   |
| T-25        | 795-206      | 795-246     |   |
| T-27        | 795-207      | 795-247     |   |
| T-30        | 795-208      | 795-248     |   |
| T-40        | 795-209      | 795-249     |   |
| T-45        |              | 795-250     |   |
| T-50        |              | 795-251     |   |