

O.E.M.'S

TAMPER PROOF

PROTECT
IT

FOREVER



Jails and Correctional Institutes

Tamper proof fasteners are typically used in such applications as on windows, door hinges, jams and frames. Other places include air conditioning ducts and vents, washrooms, bathrooms shower areas, mirrors, signs, electrical outlets and fixtures.



Public Use Facilities

Parks and recreation areas suffer a great deal when it comes to having items removed or destroyed. Tamper proof fasteners are used on park benches, garbage cans, restraint devices, fountains, swimming pools, resort's, etc., and can prevent useless damage and increase safety.



Public Schools and Hospitals

One of the worst problem facing a maintenance crew is how to reduce the high cost of repair and replace equipment, property, and supplies that are subject to vandals who constantly remove or destroy property when not under surveillance.



Public transit services

Tamper proof products can stop vandals from destroying interiors of buses, trolleys, car ferries, and terminals by installing fasteners on anything that should not be removed, except by maintenance people. And then only with the proper tamper proof tools.



Highway Signs and Rest Areas

People will take anything that isn't bolted down. Highways lose signs, lights, poles, and guard rails each year by people simply dismantling and walking off with millions of dollars worth of property. O.E.M.'s tamper proof products can put a stop to this.



Remote facilities and operations

On the back roads, out of sight from the authorities, means trouble when it comes to tampering and damaged equipment for power transmissions companies, water, oil, communications, and land surveying crews having remote stations.



Amusement parks and Equipment

Non-removable fasteners can be used in such areas as railings, handles on rides, doors, coin-operated equipment, money changers, video machines, games, as they provide a great measure of safety for those people using the equipment.



Restaurants, Resorts, and Hotels

Catering to millions of visitors and customers each year, and some who remove everything from the picture on the wall, to plants, TVs, photo furniture, lighting fixtures, art and even valuable antiques. Tamper proof fasteners can reduce this problem and save owners thousands of dollars each year.

SCREWS

O.E.M. HARDWARE

"Hard to Find Fasteners our Specialty"™

About TRIPLE GROOVE™ Tamper Resistant Nuts


TRIPLE GROOVE™ Nuts can be used in a wide range of applications, whether its bolts, screws or concrete and masonry anchors you'll get the kind of security fit your looking for. O.E.M. Hardware's TRIPLE GROOVE™ Nuts have been used in Hospitals, Universities, Correctional, Institutions and public places. TRIPLE GROOVE NUTS™ can be taped oversize to accept hot dipped galvanized bolts or screws.

TRIPLE GROOVE™ Nut Tech Data


size	part #	socket size	bottom (bd) dia. (max.)	top (td) dia. (Ref.)
10-24	700-740	20	.661	.446
1/4-20	700-741	20	.661	.446
5/16-18	700-742	30	.830	.542
3/8-16	700-743	30	.830	.542
1/2-13	700-744	40	.945	.662
6mm x 1.0	700-750	20	.661	.446
8mm x 1.25	700-751	30	.830	.542
10mm x 1.50	700-752	40	.945	.662



TRIPLE GROOVE™ Driver Bits



td



bd




size	part #	nut size
#20	795-584	#10-1/4" / 6MM
#30	795-585	5/16"-3/8" / 8MM
#40	795-588	1/2" / 10MM

TRIPLE

Division of Stockton Industries 1-800-663-6554

O.E.M.'s

**TAMPER
PROOF****O.E.M.'s TAMPER PROOF**

O.E.M.'s TAMPER PROOF MACHINE SCREWS-ZINC PLATED								
LGTH	1/4	3/8	1/2	3/4	1"	1-1/4	1-1/2	2
DIA.	B A A							
4-40			534025	534026	534026			
6-32			534010	534011	534012			
8-32			534013	534014	534015		534016	
10-24			534017	534018	534019		534020	
10-32			534021	534022	534023		534024	



O.E.M.'s TAMPER PROOF SHEET METAL SCREWS-ZINC PLATED								
LGTH	1/4	3/8	1/2	3/4	1"	1-1/4	1-1/2	2
DIA.	B A A							
6			534034	535035	534036			
8			534037	534038	534039		534040	
10			534041	534042	534043		534044	
12								
14								


EXCELLENT SYSTEM WHEN USED IN
CONJUNCTION WITH U-SERTS

SEE SECTION B1 FOR
INFORMATION ON U-SERTS

SAVE TIME AND MONEY WITH

SUPER-FIX
ASSORTMENTS

8556,8557,8558



TAMPER PROOF DRIVERS-OEM's		
For screw size	POWER DRIVER	HAND DRIVER
#4	534006 (B)	534007 (B)
#6	534031 (B)	534028 (B)
#8	534032 (B)	534029 (B)
#10	534033 (B)	534030 (B)

O.E.M.'s

TAMPER
PROOF

SPANNER FLAT HEAD MACHINE SCREWS, STAINLESS STEEL								
LGTH	1/4	3/8	1/2	3/4	1"	1-1/4	1-1/2	2
DIA.	B A A							
6-32			779-532	779-534	779-536	779-538	779-540	
8-32			779-542	779-544	779-546	779-548	779-550	779-552
10-24			779-554	779-556	779-558	779-560	779-562	779-532
10-32			779-535	779-537	779-539	779-541	779-543	779-545
12-24			779-547	779-549	779-551			
1/4-20			779-553	779-555	779-557	779-559	779-561	779-563



SPANNER PAN HEAD MACHINE SCREWS, STAINLESS STEEL								
LGTH	1/4	3/8	1/2	3/4	1"	1-1/4	1-1/2	2
DIA.	B A A							
6-32		779-567	779-569	779-571	779-573	779-575	779-577	
8-32			779-579	779-581	779-583	779-585	779-587	779-589
10-24			779-591	779-593	779-595	779-597	779-599	779-601
10-32			779-603	779-605	779-607	779-609	779-611	779-613
12-24			779-615	779-617	779-619			
1/4-20								



SPANNER FLAT HEAD SHEET METAL SCREWS, STAINLESS STEEL								
LGTH	1/4	3/8	1/2	3/4	1"	1-1/4	1-1/2	2
DIA.	B A A							
6			787-705	787-707	787-709			
8			787-711	787-713	787-715	787-717	787-719	
10			787-721	787-723	787-725	787-727	787-729	
12					787-731	787-733	787-735	787-737
14				787-739	787-741	787-743	787-745	787-747



SPANNER PAN HEAD SHEET METAL SCREWS, STAINLESS STEEL								
LGTH	1/4	3/8	1/2	3/4	1"	1-1/4	1-1/2	2
DIA.	B A A							
6			787-749	787-751	787-753			
8			787-755	787-757	787-759	787-761	787-763	
10			787-765	787-767	787-769	787-771	787-773	
12					787-775	787-777	787-779	787-781
14				787-783	787-785	787-787	787-789	787-791



TAMPER PROOF DRIVERS-SPANNER		
For screw size	POWER DRIVER	HAND DRIVER
#4	795-192 (B)	795-173 (B)
#6	795-193 (B)	795-174 (B)
#8	795-194 (B)	795-175 (B)
#10	795-195 (B)	795-176 (B)
#12	795-196 (B)	795-177 (B)
#14	795-197 (B)	795-178 (B)

SAVE TIME AND
MONEY WITH**SUPER-FIX**
ASSORTMENTS

700-132

SCREWS

O.E.M.'s

**TAMPER
PROOF**

ONE-WAY ROUND HEAD MACHINE SCREWS-ZINC PLATED								
LGTH	1/4	3/8	1/2	3/4	1"	1-1/4	1-1/2	2
DIA.	B A A							
6-32			779-623	779-625	779-627		779-628	
8-32			779-629	779-631	779-633		779-635	779-636
10-24			779-637	779-639	779-641		779-643	779-644
10-32			779-638	779-640	779-642		779-634	779-630
12-24			779-626	779-632	779-646		779-648	
1/4-20			779-645	779-647	779-649		779-624	779-650

ONE-WAY OVAL HEAD MACHINE SCREWS-ZINC PLATED								
LGTH	1/4	3/8	1/2	3/4	1"	1-1/4	1-1/2	2
DIA.	B A A							
6-32			779-651	779-653	779-655		779-654	
8-32			779-657	779-659	779-661		779-663	
10-24			779-665	779-667	779-669		779-671	
10-32								
12-24								
1/4-20			779-673	779-675	779-677		779-664	779-674




ONE-WAY ROUND HEAD SHEET METAL SCREWS-ZINC PLATED								
LGTH	1/4	3/8	1/2	3/4	1"	1-1/4	1-1/2	2
DIA.	B A A							
6			787-829	787-831	787-833		787-834	
8			787-835	787-837	787-839		787-841	787-842
10			787-843	787-845	787-847		787-849	787-850
12			787-844	787-846	787-848		787-838	
14			787-851	787-853	787-855		787-856	787-858

ONE-WAY OVAL HEAD SHEET METAL SCREWS-ZINC PLATED								
LGTH	1/4	3/8	1/2	3/4	1"	1-1/4	1-1/2	2
DIA.	B A A							
6			787-801	787-803	787-805		787-804	
8			787-807	787-809	787-811		787-813	
10			787-815	787-817	787-819		787-821	787-854
12								
14			787-823	787-825	787-827		787-857	787-860

SAVE TIME AND
MONEY WITH

SUPER-FIX
ASSORTMENTS

700-134



TAMPER PROOF DRIVERS-ONE WAY REMOVAL TOOL		
For screw size	POWER DRIVER	HAND DRIVER
#4-#8		795-170 (B)
#10-12		795-171 (B)
14(1/4)		795-169 (B)

O.E.M.'s

**TAMPER
PROOF**

SOCKET PIN DRIVE FLAT HEAD MACHINE SCREWS-ALLOY STEEL								
LGTH	1/4	3/8	1/2	3/4	1"	1-1/4	1-1/2	2
DIA.	B A A							
6-32	787-906	787-907	787-908	787-909	787-910		787-911	
8-32	787-912	787-913	787-914	787-915	787-916	787-917	787-918	
10-24	787-919	787-920	787-922	787-923	787-924	787-925	787-926	
10-32	787-927	787-928	787-929	787-930	787-931	787-932	787-933	
12-24								
1/4-20	787-934	787-935	787-936	787-937	787-938	787-939	787-940	787-941
5/16-18			787-942	787-943	787-944		787-945	



SOCKET PIN DRIVE BUTTON HEAD MACHINE SCREWS-ALLOY STEEL								
LGTH	1/4	3/8	1/2	3/4	1"	1-1/4	1-1/2	2
DIA.	B A A							
6-32	787-952	787-953	787-954	787-955	787-956		787-957	
8-32	787-958	787-959	787-960	787-961	787-962	787-964	787-965	
10-24	787-966	787-967	787-968	787-968	787-969	787-970	787-971	
10-32	787-972	787-973	787-974	787-975	787-976	787-977	787-978	
12-24								
1/4-20	787-976	787-979	787-980	787-981	787-982	787-983	787-984	787-985

SOCKET PIN DRIVE FLAT HEAD SHEET METAL SCREWS-ALLOY STEEL								
LGTH	1/4	3/8	1/2	3/4	1"	1-1/4	1-1/2	2
DIA.	B A A							
6		787-006	787-007	787-008	787-009		787-010	
8			787-011	787-012	787-013	787-014	787-015	787-016
10			787-017	787-018	787-019	787-020	787-026	787-027
12								
14				787-028	787-029	787-030	787-031	787-032

SOCKET PIN DRIVE BUTTON HEAD SHEET METAL SCREWS-ALLOY STEEL								
LGTH	1/4	3/8	1/2	3/4	1"	1-1/4	1-1/2	2
DIA.	B A A							
6		787-033	787-034	787-035	787-036		787-037	
8		787-038	787-039	787-042	787-043	787-044	787-046	787-047
10			787-048	787-049	787-048	787-055	787-052	787-056
12								



TAMPER PROOF DRIVERS-SOCKET PIN				
For SMS screw size	FOR MS screw size	HEX SIZE	POWER DRIVER	HAND DRIVER
	4-40	3/32	795-184 (B)	795-604 (B)
#6	6-32	1/8	795-185 (B)	795-605 (B)
#8, #10, #12, #14	8-32, 10-24, 10-32, 1/4-20	5/32	795-187 (B)	795-606 (B)
	5/16-18	3/16	795-188 (B)	
	3/8-16	7/32	795-189 (B)	

SAVE TIME AND
MONEY WITH**SUPER-FIX**
ASSORTMENTS

700-136

SCREWS

O.E.M.'s

TAMPER
PROOFPROTECT
IT

FOREVER

**SOCKET PIN DRIVE FLAT HEAD MACHINE SCREWS-STAINLESS STEEL**

LGTH	1/4	3/8	1/2	3/4	1"	1-1/4	1-1/2	2
DIA.	B A A							
6-32		779-450	779-707	779-709	779-711		779-451	
8-32			779-713	779-715	779-717	779-452	779-719	
10-24	779-456	779-457	779-721	779-723	779-725	779-454	779-455	
10-32	779-458	779-459	779-460	779-461	779-462	779-463	779-464	
12-24								
1/4-20	779-466	779-467	779-727	779-729	779-731	779-468	779-469	779-470
5/16-18			779-471	779-472	779-473	779-474	779-475	

SOCKET PIN DRIVE BUTTON HEAD MACHINE SCREWS-STAINLESS STEEL

LGTH	1/4	3/8	1/2	3/4	1"	1-1/4	1-1/2	2
DIA.	B A A							
6-32	779-476	779-477	779-681	779-683	779-685		779-478	
8-32	779-479	779-480	779-687	779-689	779-691	779-481	779-693	
10-24	779-482	779-483	779-695	779-697	779-699	779-484	779-485	
10-32	779-486	779-487	779-488	779-489	779-490	779-491	779-492	
12-24								
1/4-20	779-493	779-494	779-701	779-703	779-705	779-495	779-496	779-497
5/16-18			779-498	779-499	779-777		779-778	

SOCKET PIN DRIVE FLAT HEAD SHEET METAL SCREWS-STAINLESS STEEL

LGTH	1/4	3/8	1/2	3/4	1"	1-1/4	1-1/2	2
DIA.	B A A							
6		787-062	787-063	787-064	787-065		787-066	
8			787-067	787-068	787-069	787-071	787-073	787-075
10			787-077	787-079	787-081	787-083	787-085	787-087
12								
14				787-089	787-904	787-288	787-289	787-290

SOCKET PIN DRIVE BUTTON HEAD SHEET METAL-STEEL

LGTH	1/4	3/8	1/2	3/4	1"	1-1/4	1-1/2	2
DIA.	B A A							
6		787-291	787-292	787-293	787-294		787-295	
8			787-296	787-297	787-298	787-299	787-300	787-628
10			787-29	787-630	787-631	790-900	787-632	787-633
12								
14				787-792	787-793	787-794	787-795	787-796

Please Note:
These drivers are for
TORX PIN ONLY. Socket
pin drivers can be found
on page L-39.

TAMPER PROOF DRIVERS-TORX PIN

DRIVER SIZE	POWER DRIVER	HAND DRIVER	
T-7	795-252	795-240	B
T-8	795-253	795-241	
T-9	795-254	795-242	
T-10	795-203	795-243	
T-15	795-204	795-244	
T-20	795-205	795-245	
T-25	795-206	795-246	
T-27	795-207	795-247	
T-30	795-208	795-248	
T-40	795-209	795-249	
T-45		795-250	
T-50		795-251	

8070

TRIM SUNDRIES & HEADLAMP ADJUSTING SCREWS

22 Different Popular Sizes

Large 24 Hole Drawer

235 pieces

see Section P

8555

U & J NUTS

1/16" Though 3/8" of the Most Popular Sizes

Large 24 Hole drawer

748 pieces

see Section P

8556

Ultralloy® TAMPERPROOF MACHINE SCREWS

**Sizes 4-40, 6-32, 8-32, 10-24, 10-32
Tamperproof Screws- Including Drivers**

Large 21Hole Drawer

364 peices

see page L36

Protecto- late

8557

**Ultralloy® TAMPERPROOF SHEET
METAL SCREWS**

Sizes 6, 8, 10 Tamperproof Sheet Metal Screws- Including Drivers

Large 21 Hole Drawer

298 pieces

see page L36

Protecto-
late

SUPER-FIX ASSORTMENTS

SUPER-FIX ASSORTMENT
TRIMMING SUNDRIES & HEADLAMP ADJUSTING SCREWS

No. 8076




SUPER-FIX ASSORTMENT
W & H UNITS

No. 8555




SUPER-FIX ASSORTMENT
TITANIUM TAPER-PROOF MACHINE SCREWS

No. 8556



SUPER-FIX ASSORTMENT
ULTRALLOY TAMPER-PROOF SHEET METAL SCREWS

No. 8557



SUPER-FIX ASSORTMENT					No. 8558
ULTRALLOY TAMPERPROOF MACHINE SCREWS & SHEET METAL SCREWS					
6 x 1/2	8 x 3/4	10 x 1	6-18 x 1"	10-24 x 1/2"	DELIVER 6-32
6 x 3/4	8 x 1"	10 x 1-1/2	6-18 x 1-1/2	10-24 x 3/4"	DELIVER 8-32
6 x 1"	10 x 1-1/2	6-18 x 1-1/2	6-18 x 1-1/2	10-24 x 1"	DELIVER 10-24
6 x 1-1/2	10 x 1-1/2	6-18 x 1-1/2	6-18 x 1-1/2	10-24 x 1-1/2"	

Protecto-plate

FOR AUTHORIZED SERVICE
THIS ASSORTMENT SHOULD BE
MAINTAINED BY YOUR O.E.M.
TECHNICIAN

LOCAL 80-1102 1-800-441-1001

8558

Ultralloy® TAMPERPROOF COMBO

*Sizes 6, 8, 10 Tamperproof Sheet Metal
Screws-6-32, 8-32, 10-24 Machine
Screws-Including Drivers*

Large 21 Hole Drawer

460 pieces

see page L36

Protecto-plate

SUPER-FIX ASSORTMENT					No. 8560
PROPANE CONVERSION FITTINGS					

Protecto-plate

FOR AUTHORIZED SERVICE
THIS ASSORTMENT SHOULD BE
MAINTAINED BY YOUR O.E.M.
TECHNICIAN

LOCAL 80-1102 1-800-441-1001

8560

PROPANE CONVERSION FITTINGS

8 Different Sizes

Large 24 Hole drawer

57 pieces

see page E19

SUPER-FIX ASSORTMENT					No. 8577
O.E.M. TERMINALS					
8772	8776	8776	8777	12564	14120
14150	14151	11946	11947	14080	14081
14082	14083	14087	14088	14089	14090
14091	14092	14093	14094	14095	14096

Protecto-plate

FOR AUTHORIZED SERVICE
THIS ASSORTMENT SHOULD BE
MAINTAINED BY YOUR O.E.M.
TECHNICIAN

LOCAL 80-1102 1-800-441-1001

8577

O.E.M. TERMINALS

18-14 ga. Through 20-18 ga.

Large 24 Hole Drawer

253 pieces

see pages D15-D17

SUPER-FIX ASSORTMENT					No. 8578
NYLON CONNECTORS					
12572	12573	12574	12575	12576	12577
12578	12579	12580	12581	12582	12583
12584	12585	12586	12587	12588	12589
12590	12591	12592	12593	12594	12595

Protecto-plate

FOR AUTHORIZED SERVICE
THIS ASSORTMENT SHOULD BE
MAINTAINED BY YOUR O.E.M.
TECHNICIAN

LOCAL 80-1102 1-800-441-1001

8578

NYLON CONNECTORS

*Various General Purpose, GM, Ford, & AMC
Nylon Connectors*


Large 24 Hole Drawer

253 pieces

see pages E20-E22

Hard to Find Fasteners Our Specialty

TAMPERPROOF TOOLS




O.E.M. Tamperproof Drivers

SIZE	FOR SCREW	POWER DRIVER	HAND DRIVER
#4	#4, 4-40	534007	534006
#6	#6, 6-32	534031	534028
#8	#8, 8-32	534032	534029
#10	#10, 10-24/32	534033	534030

This Tamper resistant screw is smooth, so it discourages electron discharge and it's electronically safe, making it ideal for use in medical apparatus, food handling and fastening for high voltage apparatus


Complete Super-fix assortments #8556, #8557, #8558 see section G



Spanner Tamperproof Drivers

SIZE	FOR SCREW	POWER DRIVER	HAND DRIVER
#4	#4, 4-40	795-192	795-173
#6	#6, 6-32	795-193	795-174
#8	#8, 8-32	795-194	795-175
#10	#10, 10-24/32	795-195	795-176
#12	#12, 12-24	795-196	795-177
#14	#14, 1/4-20	795-197	795-178


Complete Super-fix assortments 700-132 see section G



One-Way Tamperproof Removal Drivers

SIZE	FOR SCREW	POWER DRIVER	HAND DRIVER
1	#4 to #8		795-170
2	#10 - #12		795-171
3	#14 (1/4")		795-169

Complete Super-fix assortments 700-134 see section G




Triple-groove Tamperproof Drivers (fits Tri-groove)

SIZE	FOR SCREW	POWER DRIVER	HAND DRIVER
#4			
#6			795-301
#8		795-305	
#10		795-306	
#20			
#30			

O.E.M. HARDWARE

Hard to Find Fasteners Our Specialty


TAMPERPROOF TOOLS



Torx Pin Tamperproof Drivers

SIZE	FOR SCREW	POWER DRIVER	HAND DRIVER
T-7		795-252	795-240
T-8		795-253	795-241
T-9		795-254	795-242
T-10		795-203	795-243
T-15		795-204	795-244
T-20		795-205	795-245
T-25		795-206	795-246
T-27		795-207	795-247
T-30		795-208	795-248
T-40		795-209	795-249
T-45			795-250
T-50			795-251


Complete Super-fix assortments see section G



Socket Pin Tamperproof Drivers

SIZE	FOR SCREW	POWER DRIVER	HAND DRIVER
3/32	4-40	795-184	795-604
1/8	#6, 6-32	795-185	795-605
5/32	#8 to #14, 8, 10, 1/4	795-187	795-606
3/16	5/16	795-188	
7/32	3/8	795-189	
9/64	---	795-186	
1/4	---	795-190	
5/16	---	795-191	

Complete Super-fix assortments #700-136 see section G



Triple-wing Tamperproof Drivers

SIZE	FOR SCREW	POWER DRIVER	HAND DRIVER
#0			
#1			795-301
#2		795-305	
#3		795-306	
#4			
#5			
#6			